



RIO GRANDE SILVERY MINNOW POPULATION MONITORING DURING APRIL 2020

**A U.S. BUREAU OF RECLAMATION FUNDED
RESEARCH PROGRAM**



22 May 2020

RIO GRANDE SILVERY MINNOW POPULATION MONITORING DURING APRIL 2020

**A U.S. BUREAU OF RECLAMATION FUNDED
RESEARCH PROGRAM**

Contract 140R4019P0048:

Requisition 0040418262
U.S. Bureau of Reclamation
Albuquerque Area Office
555 Broadway NE, Suite 100
Albuquerque, NM 87102

Submitted to:

U.S. Bureau of Reclamation
Albuquerque Area Office
555 Broadway NE, Suite 100
Albuquerque, NM 87102

Robert K. Dudley^{1,2}, Steven P. Platania^{1,2}, and Gary C. White^{1,3}

¹ American Southwest Ichthyological Researchers (ASIR); 800 Encino Place NE; Albuquerque, NM 87102
&

² Museum of Southwestern Biology (Fishes), Biology, UNM; MSC03-2020; Albuquerque, NM 87131
&

³ Fish, Wildlife, and Conservation Biology, CSU; 10 Wagar; Fort Collins, CO 80523

22 May 2020

SUMMARY OF APRIL 2020 POPULATION MONITORING

The April population monitoring efforts were conducted at the 20 standard sites and at the 10 additional sites. Ten sites were located in the Angostura Reach, ten sites were located in the Isleta Reach, and ten sites were located in the San Acacia Reach. For April 2020, comparisons were made between standard sites and all sites (i.e., standard, additional, and replacement sites). For the 2020 monthly trends, data were based on all sites (i.e., standard, additional, and replacement sites) to maintain consistency across all monthly reports. A list of all collection localities is appended (Appendix A). Adult and juvenile fish were obtained by rapidly drawing a 3.1 m x 1.8 m small mesh (ca. 5 mm) seine through discrete mesohabitats. Larval fish were collected with a 1.0 m x 1.0 m fine mesh (ca. 1.5 mm) seine. All fishes were identified to species and enumerated. We used length-age relationships to assign ages (i.e., age-0, age-1, and age-2+) to all Rio Grande Silvery Minnow collected. Age-0 individuals are only present, however, after annual spring spawning occurs (ca. April–June). Figures illustrating fish densities (i.e., fish per 100 m²) were prepared for the ten focal species to facilitate comparisons across reaches.

Angostura Reach

From 16 March to 15 April, mean daily discharge in the Angostura Reach (Rio Grande at Albuquerque, NM; USGS Gage 08330000) averaged 566.1 ft³ / s and ranged from 431 to 714 ft³ / s. Water temperatures ranged from 10.8 to 17.2 °C during the Angostura Reach sampling efforts (ca. 0830–1530 h). Secchi disk measurements of water clarity ranged from 12 to 92 cm.

Sampling for fishes in the Angostura Reach during April yielded 518 individuals with a cumulative fish density of 11.4 individuals/100 m² sampled. The overall sampling effort in the Angostura Reach covered 4,526.9 m² (surface area) of water. Densities of all fish species combined ranged from 0.0 to 34.1 individuals per 100 m² at the different sampling sites. In April, there were 8 fish species collected in the Angostura Reach. Flathead Chub was the most abundant taxon (n = 160), followed by Rio Grande Silvery Minnow (n = 137), and Red Shiner (n = 114). We collected Rio Grande Silvery Minnow (n = 137) in 28 of the 108 seine hauls that yielded fish, and its site-specific densities ranged from 0.0 to 19.8 individuals per 100 m².

Isleta Reach

Mean daily discharge in the Isleta Reach (Rio Grande near Bosque Farms, NM; USGS Gage 08331160), from 16 March to 15 April, averaged 302.7 ft³ / s and ranged from 108 to 549 ft³ / s. Water temperatures ranged from 13.6 to 22.7 °C throughout the sampling localities during the day (ca. 0930–1600 h). Secchi disk measurements ranged from 12 to 22 cm during sampling.

Isleta Reach population monitoring efforts produced 1,318 individuals in April with a cumulative fish density of 26.0 individuals/100 m² sampled. The total sampling effort in the Isleta Reach during April covered 5,067.6 m² (surface area) of water. Fish densities (all species combined) at the sampling sites ranged from 5.6 to 61.5 individuals per 100 m² sampled. There were 11 fish species collected in the Isleta Reach during April. Red Shiner was the most abundant taxon (n = 1,084), followed by Flathead Chub (n = 106), and Rio Grande Silvery Minnow (n = 58). We collected Rio Grande Silvery Minnow (n = 58) in 35 of the 135 seine hauls that yielded fish, and its site-specific densities ranged from 0.2 to 2.8 individuals per 100 m².

San Acacia Reach

From 16 March to 15 April, mean daily discharge at San Acacia (Rio Grande Floodway at San Acacia, NM; USGS Gage 08354900) was generally higher (average = 379.9; range = 190–603 ft³ / s) than at San Marcial (Rio Grande Floodway at San Marcial, NM; USGS Gage 08358400) during the same period (average = 246.9; range = 50–563 ft³ / s). Water temperatures in April for the San Acacia Reach ranged from 13.1 to 17.4 °C (ca. 0930–1600 h). Secchi disk measurements ranged from 8 to 15 cm during sampling.

Population monitoring efforts in the San Acacia Reach during April yielded 1,719 individuals with a cumulative fish density of 33.1 individuals per 100 m² sampled. Sampling in the San Acacia Reach covered an area of 5,189.5 m² of water. Fish densities (all species combined) ranged from 10.3 to 75.1 individuals per 100 m² at sites sampled in the San Acacia Reach. In April, there were 10 fish species collected in the San Acacia Reach. Red Shiner was the most abundant taxon (n = 1,420), followed by Channel Catfish (n = 107), and Flathead Chub (n = 83). We collected Rio Grande Silvery Minnow (n = 75) in 44 of the 157 seine hauls that yielded fish, and its site-specific densities ranged from 0.4 to 3.2 individuals per 100 m².

Standard Sites

During April, sampling covered 9,750.3 m² (surface area) of water and yielded 2,591 fish. There were no dry sampling sites. Cumulative fish density during April was 26.6 individuals/100 m² sampled. The three most common species were Red Shiner (n = 1,973), Flathead Chub (n = 229), and Channel Catfish (n = 145). The sampling sites yielded a total of 15 fish species.

Rio Grande Silvery Minnow was present in 69 of the 288 seine hauls that yielded fish and at 19 of the 20 sampling sites. Densities of unmarked and marked individuals were 1.14 (n = 111) and 0.06 (n = 6) individuals/100 m² sampled, respectively. Densities of age-0, age-1, and age-2+ individuals were 0.00 (n = 0), 1.14 (n = 111), and 0.06 (n = 6) individuals/100 m² sampled, respectively. Based on all April surveys since 1993, the overall density of Rio Grande Silvery Minnow averaged 1.82 (range = 0.08–10.84) individuals/100 m² sampled. During April 2020, its overall density was 1.20 (n = 117) individuals/100 m² sampled.

All Sites

During April, sampling covered 14,784.0 m² (surface area) of water and yielded 3,555 fish. There were no dry sampling sites. Cumulative fish density during April was 24.05 individuals/100 m² sampled. The three most common species were Red Shiner (n = 2,618), Flathead Chub (n = 349), and Rio Grande Silvery Minnow (n = 270). The sampling sites yielded a total of 15 fish species.

Rio Grande Silvery Minnow was present in 107 of the 400 seine hauls that yielded fish and at 28 of the 30 sampling sites. Densities of unmarked and marked individuals were 1.79 (n = 264) and 0.04 (n = 6) individuals/100 m² sampled, respectively. Densities of age-0, age-1, and age-2+ individuals were 0.00 (n = 0), 1.75 (n = 259), and 0.07 (n = 11) individuals/100 m² sampled, respectively. Based on all April surveys since 1993, the overall density of Rio Grande Silvery Minnow averaged 1.82 (range = 0.08–10.84) individuals/100 m² sampled. During April 2020, its overall density was 1.83 (n = 270) individuals/100 m² sampled.




Figure 1. Map of the study area, standard sites, and additional sites for the Rio Grande Silvery Minnow population monitoring study. Sampling site descriptions are provided in Appendix A.




Figure 2. Map of the study area, standard sites, and replacement sites for the Rio Grande Silvery Minnow population monitoring study. Sampling site descriptions are provided in Appendix A.




Figure 3. Rio Grande mean-daily discharge, by U.S. Geological Survey (USGS) gaging station, from 1 January 2019 to 15 April 2020. Discharge data are provisional and subject to change.

Table 1. Scientific names, common names, and species codes of fishes collected in the Middle Rio Grande since 1993.

Scientific Name	Common Name	Species Code
Order Clupeiformes		
Family Clupeidae	herrings	
<i>Dorosoma cepedianum</i>	Gizzard Shad	(DORCEP)
<i>Dorosoma petenense</i>	Threadfin Shad	(DORPET)
Order Cypriniformes		
Family Cyprinidae	carps and minnows	
<i>Campostoma anomalum</i>	Central Stoneroller	(CAMANO)
<i>Carassius auratus</i>	Goldfish	(CARAUR)
<i>Cyprinella lutrensis</i>	Red Shiner ¹	(CYPLUT)
<i>Cyprinus carpio</i>	Common Carp ¹	(CYPCAR)
<i>Gila pandora</i>	Rio Grande Chub	(GILPAN)
<i>Hybognathus amarus</i>	Rio Grande Silvery Minnow ¹	(HYBAMA)
<i>Notemigonus crysoleucas</i>	Golden Shiner	(NOTCRY)
<i>Pimephales promelas</i>	Fathead Minnow ¹	(PIMPRO)
<i>Pimephales vigilax</i>	Bullhead Minnow	(PIMVIG)
<i>Platygobio gracilis</i>	Flathead Chub ¹	(PLAGRA)
<i>Rhinichthys cataractae</i>	Longnose Dace ¹	(RHICAT)
Family Catostomidae	suckers	
<i>Carpoides carpio</i>	River Carpsucker ¹	(CARCAR)
<i>Catostomus commersonii</i>	White Sucker ¹	(CATCOM)
<i>Ictiobus bubalus</i>	Smallmouth Buffalo	(ICTBUB)
Order Siluriformes		
Family Ictaluridae	North American catfishes	
<i>Ameiurus melas</i>	Black Bullhead	(AMEMEL)
<i>Ameiurus natalis</i>	Yellow Bullhead	(AMENAT)
<i>Ictalurus furcatus</i>	Blue Catfish	(ICTFUR)
<i>Ictalurus punctatus</i>	Channel Catfish ¹	(ICTPUN)
<i>Pylodictis olivaris</i>	Flathead Catfish	(PYLOLI)
Family Loricariidae	suckermouth armored catfishes	
<i>Pterygoplichthys disjunctivus</i>	Vermiculated Sailfin Catfish	(PTEDIS)
Order Salmoniformes		
Family Salmonidae	trouts and salmons	
<i>Oncorhynchus mykiss</i>	Rainbow Trout	(ONCMYK)
<i>Salmo trutta</i>	Brown Trout	(SALTRU)

Table 1. Scientific names, common names, and species codes of fishes collected in the Middle Rio Grande since 1993 (continued).

Scientific Name	Common Name	Species Code
Order Cyprinodontiformes		
Family Poeciliidae	livebearers	
<i>Gambusia affinis</i> Western Mosquitofish ¹		
		(GAMAFF)
Order Perciformes		
Family Moronidae	temperate basses	
<i>Morone chrysops</i> White Bass		(MORCHR)
<i>Morone saxatilis</i> Striped Bass		(MORSAX)
Family Centrarchidae	sunfishes	
<i>Lepomis cyanellus</i> Green Sunfish		(LEPCYA)
<i>Lepomis gulosus</i> Warmouth		(LEPGUL)
<i>Lepomis macrochirus</i> Bluegill		(LEPMAC)
<i>Lepomis megalotis</i> Longear Sunfish		(LEPMEG)
<i>Micropterus punctulatus</i> Spotted Bass		(MICPUN)
<i>Micropterus salmoides</i> Largemouth Bass		(MICSAL)
<i>Pomoxis annularis</i> White Crappie		(POMANN)
<i>Pomoxis nigromaculatus</i> Black Crappie		(POMNIG)
Family Percidae	perches	
<i>Perca flavescens</i> Yellow Perch		(PERFLA)
<i>Percina macrolepida</i> Bigscale Logperch		(PERMAC)
<i>Sander vitreus</i> Walleye		(SANVIT)
Family Sciaenidae	drums and croakers	
<i>Aplodinotus grunniens</i> Freshwater Drum		(APLGRU)

¹ = Focal taxa were typically the 10 most abundant species collected during October.

Table 2. Rio Grande Silvery Minnow abundance, by reach, site, and mesohabitat, during April 2020.
 Marked and unmarked individuals were included. Blank cells indicate site-specific mesohabitats that were unavailable for sampling.

Reach	Site	Locality	BW	PO	RU	SHPO	SHRU	Total
Angostura	1	Angostura Dam	-	-	-	-	-	0
Angostura	2	Bernalillo		-	4	-	-	4
Angostura	3	Rio Rancho		1	7	-	-	8
Angostura	21	Site 21	-	-	-	1	2	3
Angostura	22	Site 22	-	-	-	94	5	99
Angostura	23	Site 23		-	-	1	7	8
Angostura	24	Site 24	-	-	-	3	4	7
Angostura	4	Central Ave.	1	-	-	2	-	3
Angostura	5	Rio Bravo Blvd.	1	1	-	3	-	5
Angostura	25	Site 25	-	-	-	-	-	0
<i>Angostura Totals</i>			2	1	1	115	18	137
Isleta	26	Site 26	-	-	-	1	4	5
Isleta	6	Los Lunas	5	-	3	1	2	11
Isleta	27	Site 27	-	2	1	3	8	14
Isleta	7	Belen	-	-	-	3	2	5
Isleta	8	Jarales		-	-	-	1	1
Isleta	28	Site 28	4	-	1	1	-	6
Isleta	9	Bernardo	-	3	-	-	4	7
Isleta	10	La Joya		-	-	-	1	1
Isleta	29	Site 29	-	-	1	1	2	4
Isleta	11	North of San Acacia			3	1	-	4
<i>Isleta Totals</i>			9	5	9	11	24	58
San Acacia	12	San Acacia Dam		-	-	4	5	9
San Acacia	13	South of San Acacia	1		1	1	9	12
San Acacia	30	Site 30	-	2	4	-	1	7
San Acacia	14	Socorro		4	-	10	2	16
San Acacia	15	North of San Antonio		2	-	-	2	4
San Acacia	16	San Antonio		1	-	1	5	7
San Acacia	17	South of San Antonio	7		-	-	3	10
San Acacia	18	San Marcial		-	-	4	-	4
San Acacia	19	South of San Marcial 1	1	1	-	-	2	4
San Acacia	20	South of San Marcial 2			-	-	2	2
<i>San Acacia Totals</i>			9	10	5	20	31	75
Monthly Totals			20	16	15	146	73	270

Table 3. Rio Grande Silvery Minnow abundance, by reach, site, and month, during 2020. Marked individuals are shown in parentheses, as a subset of the site-specific total. Blank cells indicate months when a site was not visited or will not be visited.

Reach	Site	Locality	Apr	May	Jun	Jul	Aug	Sep	Oct	Total
Angostura	1	Angostura Dam	-	-	-	-	-	-	-	0
Angostura	2	Bernalillo	4(0)	-	-	-	-	-	-	4
Angostura	3	Rio Rancho	8(0)	-	-	-	-	-	-	8
Angostura	21	Site 21	3(0)	-	-	-	-	-	-	3
Angostura	22	Site 22	99(0)	-	-	-	-	-	-	99
Angostura	23	Site 23	8(0)	-	-	-	-	-	-	8
Angostura	24	Site 24	7(0)	-	-	-	-	-	-	7
Angostura	4	Central Ave.	3(0)	-	-	-	-	-	-	3
Angostura	5	Rio Bravo Blvd.	5(0)	-	-	-	-	-	-	5
Angostura	25	Site 25	-	-	-	-	-	-	-	0
<i>Angostura Totals</i>			137	-	-	-	-	-	-	137
Isleta	26	Site 26	5(0)	-	-	-	-	-	-	5
Isleta	6	Los Lunas	11(0)	-	-	-	-	-	-	11
Isleta	27	Site 27	14(0)	-	-	-	-	-	-	14
Isleta	7	Belen	5(0)	-	-	-	-	-	-	5
Isleta	8	Jarales	1(0)	-	-	-	-	-	-	1
Isleta	28	Site 28	6(0)	-	-	-	-	-	-	6
Isleta	9	Bernardo	7(0)	-	-	-	-	-	-	7
Isleta	10	La Joya	1(0)	-	-	-	-	-	-	1
Isleta	29	Site 29	4(0)	-	-	-	-	-	-	4
Isleta	11	North of San Acacia	4(0)	-	-	-	-	-	-	4
<i>Isleta Totals</i>			58	-	-	-	-	-	-	58
San Acacia	12	San Acacia Dam	9(0)	-	-	-	-	-	-	9
San Acacia	13	South of San Acacia	12(0)	-	-	-	-	-	-	12
San Acacia	30	Site 30	7(0)	-	-	-	-	-	-	7
San Acacia	14	Socorro	16(6)	-	-	-	-	-	-	16
San Acacia	15	North of San Antonio	4(0)	-	-	-	-	-	-	4
San Acacia	16	San Antonio	7(0)	-	-	-	-	-	-	7
San Acacia	17	South of San Antonio	10(0)	-	-	-	-	-	-	10
San Acacia	18	San Marcial	4(0)	-	-	-	-	-	-	4
San Acacia	19	South of San Marcial 1	4(0)	-	-	-	-	-	-	4
San Acacia	20	South of San Marcial 2	2(0)	-	-	-	-	-	-	2
<i>San Acacia Totals</i>			75	-	-	-	-	-	-	75
Monthly Totals			270	-	-	-	-	-	-	270




Figure 4. Rio Grande Silvery Minnow densities based on all sites, by age-class and month, during 2020. Marked and unmarked individuals were included.

Table 4. Ichthyofaunal summary based on standard sites, by species, during April 2020. Marked and unmarked Rio Grande Silvery Minnow were included.

Family	Common Name	Residence Status¹	Total Number of Individuals	Percent (%) of Total	Frequency of Occurrence²	% Frequency of Occurrence²
Clupeidae	Gizzard Shad	N	2	0.08	2	10.00
Clupeidae	Threadfin Shad	I	-	-	-	-
Cyprinidae	Central Stoneroller	I	-	-	-	-
Cyprinidae	Goldfish	I	-	-	-	-
Cyprinidae	Red Shiner	N	1,973	76.15	19	95.00
Cyprinidae	Common Carp	I	30	1.16	6	30.00
Cyprinidae	Rio Grande Chub	N	-	-	-	-
Cyprinidae	Rio Grande Silvery Minnow	N	117	4.52	19	95.00
Cyprinidae	Golden Shiner	I	-	-	-	-
Cyprinidae	Fathead Minnow	N	18	0.69	5	25.00
Cyprinidae	Bullhead Minnow	I	-	-	-	-
Cyprinidae	Flathead Chub	N	229	8.84	16	80.00
Cyprinidae	Longnose Dace	N	64	2.47	4	20.00
Catostomidae	River Carpsucker	N	1	0.04	1	5.00
Catostomidae	White Sucker	I	2	0.08	2	10.00
Catostomidae	Smallmouth Buffalo	N	-	-	-	-
Ictaluridae	Black Bullhead	I	-	-	-	-
Ictaluridae	Yellow Bullhead	I	-	-	-	-
Ictaluridae	Blue Catfish	N	1	0.04	1	5.00
Ictaluridae	Channel Catfish	I	145	5.60	15	75.00
Ictaluridae	Flathead Catfish	N	-	-	-	-
Loricariidae	Vermiculated Sailfin Catfish	I	-	-	-	-
Salmonidae	Rainbow Trout	I	-	-	-	-
Salmonidae	Brown Trout	I	-	-	-	-
Poeciliidae	Western Mosquitofish	I	3	0.12	2	10.00
Moronidae	White Bass	I	1	0.04	1	5.00
Moronidae	Striped Bass	I	-	-	-	-
Centrarchidae	Green Sunfish	I	-	-	-	-
Centrarchidae	Bluegill	I	-	-	-	-
Centrarchidae	Longear Sunfish	I	-	-	-	-
Centrarchidae	Smallmouth Bass	I	-	-	-	-
Centrarchidae	Largemouth Bass	I	1	0.04	1	5.00
Centrarchidae	White Crappie	I	4	0.15	2	10.00
Centrarchidae	Black Crappie	I	-	-	-	-
Percidae	Yellow Perch	I	-	-	-	-
Percidae	Bigscale Logperch	I	-	-	-	-
Percidae	Walleye	I	-	-	-	-
Sciaenidae	Freshwater Drum	N	-	-	-	-
Monthly Total			2,591	100.00		

¹ = N (native); I (introduced)

² = Frequency and % frequency of occurrence were based on standard sites.




Figure 5. Fish densities based on standard sites, by reach and focal taxa, during April 2020. Marked and unmarked Rio Grande Silvery Minnow were included.

Table 5. Ichthyofaunal summary based on all sites, by species, during April 2020. Marked and unmarked Rio Grande Silvery Minnow were included.

Family	Common Name	Residence Status ¹	Total Number of Individuals	Percent (%) of Total	Frequency of Occurrence ²	% Frequency of Occurrence ²
Clupeidae	Gizzard Shad	N	2	0.06	2	6.67
Clupeidae	Threadfin Shad	I	-	-	-	-
Cyprinidae	Central Stoneroller	I	-	-	-	-
Cyprinidae	Goldfish	I	-	-	-	-
Cyprinidae	Red Shiner	N	2,618	73.64	29	96.67
Cyprinidae	Common Carp	I	33	0.93	7	23.33
Cyprinidae	Rio Grande Chub	N	-	-	-	-
Cyprinidae	Rio Grande Silvery Minnow	N	270	7.59	28	93.33
Cyprinidae	Golden Shiner	I	-	-	-	-
Cyprinidae	Fathead Minnow	N	21	0.59	7	23.33
Cyprinidae	Bullhead Minnow	I	-	-	-	-
Cyprinidae	Flathead Chub	N	349	9.82	25	83.33
Cyprinidae	Longnose Dace	N	83	2.33	10	33.33
Catostomidae	River Carpsucker	N	1	0.03	1	3.33
Catostomidae	White Sucker	I	4	0.11	4	13.33
Catostomidae	Smallmouth Buffalo	N	-	-	-	-
Ictaluridae	Black Bullhead	I	-	-	-	-
Ictaluridae	Yellow Bullhead	I	-	-	-	-
Ictaluridae	Blue Catfish	N	1	0.03	1	3.33
Ictaluridae	Channel Catfish	I	157	4.42	19	63.33
Ictaluridae	Flathead Catfish	N	-	-	-	-
Loricariidae	Vermiculated Sailfin Catfish	I	-	-	-	-
Salmonidae	Rainbow Trout	I	-	-	-	-
Salmonidae	Brown Trout	I	-	-	-	-
Poeciliidae	Western Mosquitofish	I	10	0.28	4	13.33
Moronidae	White Bass	I	1	0.03	1	3.33
Moronidae	Striped Bass	I	-	-	-	-
Centrarchidae	Green Sunfish	I	-	-	-	-
Centrarchidae	Bluegill	I	-	-	-	-
Centrarchidae	Longear Sunfish	I	-	-	-	-
Centrarchidae	Smallmouth Bass	I	-	-	-	-
Centrarchidae	Largemouth Bass	I	1	0.03	1	3.33
Centrarchidae	White Crappie	I	4	0.11	2	6.67
Centrarchidae	Black Crappie	I	-	-	-	-
Percidae	Yellow Perch	I	-	-	-	-
Percidae	Bigscale Logperch	I	-	-	-	-
Percidae	Walleye	I	-	-	-	-
Sciaenidae	Freshwater Drum	N	-	-	-	-
Monthly Total			3,555	100.00		

¹ = N (native); I (introduced)

² = Frequency and % frequency of occurrence were based on all sites.




Figure 6. Fish densities based on all sites, by reach and focal taxa, during April 2020. Marked and unmarked Rio Grande Silvery Minnow were included.

Table 6. Ichthyofaunal summary based on all sites, by species and month, during 2020. Marked and unmarked Rio Grande Silvery Minnow were included.

Family	Common Name	Apr	May	Jun	Jul	Aug	Sep	Oct	Total
Clupeidae	Gizzard Shad	2	-	-	-	-	-	-	2
Clupeidae	Threadfin Shad	-	-	-	-	-	-	-	0
Cyprinidae	Central Stoneroller	-	-	-	-	-	-	-	0
Cyprinidae	Goldfish	-	-	-	-	-	-	-	0
Cyprinidae	Red Shiner	2,618	-	-	-	-	-	-	2,618
Cyprinidae	Common Carp	33	-	-	-	-	-	-	33
Cyprinidae	Rio Grande Chub	-	-	-	-	-	-	-	0
Cyprinidae	Rio Grande Silvery Minnow	270	-	-	-	-	-	-	270
Cyprinidae	Golden Shiner	-	-	-	-	-	-	-	0
Cyprinidae	Fathead Minnow	21	-	-	-	-	-	-	21
Cyprinidae	Bullhead Minnow	-	-	-	-	-	-	-	0
Cyprinidae	Flathead Chub	349	-	-	-	-	-	-	349
Cyprinidae	Longnose Dace	83	-	-	-	-	-	-	83
Catostomidae	River Carpsucker	1	-	-	-	-	-	-	1
Catostomidae	White Sucker	4	-	-	-	-	-	-	4
Catostomidae	Smallmouth Buffalo	-	-	-	-	-	-	-	0
Ictaluridae	Black Bullhead	-	-	-	-	-	-	-	0
Ictaluridae	Yellow Bullhead	-	-	-	-	-	-	-	0
Ictaluridae	Blue Catfish	1	-	-	-	-	-	-	1
Ictaluridae	Channel Catfish	157	-	-	-	-	-	-	157
Ictaluridae	Flathead Catfish	-	-	-	-	-	-	-	0
Loricariidae	Vermiculated Sailfin Catfish	-	-	-	-	-	-	-	0
Salmonidae	Rainbow Trout	-	-	-	-	-	-	-	0
Salmonidae	Brown Trout	-	-	-	-	-	-	-	0
Poeciliidae	Western Mosquitofish	10	-	-	-	-	-	-	10
Moronidae	White Bass	1	-	-	-	-	-	-	1
Moronidae	Striped Bass	-	-	-	-	-	-	-	0
Centrarchidae	Green Sunfish	-	-	-	-	-	-	-	0
Centrarchidae	Bluegill	-	-	-	-	-	-	-	0
Centrarchidae	Longear Sunfish	-	-	-	-	-	-	-	0
Centrarchidae	Smallmouth Bass	-	-	-	-	-	-	-	0
Centrarchidae	Largemouth Bass	1	-	-	-	-	-	-	1
Centrarchidae	White Crappie	4	-	-	-	-	-	-	4
Centrarchidae	Black Crappie	-	-	-	-	-	-	-	0
Percidae	Yellow Perch	-	-	-	-	-	-	-	0
Percidae	Bigscale Logperch	-	-	-	-	-	-	-	0
Percidae	Walleye	-	-	-	-	-	-	-	0
Sciaenidae	Freshwater Drum	-	-	-	-	-	-	-	0
Monthly Totals		3,555	-	-	-	-	-	-	3,555

APPENDIX A (Sampling Sites)

Middle Rio Grande Fish Sampling Sites

Table A - 1. Sampling reaches and standard sites for population monitoring of Rio Grande Silvery Minnow in the Middle Rio Grande.

Reach and Site	Locality
Angostura Reach	
1	New Mexico, Sandoval County, Rio Grande, just downstream of Angostura Diversion Dam, Algodones. River Mile: 209.9; UTM Easting: 363665; UTM Northing: 3916331; Zone: 13; Datum: NAD83
2	New Mexico, Sandoval County, Rio Grande, at US HWY 550 bridge crossing, Bernalillo. River Mile: 203.9; UTM Easting: 358457; UTM Northing: 3909887; Zone: 13; Datum: NAD83
3	New Mexico, Sandoval County, Rio Grande, ca. 4.0 mi downstream of US HWY 550 bridge crossing, Rio Rancho. River Mile: 199.9; UTM Easting: 354728; UTM Northing: 3905587; Zone: 13; Datum: NAD83
4	New Mexico, Bernalillo County, Rio Grande, at Central Ave. bridge crossing (US HWY 66), Albuquerque. River Mile: 183.4; UTM Easting: 346719; UTM Northing: 3884331; Zone: 13; Datum: NAD83
5	New Mexico, Bernalillo County, Rio Grande, at Rio Bravo Blvd. bridge crossing (NM State HWY 500), Albuquerque. River Mile: 178.4; UTM Easting: 347468; UTM Northing: 3877400; Zone: 13; Datum: NAD83
Isleta Reach	
6	New Mexico, Valencia County, Rio Grande, just upstream of NM State HWY 6 bridge crossing, Los Lunas. River Mile: 161.7; UTM Easting: 343149; UTM Northing: 3853187; Zone: 13; Datum: NAD83
7	New Mexico, Valencia County, Rio Grande, ca. 1.0 mi upstream of NM State HWY 309 bridge crossing, Belen. River Mile: 150.8; UTM Easting: 340105; UTM Northing: 3837722; Zone: 13; Datum: NAD83
8	New Mexico, Valencia County, Rio Grande, ca. 2.2 mi upstream of NM State HWY 346 bridge crossing, Jarales. River Mile: 143.2; UTM Easting: 338020; UTM Northing: 3827545; Zone: 13; Datum: NAD83
9	New Mexico, Socorro County, Rio Grande, at US HWY 60 bridge crossing, Bernardo. River Mile: 130.6; UTM Easting: 334578; UTM Northing: 3809921; Zone: 13; Datum: NAD83
10	New Mexico, Socorro County, Rio Grande, ca. 3.7 mi downstream of US HWY 60 bridge crossing, Bernardo. River Mile: 126.8; UTM Easting: 330946; UTM Northing: 3805307; Zone: 13; Datum: NAD83
11	New Mexico, Socorro County, Rio Grande, ca. 1.2 mi upstream of San Acacia Diversion Dam, San Acacia. River Mile: 117.3; UTM Easting: 328152; UTM Northing: 3792564; Zone: 13; Datum: NAD83

Table A - 1. Sampling reaches and standard sites for population monitoring of Rio Grande Silvery Minnow in the Middle Rio Grande (continued).

Reach and Site	Locality
San Acacia Reach	
12	New Mexico, Socorro County, Rio Grande, just downstream of San Acacia Diversion Dam, San Acacia. River Mile: 115.6; UTM Easting: 325960; UTM Northing: 3792183; Zone: 13; Datum: NAD83
13	New Mexico, Socorro County, Rio Grande, ca. 1.5 mi downstream of San Acacia Diversion Dam, San Acacia. River Mile: 114.1; UTM Easting: 325390; UTM Northing: 3790397; Zone: 13; Datum: NAD83
14	New Mexico, Socorro County, Rio Grande, ca. 0.5 mi upstream of Socorro Low Flow Conveyance Channel bridge crossing, Socorro. River Mile: 99.6; UTM Easting: 327231; UTM Northing: 3771432; Zone: 13; Datum: NAD83
15	New Mexico, Socorro County, Rio Grande, ca. 4.5 mi upstream of US HWY 380 bridge crossing, San Antonio. River Mile: 92.0; UTM Easting: 328151; UTM Northing: 3761487; Zone: 13; Datum: NAD83
16	New Mexico, Socorro County, Rio Grande, at US HWY 380 bridge crossing, San Antonio. River Mile: 87.8; UTM Easting: 328907; UTM Northing: 3754926; Zone: 13; Datum: NAD83
17	New Mexico, Socorro County, Rio Grande, east of Bosque del Apache NWR headquarters, San Antonio. River Mile: 79.0; UTM Easting: 327219; UTM Northing: 3740906; Zone: 13; Datum: NAD83
18	New Mexico, Socorro County, Rio Grande, at San Marcial Railroad bridge crossing, San Marcial. River Mile: 68.3; UTM Easting: 315091; UTM Northing: 3728487; Zone: 13; Datum: NAD83
19	New Mexico, Socorro County, Rio Grande, ca. 8.0 mi downstream of San Marcial Railroad bridge crossing, San Marcial. River Mile: 60.1; UTM Easting: 309441; UTM Northing: 3718309; Zone: 13; Datum: NAD83
20	New Mexico, Socorro County, Rio Grande, ca. 10.0 mi downstream of San Marcial Railroad bridge crossing, San Marcial. River Mile: 58.5; UTM Easting: 307767; UTM Northing: 3716360; Zone: 13; Datum: NAD83

Table A - 2. Sampling reaches and additional sites for population monitoring of Rio Grande Silvery Minnow in the Middle Rio Grande.

Reach and Site	Locality
Angostura Reach	
21	New Mexico, Sandoval County, Rio Grande, ca. 4.4 miles upstream of Alameda Blvd. (NM State Hwy. 528) bridge crossing, Corrales. River Mile: 196.6; UTM Easting: 355531; UTM Northing: 3900626; Zone: 13; Datum: NAD83
22	New Mexico, Sandoval County, Rio Grande, ca. 1.1 miles upstream of Alameda Blvd. (NM State Hwy. 528) bridge crossing, Corrales. River Mile: 193.1; UTM Easting: 351562; UTM Northing: 3897190; Zone: 13; Datum: NAD83
23	New Mexico, Bernalillo County, Rio Grande, ca. 1.0 miles downstream of Paseo del Norte Blvd. (NM State Hwy. 423) bridge crossing Albuquerque. River Mile: 190.0; UTM Easting: 349214; UTM Northing: 3893063; Zone: 13; Datum: NAD83
24	New Mexico, Bernalillo County, Rio Grande, ca. 1.1 miles upstream of I-40 bridge crossing, Albuquerque. River Mile: 186.1; UTM Easting: 346011; UTM Northing: 3887973; Zone: 13; Datum: NAD83
25	New Mexico, Bernalillo County, Rio Grande, ca. 1.5 miles upstream of I-25 bridge crossing, Isleta. River Mile: 174.0; UTM Easting: 345900; UTM Northing: 3870990; Zone: 13; Datum: NAD83
Isleta Reach	
26	New Mexico, Valencia County, Rio Grande, ca. 4.1 miles upstream of NM State Hwy. 6 bridge crossing, Los Lunas. River Mile: 165.2; UTM Easting: 342799; UTM Northing: 3858637; Zone: 13; Datum: NAD83
27	New Mexico, Valencia County, Rio Grande, ca. 6.2 miles upstream of NM State Hwy. 309 bridge crossing, Belen. River Mile: 156.0; UTM Easting: 340647; UTM Northing: 3845146; Zone: 13; Datum: NAD83
28	New Mexico, Socorro County, Rio Grande, ca. 6.3 miles upstream of U.S. Hwy. 60 bridge crossing, Bernardo. River Mile: 137.1; UTM Easting: 335554; UTM Northing: 3819543; Zone: 13; Datum: NAD83
29	New Mexico, Socorro County, Rio Grande, ca. 1.5 miles upstream of confluence with the Rio Salado, San Acacia. River Mile: 120.1; UTM Easting: 330498; UTM Northing: 3795053; Zone: 13; Datum: NAD83
San Acacia Reach	
30	New Mexico, Socorro County, Rio Grande, ca. 2.6 miles upstream of Pueblitos Rd. bridge crossing, Escondida. River Mile: 107.1; UTM Easting: 326303; UTM Northing: 3781123; Zone: 13; Datum: NAD83

Table A - 3. Sampling reaches and replacement sites for population monitoring of Rio Grande Silvery Minnow in the Middle Rio Grande.

Reach and Site	Locality
San Acacia Reach	
52	New Mexico, Socorro County, Rio Grande, ca. 2.2 mi. downstream of Pueblitos Rd. bridge crossing, Escondida. River Mile: 101.7; UTM Easting: 327091; UTM Northing: 3773950; Zone: 13; Datum: NAD83
53	New Mexico, Socorro County, Rio Grande, ca. 3.1 mi downstream of the Socorro Low Flow Conveyance Channel bridge crossing, Socorro. River Mile: 96.0; UTM Easting: 327928; UTM Northing: 3766570; Zone: 13; Datum: NAD83
54	New Mexico, Socorro County, Rio Grande, ca. 4.7 mi. downstream of Socorro LFCC bridge crossing, Socorro. River Mile: 94.2; UTM Easting: 327288; UTM Northing: 3764453; Zone: 13; Datum: NAD83
56	New Mexico, Socorro County, Rio Grande, ca. 2.1 miles upstream of San Antonio bridge crossing, San Antonio. River Mile: 89.3; UTM Easting: 329188; UTM Northing: 3758027; Zone: 13; Datum: NAD83
58	New Mexico, Socorro County, Rio Grande, ca. 1.8 mi. upstream of San Marcial Railroad bridge crossing, San Marcial. River Mile: 70.1; UTM Easting: 318083; UTM Northing: 3728535; Zone: 13; Datum: NAD83
60	New Mexico, Socorro County, Rio Grande, ca. 6.4 mi. downstream of San Marcial Railroad bridge crossing, San Marcial. River Mile: 61.8; UTM Easting: 311422; UTM Northing: 3719873; Zone: 13; Datum: NAD83

APPENDIX B (Site-Specific Population Monitoring Data)

Site-specific data, collected in April 2020, as part of the
Rio Grande Silvery Minnow Population Monitoring Program

** Data are provisional and should be verified by direct inspection of field data **

Rio Grande Silvery Minnow Population Monitoring April 2020

NEW MEXICO: SANDOVAL County, RIO GRANDE Drainage
Rio Grande, just downstream of Angostura Diversion Dam, Algodones.

RKD20-018

Site Number: 1 River Mile: 209.9 10 April 2020
UTM Easting: 363665 UTM Northing: 3916331 Zone: 13 Quad: San Felipe Pueblo
R.K. Dudley, A.C. Wedemeyer, A.D. Urioste Effort: 455.0 sq. m

Family	Species	Total
76	<i>Platygobio gracilis</i>	2
76	<i>Rhinichthys cataractae</i>	3

NEW MEXICO: SANDOVAL County, RIO GRANDE Drainage
Rio Grande, at US HWY 550 bridge crossing, Bernalillo.

RKD20-020

Site Number: 2 River Mile: 203.9 10 April 2020
UTM Easting: 358457 UTM Northing: 3909887 Zone: 13 Quad: Bernalillo
R.K. Dudley, A.C. Wedemeyer, A.D. Urioste Effort: 551.2 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	24
76	<i>Hybognathus amarus*</i>	4
76	<i>Pimephales promelas</i>	2
76	<i>Platygobio gracilis</i>	34
76	<i>Rhinichthys cataractae</i>	27

**Hybognathus amarus* (age-classes):

age-0	
age-1	3
age-2+	1

Rio Grande Silvery Minnow Population Monitoring April 2020

NEW MEXICO: SANDOVAL County, RIO GRANDE Drainage
Rio Grande, ca. 4.0 mi downstream of US HWY 550 bridge crossing, Rio Rancho.

Site Number: 3 River Mile: 199.9 10 April 2020
UTM Easting: 354728 UTM Northing: 3905587 Zone: 13 Quad: Bernalillo
R.K. Dudley, A.C. Wedemeyer, A.D. Urioste Effort: 529.3 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	19
76	<i>Hybognathus amarus*</i>	8
76	<i>Pimephales promelas</i>	11
76	<i>Platygobio gracilis</i>	15
76	<i>Rhinichthys cataractae</i>	31
81	<i>Catostomus commersonii</i>	1

*<i>Hybognathus amarus</i> (age-classes):		
age-0		
age-1	8	
age-2+		

NEW MEXICO: Sandoval County, RIO GRANDE Drainage **RKD20-030**
Rio Grande, ca. 4.5 mi upstream of Alameda Blvd. bridge crossing (NM State HWY 528), Corrales.

Site Number: 21 River Mile: 196.5 09 April 2020
UTM Easting: 355670 UTM Northing: 3900620 Zone: 13 Quad: Alameda
R.K. Dudley, A.C. Wedemeyer, A.D. Urioste Effort: 510.0 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	1
76	<i>Hybognathus amarus*</i>	3
76	<i>Platygobio gracilis</i>	6
76	<i>Rhinichthys cataractae</i>	5
81	<i>Catostomus commersonii</i>	1

*<i>Hybognathus amarus</i> (age-classes):		
age-0		
age-1	3	
age-2+		

Rio Grande Silvery Minnow Population Monitoring
April 2020

NEW MEXICO: Sandoval County, RIO GRANDE Drainage **RKD20-029**
Rio Grande, ca. 1.0 mi upstream of Alameda Blvd. bridge crossing (NM State HWY 528), Corrales.

Site Number: 22 River Mile: 193.0 09 April 2020
UTM Easting: 351565 UTM Northing: 3897088 Zone: 13 Quad: Los Griegos
R.K. Dudley, A.C. Wedemeyer, A.D. Urioste Effort: 499.2 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	2
76	<i>Hybognathus amarus*</i>	99
76	<i>Platygobio gracilis</i>	64
76	<i>Rhinichthys cataractae</i>	3
81	<i>Catostomus commersonii</i>	1
212	<i>Gambusia affinis</i>	1

****Hybognathus amarus* (age-classes):**

age-0	
age-1	98
age-2+	1

NEW MEXICO: Bernalillo County, RIO GRANDE Drainage **RKD20-028**
Rio Grande, ca. 1.2 mi downstream of Paseo del Norte Blvd. bridge crossing (NM State HWY 423),
Albuquerque.

Site Number: 23 River Mile: 189.9 09 April 2020
UTM Easting: 349121 UTM Northing: 3893113 Zone: 13 Quad: Los Griegos
R.K. Dudley, A.C. Wedemeyer, A.D. Urioste Effort: 526.9 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	11
76	<i>Hybognathus amarus*</i>	8
76	<i>Platygobio gracilis</i>	12
76	<i>Rhinichthys cataractae</i>	6

****Hybognathus amarus* (age-classes):**

age-0	
age-1	7
age-2+	1

Rio Grande Silvery Minnow Population Monitoring April 2020

NEW MEXICO: Bernalillo County, RIO GRANDE Drainage **RKD20-027**

Rio Grande, ca. 1.1 mi upstream of US Interstate HWY I-40 bridge crossing, Albuquerque.

Site Number: 24 River Mile: 186.1 09 April 2020
UTM Easting: 346011 UTM Northing: 3887973 Zone: 13 Quad: Albuquerque West
R.K. Dudley, A.C. Wedemeyer, A.D. Urioste Effort: 481.6 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	6
76	<i>Hybognathus amarus*</i>	7
76	<i>Platygobio gracilis</i>	13
76	<i>Rhinichthys cataractae</i>	3
93	<i>Ictalurus punctatus</i>	2

****Hybognathus amarus* (age-classes):**

age-0	
age-1	7
age-2+	

NEW MEXICO: BERNALILLO County, RIO GRANDE Drainage **RKD20-017**

Rio Grande, at Central Ave. bridge crossing (US HWY 66), Albuquerque.

Site Number: 4 River Mile: 183.4 08 April 2020
UTM Easting: 346719 UTM Northing: 3884331 Zone: 13 Quad: Albuquerque West
R.K. Dudley, A.C. Wedemeyer, A.D. Urioste Effort: sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	31
76	<i>Hybognathus amarus*</i>	3
76	<i>Platygobio gracilis</i>	9
76	<i>Rhinichthys cataractae</i>	3
81	<i>Catostomus commersonii</i>	1
93	<i>Ictalurus punctatus</i>	2

****Hybognathus amarus* (age-classes):**

age-0	
age-1	3
age-2+	

Rio Grande Silvery Minnow Population Monitoring April 2020

NEW MEXICO: BERNALILLO County, RIO GRANDE Drainage
Rio Grande, at Rio Bravo Blvd. bridge crossing (NM State HWY 500), Albuquerque.

RKD20-016

Site Number: 5 River Mile: 178.4 08 April 2020
UTM Easting: 347468 UTM Northing: 3877400 Zone: 13 Quad: Albuquerque West
R.K. Dudley, A.C. Wedemeyer, A.D. Urioste Effort: 479.0 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	12
76	<i>Hybognathus amarus*</i>	5
76	<i>Pimephales promelas</i>	2
76	<i>Platygobio gracilis</i>	4

****Hybognathus amarus* (age-classes):**

age-0
age-1 5
age-2+

NEW MEXICO: Bernalillo County, RIO GRANDE Drainage
Rio Grande, ca. 1.4 mi upstream of US Interstate HWY I-25 bridge crossing, Isleta.

RKD20-026

Site Number: 25 River Mile: 174.0 07 April 2020
UTM Easting: 345874 UTM Northing: 3870990 Zone: 13 Quad: Isleta
R.K. Dudley, A.C. Wedemeyer, A.D. Urioste Effort: 495.0 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	8
76	<i>Pimephales promelas</i>	1
76	<i>Platygobio gracilis</i>	1
93	<i>Ictalurus punctatus</i>	1

Rio Grande Silvery Minnow Population Monitoring April 2020

NEW MEXICO: Valencia County, RIO GRANDE Drainage
Rio Grande, ca. 4.1 mi upstream of NM State HWY 6 bridge crossing, Los Lunas.

RKD20-025

Site Number: 26 River Mile: 165.2 08 April 2020
UTM Easting: 342799 UTM Northing: 3858637 Zone: 13 Quad: Los Lunas
R.K. Dudley, A.C. Wedemeyer, A.D. Urioste Effort: 522.3 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	123
76	<i>Hybognathus amarus*</i>	5
76	<i>Platygobio gracilis</i>	5
76	<i>Rhinichthys cataractae</i>	1

****Hybognathus amarus* (age-classes):**

age-0	
age-1	4
age-2+	1

NEW MEXICO: VALENCIA County, RIO GRANDE Drainage
Rio Grande, just upstream of NM State HWY 6 bridge crossing, Los Lunas.

RKD20-015

Site Number: 6 River Mile: 161.7 08 April 2020
UTM Easting: 343149 UTM Northing: 3853187 Zone: 13 Quad: Los Lunas
R.K. Dudley, A.C. Wedemeyer, A.D. Urioste Effort: 488.2 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	16
76	<i>Cyprinus carpio</i>	2
76	<i>Hybognathus amarus*</i>	11
76	<i>Platygobio gracilis</i>	10
93	<i>Ictalurus punctatus</i>	1

****Hybognathus amarus* (age-classes):**

age-0	
age-1	11
age-2+	

Rio Grande Silvery Minnow Population Monitoring
April 2020

NEW MEXICO: Valencia County, RIO GRANDE Drainage				RKD20-024
Rio Grande, ca. 6.5 mi upstream of NM State HWY 309 bridge crossing, Belen.				
Site Number: 27	River Mile: 156.0			07 April 2020
UTM Easting: 340512	UTM Northing: 3845124	Zone: 13	Quad: Tome	
R.K. Dudley, A.C. Wedemeyer, A.D. Urioste				Effort: 491.9 sq. m
<u>Family</u>	<u>Species</u>		<u>Total</u>	
76	<i>Cyprinella lutrensis</i>		94	
76	<i>Hybognathus amarus*</i>		14	
76	<i>Pimephales promelas</i>		2	
76	<i>Platygobio gracilis</i>		7	

****Hybognathus amarus* (age-classes):**

age-0	
age-1	13
age-2+	1

NEW MEXICO: VALENCIA County, RIO GRANDE Drainage				RKD20-014
Rio Grande, ca. 1.0 mi upstream of NM State HWY 309 bridge crossing, Belen.				
Site Number: 7	River Mile: 150.8			07 April 2020
UTM Easting: 340105	UTM Northing: 3837722	Zone: 13	Quad: Tome	
R.K. Dudley, A.C. Wedemeyer, A.D. Urioste				Effort: 518.1 sq. m

<u>Family</u>	<u>Species</u>		<u>Total</u>	
76	<i>Cyprinella lutrensis</i>		101	
76	<i>Hybognathus amarus*</i>		5	
76	<i>Pimephales promelas</i>		2	
93	<i>Ictalurus punctatus</i>		2	
212	<i>Gambusia affinis</i>		1	

****Hybognathus amarus* (age-classes):**

age-0	
age-1	4
age-2+	1

Rio Grande Silvery Minnow Population Monitoring
April 2020

NEW MEXICO: VALENCIA County, RIO GRANDE Drainage
Rio Grande, ca. 2.2 mi upstream of NM State HWY 346 bridge crossing, Jarales.

RKD20-013

Site Number: 8 River Mile: 143.2 03 April 2020
UTM Easting: 338020 UTM Northing: 3827545 Zone: 13 Quad: Veguita
R.K. Dudley, A.C. Wedemeyer, M.J. Chavez Effort: 528.4 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	55
76	<i>Hybognathus amarus*</i>	1
76	<i>Platygobio gracilis</i>	1
93	<i>Ictalurus punctatus</i>	4

****Hybognathus amarus* (age-classes):**

age-0	
age-1	1
age-2+	

NEW MEXICO: Socorro County, RIO GRANDE Drainage
Rio Grande, ca. 3.8 mi downstream of NM State HWY 346 bridge crossing, Jarales.

RKD20-023

Site Number: 28 River Mile: 137.0 07 April 2020
UTM Easting: 335506 UTM Northing: 3819543 Zone: 13 Quad: Veguita
R.K. Dudley, A.C. Wedemeyer, A.D. Urioste Effort: 518.0 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	118
76	<i>Hybognathus amarus*</i>	6
93	<i>Ictalurus punctatus</i>	4

****Hybognathus amarus* (age-classes):**

age-0	
age-1	6
age-2+	

Rio Grande Silvery Minnow Population Monitoring April 2020

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage
Rio Grande, at US HWY 60 bridge crossing, Bernardo.

RKD20-012

Site Number: 9 River Mile: 130.6
UTM Easting: 334578 UTM Northing: 3809921 Zone: 13 Quad: Abeytas
R.K. Dudley, A.C. Wedemeyer, M.J. Chavez

03 April 2020

Effort: 473.1 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	101
76	<i>Hybognathus amarus*</i>	7
76	<i>Platygobio gracilis</i>	1

****Hybognathus amarus* (age-classes):**

age-0	
age-1	7
age-2+	

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage
Rio Grande, ca. 3.7 mi downstream of US HWY 60 bridge crossing, Bernardo.

RKD20-011

Site Number: 10 River Mile: 126.8
UTM Easting: 330946 UTM Northing: 3805307 Zone: 13 Quad: Abeytas
R.K. Dudley, A.C. Wedemeyer, M.J. Chavez

03 April 2020

Effort: 533.4 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	24
76	<i>Hybognathus amarus*</i>	1
93	<i>Ictalurus punctatus</i>	5

****Hybognathus amarus* (age-classes):**

age-0	
age-1	1
age-2+	

Rio Grande Silvery Minnow Population Monitoring

April 2020

NEW MEXICO: Socorro County, RIO GRANDE Drainage
Rio Grande, ca. 1.4 mi upstream of the Rio Salado confluence, San Acacia.

RKD20-022

Site Number: 29 River Mile: 120.0 03 April 2020
UTM Easting: 330550 UTM Northing: 3795050 Zone: 13 Quad: La Joya
R.K. Dudley, A.C. Wedemeyer, M.J. Chavez Effort: 472.6 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	242
76	<i>Cyprinus carpio</i>	3
76	<i>Hybognathus amarus*</i>	4
76	<i>Platygobio gracilis</i>	6
76	<i>Rhinichthys cataractae</i>	1
93	<i>Ictalurus punctatus</i>	5
212	<i>Gambusia affinis</i>	6

**Hybognathus amarus* (age-classes):

age-0	
age-1	3
age-2+	1

Rio Grande Silvery Minnow Population Monitoring April 2020

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage
Rio Grande, ca. 1.2 mi upstream of San Acacia Diversion Dam, San Acacia.

RKD20-010

Site Number: 11 River Mile: 117.3 02 April 2020
UTM Easting: 328152 UTM Northing: 3792564 Zone: 13 Quad: La Joya
R.K. Dudley, A.C. Wedemeyer, M.J. Chavez Effort: 521.9 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	210
76	<i>Hybognathus amarus*</i>	4
76	<i>Platygobio gracilis</i>	76
93	<i>Ictalurus furcatus</i>	1
93	<i>Ictalurus punctatus</i>	24
212	<i>Gambusia affinis</i>	2
294	<i>Micropterus salmoides</i>	1
294	<i>Pomoxis annularis</i>	3

**Hybognathus amarus* (age-classes):

age-0	
age-1	4
age-2+	

Rio Grande Silvery Minnow Population Monitoring
April 2020

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage
Rio Grande, just downstream of San Acacia Diversion Dam, San Acacia.

RKD20-009

Site Number: 12 River Mile: 115.6 02 April 2020
UTM Easting: 325960 UTM Northing: 3792183 Zone: 13 Quad: San Acacia
R.K. Dudley, A.C. Wedemeyer, M.J. Chavez Effort: 515.1 sq. m

Family	Species	Total
69	<i>Dorosoma cepedianum</i>	1
76	<i>Cyprinella lutrensis</i>	249
76	<i>Cyprinus carpio</i>	1
76	<i>Hybognathus amarus*</i>	9
76	<i>Platygobio gracilis</i>	13
93	<i>Ictalurus punctatus</i>	2

*<i>Hybognathus amarus</i> (age-classes):		
age-0		
age-1		9
age-2+		

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage
Rio Grande, ca. 1.5 mi downstream of San Acacia Diversion Dam, San Acacia.

RKD20-008

Site Number: 13 River Mile: 114.1 01 April 2020
UTM Easting: 325390 UTM Northing: 3790397 Zone: 13 Quad: Lemitar
R.K. Dudley, A.C. Wedemeyer, M.J. Chavez Effort: 535.0 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	124
76	<i>Hybognathus amarus*</i>	12
76	<i>Platygobio gracilis</i>	31
93	<i>Ictalurus punctatus</i>	5

*<i>Hybognathus amarus</i> (age-classes):		
age-0		
age-1		12
age-2+		

Rio Grande Silvery Minnow Population Monitoring
April 2020

NEW MEXICO: Socorro County, RIO GRANDE Drainage RKD20-021
Rio Grande, ca. 2.1 mi upstream of Pueblitos Rd. bridge crossing, Lemitar.

Site Number: 30 River Mile: 106.3 02 April 2020
UTM Easting: 326666 UTM Northing: 3780246 Zone: 13 Quad: Lemitar
R.K. Dudley, A.C. Wedemeyer, M.J. Chavez Effort: 516.6 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	40
76	<i>Hybognathus amarus*</i>	7
76	<i>Platygobio gracilis</i>	6

****Hybognathus amarus* (age-classes):**

age-0	
age-1	7
age-2+	

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage RKD20-007
Rio Grande, ca. 0.5 mi upstream of Socorro Low Flow Conveyance Channel bridge crossing,
Socorro.

Site Number: 14 River Mile: 99.6 01 April 2020
UTM Easting: 327231 UTM Northing: 3771432 Zone: 13 Quad: Loma de las Canas
R.K. Dudley, A.C. Wedemeyer, M.J. Chavez Effort: 496.4 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	339
76	<i>Hybognathus amarus*</i>	16
76	<i>Platygobio gracilis</i>	6
93	<i>Ictalurus punctatus</i>	12

****Hybognathus amarus* (age-classes):**

age-0	
age-1	16
age-2+	

Rio Grande Silvery Minnow Population Monitoring April 2020

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage
Rio Grande, ca. 4.5 mi upstream of US HWY 380 bridge crossing, San Antonio.

RKD20-006

Site Number: 15 River Mile: 92.0 01 April 2020
UTM Easting: 328151 UTM Northing: 3761487 Zone: 13 Quad: San Antonio
R.K. Dudley, A.C. Wedemeyer, M.J. Chavez Effort: 487.6 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	32
76	<i>Hybognathus amarus*</i>	4
76	<i>Platygobio gracilis</i>	7
93	<i>Ictalurus punctatus</i>	9

****Hybognathus amarus* (age-classes):**

age-0	
age-1	4
age-2+	

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage
Rio Grande, at US HWY 380 bridge crossing, San Antonio.

RKD20-005

Site Number: 16 River Mile: 87.8 01 April 2020
UTM Easting: 328907 UTM Northing: 3754926 Zone: 13 Quad: San Antonio
R.K. Dudley, A.C. Wedemeyer, M.J. Chavez Effort: 523.2 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	170
76	<i>Hybognathus amarus*</i>	7
76	<i>Platygobio gracilis</i>	15
93	<i>Ictalurus punctatus</i>	23

****Hybognathus amarus* (age-classes):**

age-0	
age-1	5
age-2+	2

Rio Grande Silvery Minnow Population Monitoring March 2020

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage
Rio Grande, east of Bosque del Apache NWR headquarters, San Antonio.

RKD20-004

Site Number: 17 River Mile: 79.0 31 March 2020
UTM Easting: 327219 UTM Northing: 3740906 Zone: 13 Quad: San Antonio SE
R.K. Dudley, A.C. Wedemeyer, M.J. Chavez Effort: 540.2 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	133
76	<i>Cyprinus carpio</i>	1
76	<i>Hybognathus amarus*</i>	10
76	<i>Pimephales promelas</i>	1
76	<i>Platygobio gracilis</i>	2
81	<i>Carpoides carpio</i>	1
93	<i>Ictalurus punctatus</i>	3

****Hybognathus amarus* (age-classes):**

age-0	
age-1	8
age-2+	2

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage
Rio Grande, at San Marcial Railroad bridge crossing, San Marcial.

RKD20-003

Site Number: 18 River Mile: 68.3 31 March 2020
UTM Easting: 315091 UTM Northing: 3728487 Zone: 13 Quad: San Marcial
R.K. Dudley, A.C. Wedemeyer, M.J. Chavez Effort: 500.1 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	105
76	<i>Cyprinus carpio</i>	22
76	<i>Hybognathus amarus*</i>	4
76	<i>Platygobio gracilis</i>	3
93	<i>Ictalurus punctatus</i>	2
283	<i>Morone chrysops</i>	1

****Hybognathus amarus* (age-classes):**

age-0	
age-1	4
age-2+	

Rio Grande Silvery Minnow Population Monitoring March 2020

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage **RKD20-002**
Rio Grande, ca. 8.0 mi downstream of San Marcial Railroad bridge crossing, San Marcial.

Site Number: 19 River Mile: 60.1 31 March 2020
UTM Easting: 309441 UTM Northing: 3718309 Zone: 13 Quad: Paraje Well
R.K. Dudley, A.C. Wedemeyer, M.J. Chavez Effort: 540.0 sq. m

Family	Species	Total
69	<i>Dorosoma cepedianum</i>	1
76	<i>Cyprinella lutrensis</i>	79
76	<i>Cyprinus carpio</i>	1
76	<i>Hybognathus amarus*</i>	4
93	<i>Ictalurus punctatus</i>	18
294	<i>Pomoxis annularis</i>	1

*<i>Hybognathus amarus</i> (age-classes):		
age-0		
age-1	4	
age-2+		

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage **RKD20-001**
Rio Grande, ca. 10.0 mi downstream of San Marcial Railroad bridge crossing, San Marcial.

Site Number: 20 River Mile: 58.5 31 March 2020
UTM Easting: 307767 UTM Northing: 3716360 Zone: 13 Quad: Paraje Well
R.K. Dudley, A.C. Wedemeyer, M.J. Chavez Effort: 535.8 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	149
76	<i>Cyprinus carpio</i>	3
76	<i>Hybognathus amarus*</i>	2
93	<i>Ictalurus punctatus</i>	33

*<i>Hybognathus amarus</i> (age-classes):		
age-0		
age-1	2	
age-2+		