

copy

Plans & Survey Dept.
Form No. 16
Rev. July 10, 1947

STATE OF OKLAHOMA
DEPARTMENT OF HIGHWAYS
PLANS AND SURVEY DEPARTMENT

FLOOD INFORMATION FORM

To be used in obtaining and transmitting flood water elevations for Plans & Survey office record files. This information to be obtained by all Chiefs of Party in their vicinity in times of unusual high water, or at any time available from a reliable source. The elevations can be recorded by level reading, by measurement from bridge floor, in relation to a house, above roadbed or any other dependable, clear manner that fits the situation, the highest order possible to be used. Separate report to be made on each crossing or place obtained.

County Cherokee Date highwater occurred May 10, 1950

Highway number SH 10 Name of stream Illinois River

Direction and distance from nearest town, village or store _____
At Losier schoolhouse

Section, Township and Range _____

Description of Location Losier Schoolhouse District #43 6.0 miles north
of Intersection US 62 and SH 10 east of Tahlequah

Method obtained 2.7 higher than conc. floor in Arch Door at Front of School Bldg

Elevation none Source of levels none

Was highwater mark obtained from actual water, drift, local resident,
U. S. Engineers, etc? _____
water line inside school building

Explanatory Remarks _____

Location to be shown on back of this sheet as a check.

Field Note: To be sent to Engr.
of Plans & Survey (1 copy).
Office Note: To be filed in Flood
Information by Counties.

WRalph L. Armstrong
Chief of Party
May 12, 1950
Date

LOC. NO 3

STATE OF OKLAHOMA
DEPARTMENT OF HIGHWAYS
PLANS AND SURVEY DEPARTMENT

Plans & Survey Dept.
Form No. 16
Rev. July 10, 1947

FLOOD INFORMATION FORM

To be used in obtaining and transmitting flood water elevations for Plans & Survey office record files. This information to be obtained by all Chiefs of Party in their vicinity in times of unusual high water, or at any time available from a reliable source. The elevations can be recorded by level reading, by measurement from bridge floor, in relation to a house, above roadbed or any other dependable, clear manner that fits the situation, the highest order possible to be used. Separate report to be made on each crossing or place obtained.

County Cherokee Date highwater occurred May 10, 1950
Highway number SH # 10 Name of stream Illind's River
Direction and distance from nearest town, village or store At Losier School House

Section, Township and Range _____

Description of Location Losier School House. School Dist. #43.
6 Miles North of Intersection US 62 & SH # 10 East of Table Grove

Method obtained 2' Higher than Cons. Floor in Arch Door at Front of School Bldg.

Elevation None Source of levels None

Was highwater mark obtained from actual water, drift, local resident, U. S. Engineers, etc? Water Line inside School Bldg.

Explanatory Remarks _____

Location to be shown on back of this sheet as a check.

Field Note: To be sent to Engr.
of Plans & Survey (1 copy).
Office Note: To be filed in Flood
Information by Counties.


Ralph L. Armstrong
Chief of Party

May 12, 1950
Date

R-22-E

N-81-4-10-N

N-11-1-1



LOSLER School

TILKIN

ST. JOHN'S

ST. JOHN'S

ST. JOHN'S