

STATE OF OKLAHOMA
DEPARTMENT OF HIGHWAYS
PLANS AND SURVEY DEPARTMENT

FLOOD INFORMATION FORM

To be used in obtaining and transmitting flood water elevations for Plans & Survey office record files. This information to be obtained by all Chiefs of Party in their vicinity in times of unusual high water, or at any time available from a reliable source. The elevations can be recorded by level reading, by measurement from bridge floor, in relation to a house, above roadbed or any other dependable, clear manner that fits the situation, the highest order possible to be used. Separate report to be made on each crossing or place obtained.

County OSTER Date highwater occurred May 17, 1951
Highway number U.S. 66 Name of stream No Name Terrepin Creek
Direction and distance from nearest town, village or store 1.6 Miles East
of Clinton

Section, Township and Range on the Approx 14 Sec Line in Sec 18 T12-N R-16-W

Description of Location Highwater was obtained At the first Truss
Bridge East of the Washita River At Clinton on U.S. 66

Method obtained By Measurement Above Bridge Floor

Elevation 1.5' Above Bridge Floor Source of levels F.A.P. 204 A Plan Datum
Elev 1503.1


Was highwater mark obtained from actual water, drift, local resident,
U. S. Engineers, etc? Highwater was determined from Marks left on
truss Also by checking this Highwater Against Surrounding Drift

Explanatory Remarks

This Bridge was built under F.A.P. 204 A-B in 1931
S.A.P. 604

Location to be shown on back of this sheet as a check.

Field Note: To be sent to Engr.
of Plans & Survey (1 copy).
Office Note: To be filed in Flood
Information by Counties.



O.S. C. C. C.
Chief of Party

May 28, 1951
Date

LOCATION NO. 6

