

STATE OF OKLAHOMA  
DEPARTMENT OF HIGHWAYS  
SURVEY DIVISION

Survey Division  
Form No. 16

Rev. Dec. 2, 1974  
RECEIVED

JUL 26 1977

FLOOD INFORMATION FORM

To be used in obtaining and transmitting flood water elevations for office record files. This information to be obtained by all Chiefs of Party or others in their vicinity in times of unusual high water, or at any time available from a reliable source. The elevations can be recorded by level reading, by measurement from bridge floor, in relation to a house, above roadbed or any other dependable, clear manner that fits the situation, the highest order possible to be used. Separate report to be made on each crossing or place obtained.

County GARVIN Date highwater occurred MAY 20, 1977

Highway number S.H. 19 Name of stream \_\_\_\_\_

Direction and distance from nearest town, village or store APPROX. 0.7 MILE WEST  
OF INT. S.H. 19 & S.H. 74 IN MAYSVILLE.

Section, Township and Range SECTION 16, T4N, R2W.

Description of Location HIGHWATER OBTAINED AT SOUTH TOP OF OPENING OF 6'x7'  
R.C.B. ON S.H. 19. HIGHWATER 1.0' BELOW TOP OF OPENING OF R.C.B.

Elevation \_\_\_\_\_ Source of levels \_\_\_\_\_

Method obtained HAND LEVEL Date obtained MAY 24, 1977

Did it appear to be  normal  medium  extreme  do not know

Was highwater mark obtained from actual water, drift, local resident, U. S. Engineers, etc.? DRIFTS AND WATER MARKS ON R.C.B.

Explanatory Remarks THE MAYSVILLE AREA RECEIVED 7 INCHES OF RAIN DURING A DELUGE  
THURSDAY AND FRIDAY NIGHTS MAY 19TH & 20TH, CAUSING FLOODING AND THE NEED TO  
EVACUATE SOME RESIDENTS. THIS INFORMATION TAKEN FROM "THE LINDSAY NEWS" DATED  
MAY 24, 1977.

Location to be shown on back of this sheet as a check.


Field Note: To be sent to  
Survey Engineer

*R. Walden*  
Location Engineer

7-1-77

Date

Location No. 14 (15)



INSET NO. 3  
SEC. 10, 14, 18, 20  
SCALE

INSET NO. 4  
SEC. 20, 24, 28  
SCALE

M C C L A I N C O U N T Y

STEPHENS COUNTY

C A R T E R C O U N T Y M U R R A Y C O U N T Y