

SURVEY DIVISION	
GHS	6-11-68
WVW	6-14-68
WNM	6-11-68
GWP	
OGG	6-10-68
GER	
SDD	
RDA	
ROC	
DP	
IF	

STATE OF OKLAHOMA  
DEPARTMENT OF HIGHWAYS  
SURVEY DIVISION

SURVEY DIVISION  
Form No. 16  
Rev. Sept. 10, 1966  
JUN 10 1968  
SURVEY DIVISION

FLOOD INFORMATION FORM

To be used in obtaining and transmitting flood water elevations for Survey Division office-record files. This information to be obtained by all Chiefs of Party or others in their vicinity in times of unusual high water, or at any time available from a reliable source. The elevations can be recorded by level reading, by measurement from bridge floor, in relation to a house, above roadbed or any other dependable, clear manner that fits the situation, the highest order possible to be used. Separate report to be made on each crossing or place obtained.

County Gravin Date highwater occurred May 31, 1968

Highway number SH # 19 Name of stream N.A.

Direction and distance from nearest town, village or store 7.3 Miles East on SH# 19  
From the JCT of SH# 19 & SH # 59

Section, Township and Range Section 13 T 4 N R 3 W

Description of Location \_\_\_\_\_

Elevation \_\_\_\_\_ Source of levels \_\_\_\_\_

Method obtained <sup>Engr.</sup> Y-Level Date obtained June 6, 1968

Did it appear to be  normal  medium  extreme  do not know

Was highwater mark obtained from actual water, drift, local resident; U. S. Engineers, etc.? Drift

Explanatory Remarks Extreme High Water is 0.6 Above the Top of Center Line of  
South Headwall of Culvert. 7.3 Miles East on SH # 19 From JCT SH # 19 & SH # 59

Location to be shown on back of this sheet as a check.

Field Note: To be sent to Survey Engineer

David Linn  
Chief of Party


June 6, 1968  
Date

SNO - 816 (1) Level Books DISCARDED  
Project - SAP 835 B

Location No. 10

R 3 W

R 2 W



T 4 N

T 4 N P.U.

SH # 19  
TO LINDSAY

7.3 MILES EAST  
JCT SH 219 9/59

MAYSVILLE

14 15 16 17 18 19 20 21 22

23 24 25 26 27 28 29 30