

STATE OF OKLAHOMA  
DEPARTMENT OF HIGHWAYS  
PLANS AND SURVEY DEPARTMENT

FLOOD INFORMATION FORM

To be used in obtaining and transmitting flood water elevations for Plans & Survey office record files. This information to be obtained by all Chiefs of Party in their vicinity in times of unusual high water, or at any time available from a reliable source. The elevations can be recorded by level reading, by measurement from bridge floor, in relation to a house, above roadbed or any other dependable, clear manner that fits the situation, the highest order possible to be used. Separate report to be made on each crossing or place obtained.

County GARVIN Date highwater occurred May 27, 1949

Highway number S.H. 76 Name of stream WASHITA RIVER

Direction and distance from nearest town, village or store 1 MILE  
SOUTH LINDSAY

Section, Township and Range Between sections 14-15 T4N R4W

Description of Location Washita River - South of Lindsay  
On Steel Truss Thr. Br. Erected in 1907

Method obtained \_\_\_\_\_

Elevation 3.0 Above Br. Floor Source of levels USCEGS Y Level  
USCEGS ELEV. = 976.96

Was highwater mark obtained from actual water, drift, local resident, U. S. Engineers, etc? \_\_\_\_\_

Explanatory Remarks Obtained by G.H. Stout, Earl Anderson  
and D.L. McCullough May 27, 1949

Note: H. Water Tied into USCEGS Level Datum Feb. 15, by  
Chief of Party Wm. McLaughlin - while in the progress of making SWO 1688(1)  
Bridge survey on the Washita River.

Location to be shown on back of this sheet as a check.

Field Note: To be sent to Engr.  
of Plans & Survey (1 copy).  
Office Note: To be filed in Flood  
Information by Counties.

Garnes H. Stout  
Chief of Party  
May 27, 1949  
Date

Location No. 6