

STATE OF OKLAHOMA
DEPARTMENT OF HIGHWAYS
SURVEY DIVISION

FLOOD INFORMATION FORM

To be used in obtaining and transmitting flood water elevations for Survey Division office record files. This information to be obtained by all Chiefs of Party or others in their vicinity in times of unusual high water, or at any time available from a reliable source. The elevations can be recorded by level reading, by measurement from bridge floor, in relation to a house, above roadbed or any other dependable, clear manner that fits the situation, the highest order possible to be used. Separate report to be made on each crossing or place obtained.

County Mayes Date highwater occurred July 3, 1976

Highway number US 69 Name of stream Squaw Creek

Direction and distance from nearest town, village or store Approximately 3 miles north of Pryor.

Section, Township and Range Sec. 29, T-22-N, R-19-E

Description of Location At present bridge

Elevation _____ Source of levels _____

Elev. = 7.4 below bridge RDY floor, So. End.

Method obtained Wye Level Date obtained July 8, 1976

Did it appear to be normal medium extreme do not know

Was highwater mark obtained from actual water, drift, local resident, U. S. Engineers, etc.? Silt and drift marks on surrounding objects.

Explanatory Remarks Elev. centerline paving 400 Ft south bridge = 3.0 below bridge floor.
Elev. flowline creek = 18.1 below bridge floor.

Location to be shown on back of this sheet as a check.

Field Note: To be sent to
Survey Engineer

Rees DeMarr
Location Engineer

July 15, 1976

Date

Location No. 17

MAYES COUNTY

PAVING

PATTON

ADAIR

ADAIR

HI-WATER LOCATION

CENTER

PRYOR
POP. 4,486

WHITAKER
STATE SCHOOL

SCARBOROUGH LAKE

LUSTA

GRAND

T23N

T22N

T21N

CLAREMORE

