

STATE OF OKLAHOMA
DEPARTMENT OF HIGHWAYS
SURVEY DIVISION

Survey Division
Form No. 16
Rev. Sept. 10, 1961

FLOOD INFORMATION FORM

To be used in obtaining and transmitting flood water elevations for Survey Division office record files. This information to be obtained by all Chiefs of Party or others in their vicinity in times of unusual high water, or at any time available from a reliable source. The elevations can be recorded by level reading, by measurement from bridge floor, in relation to a house, above roadbed or any other dependable, clear manner that fits the situation, the highest order possible to be used. Separate report to be made on each crossing or place obtained.

County Seminole Date highwater occurred May 14th, 1968

Highway number SH. 99 Name of stream Wewoka Creek

Direction and distance from nearest town, village or store South Edge of
Seminole, on SH # 99.

Section, Township and Range Sec. 28-27 T 9 N - R 6 E

Description of Location Wewoka Creek crossing SH 99. At The South Edge Of Seminole

Elevation 855.04 - 0.41 Source of levels Level datum is Mean Sea Level USC&GS

Method obtained " Y " Level Date obtained May 14th, 1968

Did it appear to be normal medium extreme do not know

Was highwater mark obtained from actual water, drift, local resident,
U. S. Engineers, etc.? Actual Water

Explanatory Remarks Elevation Depicted Above Obtained From A USC&GS Bench Mark On The
CRI&P Railroad At The Depot and Established With Engineers Fennel Dumpy Level on Wewoka
Creek At The Existing Concrete Bridge On SH 99 At The South Edge Of Seminole;
This Elevation on H. W. was taken after Four or Five Days of heavy rains

Location to be shown on back of this sheet as a check.

Field Note: To be sent to
Survey Engineer

J. S. O'Gwin
Chief of Party

May 14th, 1968
Date

LOCATION NO 4

R-6E

