

#### **RIO GRANDE SILVERY MINNOW POPULATION MONITORING DURING JUNE 2024**

A U.S. BUREAU OF RECLAMATION FUNDED RESEARCH PROGRAM

Contract 140R4019P0048:

### Requisition 0040613161

U.S. Bureau of Reclamation Albuquerque Area Office 555 Broadway NE, Suite 100 Albuquerque, NM 87102

Submitted to:

U.S. Bureau of Reclamation Albuquerque Area Office 555 Broadway NE, Suite 100 Albuquerque, NM 87102

Robert K. Dudley<sup>1,2</sup>, Steven P. Platania<sup>1,2</sup>, and Gary C. White<sup>1,3</sup>

<sup>1</sup> American Southwest Ichthyological Researchers (ASIR); 800 Encino Place NE; Albuquerque, NM 87102

&

<sup>2</sup> Museum of Southwestern Biology (Fishes), UNM; MSC03-2020; Albuquerque, NM 87131

&

<sup>3</sup> Department of Fish, Wildlife, and Conservation Biology, CSU; 10 Wagar; Fort Collins, CO 80523

17 July 2024

#### SUMMARY OF JUNE 2024 POPULATION MONITORING

The June 2024 population monitoring efforts were conducted at the 20 standard sites. Five sites were in the Angostura Reach, six sites were in the Isleta Reach, and nine sites were in the San Acacia Reach. For the 2024 monthly trends, data were based on all sites (i.e., standard, additional, and replacement sites) to maintain consistency across all monthly reports. A list of all collection localities is appended (Appendix A). Adult and juvenile fish were obtained by rapidly drawing a 3.0 m x 1.8 m smallmesh (ca. 5 mm) seine through discrete mesohabitats. Larval fish were collected with a 1.2 m x 1.2 m fine-mesh (ca. 1 mm) seine. All fishes were identified to species and enumerated. We used length-age relationships to assign ages (i.e., age-0, age-1, and age-2+) to all Rio Grande Silvery Minnow collected. Age-0 individuals are only present, however, after seasonal spawning events that typically first occur during spring runoff. Figures illustrating fish densities (i.e., fish per 100 m<sup>2</sup>) were prepared for the ten focal species to facilitate comparisons across reaches.

#### Angostura Reach

From 16 May to 15 June, provisional U.S. Geological Survey (USGS) mean daily discharge in the Angostura Reach (Albuquerque: USGS Gage-08330000) averaged 1,522 ft<sup>3</sup>/s and ranged from 957 to 2,300 ft<sup>3</sup>/s. Water temperatures ranged from 18.5 to 21.4 °C during the Angostura Reach sampling efforts (ca. 0830–1500 h). Secchi disk measurements of water clarity ranged from 16 to 28 cm.

Sampling for fishes in the Angostura Reach during June yielded 375 individuals with a cumulative fish density of 15.2 individuals per 100 m<sup>2</sup> sampled. The overall sampling effort in the Angostura Reach covered 2,465.4 m<sup>2</sup> (surface area) of water. Densities of all fish species combined ranged from 2.2 to 22.2 individuals per 100 m<sup>2</sup> at the different sampling sites. In June, there were 11 fish species collected in the Angostura Reach. Red Shiner was the most abundant taxon (n = 179), followed by Longnose Dace (n = 63), and White Crappie (n = 57). We collected Rio Grande Silvery Minnow (n = 6) in 3 of the 62 seine hauls that yielded fish, and its overall density was 0.24 (range = 0.00–0.59) individuals per 100 m<sup>2</sup>.

#### Isleta Reach

Provisional mean daily discharge in the Isleta Reach (Bosque Farms: USGS Gage-08331160), from 16 May to 15 June, averaged 1,136 ft<sup>3</sup>/s and ranged from 562 to 1,960 ft<sup>3</sup>/s. During the Isleta Reach sampling efforts (ca. 0930–1600 h), water temperatures ranged from 23.4 to 27.0 °C. Secchi disk measurements ranged from 9 to 17 cm during sampling.

Isleta Reach population monitoring efforts produced 1,088 individuals in June with a cumulative fish density of 39.0 individuals per 100 m<sup>2</sup> sampled. The total sampling effort in the Isleta Reach during June covered 2,786.4 m<sup>2</sup> (surface area) of water. Fish densities (all species combined) at the sampling sites ranged from 17.6 to 85.3 individuals per 100 m<sup>2</sup> sampled. There were 9 fish species collected in the Isleta Reach during June. Red Shiner was the most abundant taxon (n = 718), followed by Rio Grande Silvery Minnow (n = 271), and Western Mosquitofish (n = 39). We collected Rio Grande Silvery Minnow (n = 271) in 20 of the 89 seine hauls that yielded fish, and its overall density was 9.73 (range = 0.00–46.82) individuals per 100 m<sup>2</sup>.

#### San Acacia Reach

From 16 May to 15 June, provisional mean daily discharge at San Acacia (USGS Gage-08354900) was generally higher (average = 1,170; range = 487-1,970 ft<sup>3</sup>/s) than at San Marcial (USGS Gage-08358400) during the same period (average = 855; range = 260-1,490 ft<sup>3</sup>/s). Water temperatures in June for the San Acacia Reach ranged from 23.0 to 26.5 °C (ca. 0930–1600 h). Secchi disk measurements ranged from 8 to 12 cm during sampling.

Population monitoring efforts in the San Acacia Reach during June yielded 2,117 individuals with a cumulative fish density of 47.7 individuals per 100 m<sup>2</sup> sampled. Sampling in the San Acacia Reach covered an area of 4,438.6 m<sup>2</sup> of water. Fish densities (all species combined) ranged from 9.0 to 122.9 individuals per 100 m<sup>2</sup> at sites sampled in the San Acacia Reach. In June, there were 12 fish species collected in the San Acacia Reach. Rio Grande Silvery Minnow was the most abundant taxon (n = 1,244), followed by Red Shiner (n = 638), and Gizzard Shad (n = 126). We collected Rio Grande Silvery Minnow (n = 1,244) in 56 of the 142 seine hauls that yielded fish, and its overall density was 28.03 (range = 0.40– 105.56) individuals per 100 m<sup>2</sup>.

#### All Sites (n = 20)

During June, sampling covered 9,690.3 m<sup>2</sup> (surface area) of water and yielded 3,580 fish. There were no dry sampling sites. Cumulative fish density during June was 36.94 individuals per 100 m<sup>2</sup> sampled. The three most common species were Red Shiner (n = 1,535), Rio Grande Silvery Minnow (n = 1,521), and Gizzard Shad (n = 126). The sampling sites yielded a total of 17 fish species.

Rio Grande Silvery Minnow was present in 79 of the 293 seine hauls that yielded fish and at 16 of the 20 sampling sites. Densities of unmarked and marked individuals were 15.68 (n = 1,519) and 0.02 (n = 2) individuals per 100 m<sup>2</sup> sampled, respectively. Densities of age-0, age-1, and age-2+ individuals were 14.77 (n = 1,431), 0.92 (n = 89), and 0.01 (n = 1) individuals per 100 m<sup>2</sup> sampled, respectively. Based on all June surveys since 1993, the overall density of Rio Grande Silvery Minnow averaged 10.26 (range = 0.07-104.32) individuals per 100 m<sup>2</sup> sampled. During June 2024, its overall density was 15.70 (n = 1,521) individuals per 100 m<sup>2</sup> sampled.

Month: June 17 July 2024




Figure 1. Map of the study area, standard sites, and additional sites (old and new) for the Rio Grande Silvery Minnow population monitoring study. Sampling site descriptions are provided in Appendix A.

Page 4 of 30 Funded by U.S. Bureau of Reclamation

Month: June 17 July 2024




Figure 2. Map of the study area, standard sites, and replacement sites for the Rio Grande Silvery Minnow population monitoring study. Sampling site descriptions are provided in Appendix A.

Page 5 of 30 Funded by U.S. Bureau of Reclamation




Figure 3. Rio Grande mean-daily discharge, by USGS gaging station, from 1 January 2023 to 15 June 2024. All discharge data are provisional and subject to change.

Page 6 of 30 Funded by U.S. Bureau of Reclamation

## Table 1.Scientific names, common names, and species codes of fishes collected in the Middle Rio<br/>Grande since 1993.

entific Name	Common Name	Species Code
Order Clupeiformes		
Family Dorosomatidae	thread herrings	
Dorosoma cepedianum	Gizzard Shad	(DORCEP)
Dorosoma petenense	Threadfin Shad	(DORPET)
Order Cypriniformes		
Family Catostomidae	suckers	
Carpiodes carpio	River Carpsucker <sup>1</sup>	(CARCAR)
Catostomus commersonii	White Sucker <sup>1</sup>	(CATCOM)
lctiobus bubalus	Smallmouth Buffalo	(ICTBUB)
Family Cyprinidae	carps	
Carassius auratus	Goldfish	(CARAUR)
Cyprinus carpio	Common Carp <sup>1</sup>	(CYPCAR)
Family Leuciscidae	minnows	
Campostoma anomalum	Central Stoneroller	(CAMANO)
Cyprinella lutrensis		(CYPLUT)
Gila pandora	Rio Grande Chub	(GILPAN)
Hybognathus amarus	Rio Grande Silvery Minnow <sup>1</sup>	(HYBAMA)
Notemigonus crysoleucas	Golden Shiner	(NOTCRY)
Pimephales promelas	Fathead Minnow <sup>1</sup>	(PIMPRO)
Pimephales vigilax		(PIMVIG)
Platygobio gracilis		(PLAGRA)
Rhinichthys cataractae		(RHICAT)
Order Siluriformes		
Family Ictaluridae	North American catfishes	
Ameiurus melas		(AMEMEL)
Ameiurus natalis	Yellow Bullhead	(AMENAT)
Ictalurus furcatus	Blue Catfish	(ICTFUR)
Ictalurus punctatus	Channel Catfish <sup>1</sup>	(ICTPUN)
Pylodictis olivaris		(PYLOLI)
Family Loricariidae	suckermouth armored catfishes	
	Vermiculated Sailfin Catfish	(PTEDIS)

## Table 1.Scientific names, common names, and species codes of fishes collected in the Middle Rio<br/>Grande since 1993 (continued).

entific Name	Common Name	Species Code
Order Esociformes		
Family Esocidae	pikes and mudminnows	
Esox lucius	Northern Pike	(ESOLUC)
Order Salmoniformes		
Family Salmonidae	trouts and salmons	
Oncorhynchus mykiss	Rainbow Trout	(ONCMYK)
Salmo trutta	Brown Trout	(SALTRU)
Order Cyprinodontiformes		
Family Poeciliidae	livebearers	
Gambusia affinis	Western Mosquitofish <sup>1</sup>	(GAMAFF)
Order Centrarchiformes		
Family Centrarchidae	sunfishes	
Lepomis cyanellus	Green Sunfish	(LEPCYA)
Lepomis macrochirus	Bluegill	(LEPMAC)
Lepomis megalotis	Longear Sunfish	(LEPMEG)
Micropterus dolomieu	Smallmouth Bass	(MICDOL)
Micropterus salmoides	Florida Bass	(MICSAL)
Pomoxis annularis		(POMANN)
Pomoxis nigromaculatus		(POMNIG)
Order Perciformes		
Family Moronidae	temperate basses	
Morone chrysops	White Bass	(MORCHR)
Morone saxatilis		(MORSAX)
Family Percidae	perches and darters	
Perca flavescens	Yellow Perch	(PERFLA)
Percina macrolepida	Bigscale Logperch	(PERMAC)
Sander vitreus		(SANVIT)
Family Sciaenidae	drums and croakers	
Aplodinotus grunniens	Freshwater Drum	(APLGRU)

<sup>1</sup> = Focal taxa were typically the 10 most abundant species collected during October.

# Table 2.Rio Grande Silvery Minnow abundance, by reach, site, and mesohabitat, during June 2024.<br/>Marked and unmarked individuals were included. Blank cells indicate site-specific<br/>mesohabitats that were unavailable for sampling.

Reach	Site	Locality	BW	PO	RU	SHPO	SHRU	Total
Angostura	1	Angostura Dam		0	0	0	0	0
•	2	Bernalillo		0	0	0	0	0
Angostura	2	Rio Rancho			0	0	0	0
Angostura		Central Ave.	0	0				
Angostura	4		2	0	0	1	0	3
Angostura	5	Rio Bravo Blvd.	3	0	0	0	0	3
Angostura Total	s		5	0	0	1	0	6
Isleta	6	Los Lunas			0	0	0	0
Isleta	7	Belen		5	1	215	3	224
Isleta	8	Jarales			0	4	5	9
Isleta	9	Bernardo			0	4	2	6
Isleta	10	La Joya			0	21	2	23
Isleta	11	North of San Acacia			0	9	0	9
Isleta Totals			0	5	1	253	12	271
San Acacia	12	San Acacia Dam	1	21	0	3	4	29
San Acacia	13	South of San Acacia			0	3	5	8
San Acacia	14	Socorro	147	3	0	56	5	211
San Acacia	15	North of San Antonio		3	0	36	5	44
San Acacia	16	San Antonio			0	0	3	3
San Acacia	17	South of San Antonio		1	0	23	5	29
San Acacia	18	San Marcial	349	13	2	7	16	387
San Acacia	19	South of San Marcial 1	499	0	0	28	4	531
San Acacia	20	South of San Marcial 2			0	0	2	2
San Acacia Tota	als		996	41	2	156	49	1,244
Monthly Totals			1,001	46	3	410	61	1,521

# Table 3.Rio Grande Silvery Minnow abundance, by reach, site, and month, during 2024. Marked<br/>individuals are shown in parentheses, as a subset of the site-specific total. Blank cells<br/>indicate months when a site was not visited or will not be visited.

Reach	Site	Locality	Apr	Мау	Jun	Jul	Aug	Sep	Oct	Total
Angostura	1	Angostura Dam	0	0	0	0	0	0	0	0
Angostura	2	Bernalillo	15(0)	1(0)	0	0	0	0	0	16
Angostura	3	Rio Rancho	15(0)	1(0)	0	0	0	0	0	16
Angostura	21	Site 21	8(0)						0	8
Angostura	22	Site 22	12(0)						0	12
Angostura	23	Site 23	2(0)						0	2
Angostura	24	Site 24	19(0)						0	19
Angostura	4	Central Ave.	0	1(0)	3(0)	0	0	0	0	4
Angostura	5	Rio Bravo Blvd.	1(0)	2(0)	3(0)	0	0	0	0	6
Angostura	25	Site 25	0		- ( - /				0	0
Angostura Totals			72	5	6	0	0	0	0	83
Isleta	26	Site 26	52(0)						0	52
Isleta	6	Los Lunas	14(0)	13(0)	0	0	0	0	0	27
Isleta	27	Site 27	8(0)						0	8
Isleta	7	Belen	0	2(0)	224(0)	0	0	0	0	226
Isleta	61	Site 61	9(0)						0	9
Isleta	8	Jarales	5(0)	5(0)	9(0)	0	0	0	0	19
Isleta	62	Site 62	1(0)						0	1
Isleta	28	Site 28	3(0)						0	3
Isleta	63	Site 63	6(0)						0	6
Isleta	9	Bernardo	14(0)	3(0)	6(0)	0	0	0	0	23
Isleta	10	La Joya	3(0)	0	23(0)	0	0	0	0	26
Isleta	64	Site 64	0						0	0
Isleta	29	Site 29	4(0)						0	4
Isleta	11	North of San Acacia	Ó	1(0)	9(0)	0	0	0	0	10
Isleta Totals			119	24	271	0	0	0	0	414
San Acacia	12	San Acacia Dam	9(0)	1(0)	29(1)	0	0	0	0	39
San Acacia	13	South of San Acacia	11(0)	1(0)	8(0)	0	0	0	0	20
San Acacia	65	Site 65	24(0)						0	24
San Acacia	30	Site 30	35(0)						0	35
San Acacia	14	Socorro	21(0)	0	211(0)	0	0	0	0	232
San Acacia	66	Site 66	28(0)						0	28
San Acacia	15	North of San Antonio	73(0)	1(0)	44(0)	0	0	0	0	118
San Acacia	16	San Antonio	5(0)	3(0)	3(0)	0	0	0	0	11
San Acacia	67	Site 67	15(1)						0	15
San Acacia	17	South of San Antonio	7(0)	4(0)	29(1)	0	0	0	0	40
San Acacia	68	Site 68	3(0)						0	3
San Acacia	18	San Marcial	16(0)	2(0)	387(0)	0	0	0	0	405
San Acacia	69	Site 69	4(0)						0	4
San Acacia	19	South of San Marcial 1	22(2)	5(0)	531(0)	0	0	0	0	558
San Acacia	20	South of San Marcial 2	3(0)	1(0)	2(0)	0	0	0	0	6
San Acacia	70	Site 70	8(1)		. ,				0	8
San Acacia Totals			284	18	1,244	0	0	0	0	1,546
Monthly Totals			475	47	1,521	0	0	0	0	2,043




Figure 4. Rio Grande Silvery Minnow densities based on all sites, by age-class and month, during 2024. Marked and unmarked individuals were included.

#### Ichthyofaunal summary based on all sites, by species, during June 2024. Marked and Table 4. unmarked Rio Grande Silvery Minnow were included. Dashes (-) indicate species that were absent during sampling.

Family	Common Name	Residence Status <sup>1</sup>	Total Number of Individuals	Percent (%) of Total	Frequency of Occurrence <sup>2</sup>	% Frequency of Occurrence <sup>2</sup>
Dorosomatidae	Gizzard Shad	N	126	3.52	9	45.00
Dorosomatidae	Threadfin Shad	I	-	-	-	-
Catostomidae	River Carpsucker	N	15	0.42	4	20.00
Catostomidae	White Sucker	I	26	0.73	11	55.00
Catostomidae	Smallmouth Buffalo	Ν	-	-	-	-
Cyprinidae	Goldfish	I	-	-	-	-
Cyprinidae	Common Carp	I	63	1.76	14	70.00
Leuciscidae	Central Stoneroller	I	-	-	-	-
Leuciscidae	Red Shiner	N	1,535	42.88	20	100.00
Leuciscidae	Rio Grande Chub	N	-	-	-	-
Leuciscidae	Rio Grande Silvery Minnow	N	1,521	42.49	16	80.00
Leuciscidae	Golden Shiner	I	-	-	-	-
Leuciscidae	Fathead Minnow	N	3	0.08	3	15.00
Leuciscidae	Bullhead Minnow	I	-	-	-	-
Leuciscidae	Flathead Chub	Ν	40	1.12	9	45.00
Leuciscidae	Longnose Dace	Ν	63	1.76	3	15.00
Ictaluridae	Black Bullhead	I	-	-	-	-
Ictaluridae	Yellow Bullhead	I	4	0.11	3	15.00
Ictaluridae	Blue Catfish	Ν	6	0.17	4	20.00
Ictaluridae	Channel Catfish	I	4	0.11	3	15.00
Ictaluridae	Flathead Catfish	Ν	-	-	-	-
Loricariidae	Vermiculated Sailfin Catfish	I	-	-	-	-
Esocidae	Northern Pike	I	-	-	-	-
Salmonidae	Rainbow Trout	I	-	-	-	-
Salmonidae	Brown Trout	I	-	-	-	-
Poeciliidae	Western Mosquitofish	I	74	2.07	14	70.00
Centrarchidae	Green Sunfish	I	-	-	-	-
Centrarchidae	Bluegill	N	-	-	-	-
Centrarchidae	Longear Sunfish	I	-	-	-	-
Centrarchidae	Smallmouth Bass	I	-	-	-	-
Centrarchidae	Florida Bass	I	10	0.28	7	35.00
Centrarchidae	White Crappie	I	85	2.37	9	45.00
Centrarchidae	Black Crappie	I	-	-	-	-
Moronidae	White Bass	I	2	0.06	2	10.00
Moronidae	Striped Bass	I	-	-	-	-
Percidae	Yellow Perch	I	-	-	-	-
Percidae	Bigscale Logperch	I.	3	0.08	3	15.00
Percidae	Walleye	I	-	-	-	-
Sciaenidae	Freshwater Drum	Ν	-	-	-	-
Monthly Total			3,580	100.00		

<sup>1</sup> = Native (N) or introduced (I) species
 <sup>2</sup> = Based on all sites

Page 12 of 30 Funded by U.S. Bureau of Reclamation

American Southwest Ichthyological Researchers, LLC Contract 140R4019P0048: Requisition 0040613161




Figure 5. Fish densities based on all sites, by reach and focal taxa, during June 2024. Marked and unmarked Rio Grande Silvery Minnow were included.

### **APPENDIX A (Sampling Sites)**

Middle Rio Grande Fish Sampling Sites

#### Table A1. Sampling reaches and standard sites for population monitoring of Rio Grande Silvery Minnow in the Middle Rio Grande.

Reach and Site	Locality	

#### Angostura Reach

- 1 New Mexico, Sandoval County, Rio Grande, just downstream of Angostura Diversion Dam, Algodones. River Mile: 209.9; UTM Easting: 363665; UTM Northing: 3916331; Zone: 13; Datum: NAD83
- 2 New Mexico, Sandoval County, Rio Grande, at US HWY 550 bridge crossing, Bernalillo. River Mile: 203.9; UTM Easting: 358457; UTM Northing: 3909887; Zone: 13; Datum: NAD83
- New Mexico, Sandoval County, Rio Grande, ca. 4.0 mi downstream of US HWY 550 bridge crossing, Rio Rancho.
   River Mile: 199.9; UTM Easting: 354728; UTM Northing: 3905587; Zone: 13; Datum: NAD83
- 4 New Mexico, Bernalillo County, Rio Grande, at Central Ave. bridge crossing (US HWY 66), Albuquerque. River Mile: 183.4; UTM Easting: 346719; UTM Northing: 3884331; Zone: 13; Datum: NAD83
- New Mexico, Bernalillo County, Rio Grande, at Rio Bravo Blvd. bridge crossing (NM State HWY 500), Albuquerque.
   River Mile: 178.4; UTM Easting: 347468; UTM Northing: 3877400; Zone: 13; Datum: NAD83

#### Isleta Reach

- 6 New Mexico, Valencia County, Rio Grande, just upstream of NM State HWY 6 bridge crossing, Los Lunas. River Mile: 161.7; UTM Easting: 343149; UTM Northing: 3853187; Zone: 13; Datum: NAD83
- New Mexico, Valencia County, Rio Grande, ca. 1.0 mi upstream of NM State HWY 309 bridge crossing, Belen.
   River Mile: 150.8; UTM Easting: 340105; UTM Northing: 3837722; Zone: 13; Datum: NAD83
- New Mexico, Valencia County, Rio Grande, ca. 2.2 mi upstream of NM State HWY 346 bridge crossing, Jarales.
   River Mile: 143.2; UTM Easting: 338020; UTM Northing: 3827545; Zone: 13; Datum: NAD83
- New Mexico, Socorro County, Rio Grande, at US HWY 60 bridge crossing, Bernardo.
   River Mile: 130.6; UTM Easting: 334578; UTM Northing: 3809921; Zone: 13; Datum: NAD83
- New Mexico, Socorro County, Rio Grande, ca. 3.7 mi downstream of US HWY 60 bridge crossing, Bernardo.
   River Mile: 126.8; UTM Easting: 330946; UTM Northing: 3805307; Zone: 13; Datum: NAD83
- 11 New Mexico, Socorro County, Rio Grande, ca. 1.2 mi upstream of San Acacia Diversion Dam, San Acacia. River Mile: 117.3; UTM Easting: 328152; UTM Northing: 3792564; Zone: 13; Datum: NAD83

### Table A1.Sampling reaches and standard sites for population monitoring of Rio Grande Silvery<br/>Minnow in the Middle Rio Grande (continued).

Reach and Site Locality	

#### San Acacia Reach

- 12 New Mexico, Socorro County, Rio Grande, just downstream of San Acacia Diversion Dam, San Acacia. River Mile: 115.6; UTM Easting: 325960; UTM Northing: 3792182; Zone: 13; Datum: NAD83
- 13 New Mexico, Socorro County, Rio Grande, ca. 1.5 mi downstream of San Acacia Diversion Dam, San Acacia. River Mile: 114.1; UTM Easting: 325390; UTM Northing: 3790397; Zone: 13; Datum: NAD83
- 14 New Mexico, Socorro County, Rio Grande, ca. 0.5 mi upstream of Socorro Low Flow Conveyance Channel bridge crossing, Socorro. River Mile: 99.6; UTM Easting: 327231; UTM Northing: 3771432; Zone: 13; Datum: NAD83
- 15 New Mexico, Socorro County, Rio Grande, ca. 4.5 mi upstream of US HWY 380 bridge crossing, San Antonio. River Mile: 92.0; UTM Easting: 328151; UTM Northing: 3761487; Zone: 13; Datum: NAD83
- 16 New Mexico, Socorro County, Rio Grande, at US HWY 380 bridge crossing, San Antonio. River Mile: 87.8; UTM Easting: 328907; UTM Northing: 3754926; Zone: 13; Datum: NAD83
- 17 New Mexico, Socorro County, Rio Grande, east of Bosque del Apache NWR headquarters, San Antonio. River Mile: 79.0; UTM Easting: 327219; UTM Northing: 3740906; Zone: 13; Datum: NAD83
- 18 New Mexico, Socorro County, Rio Grande, at San Marcial Railroad bridge crossing, San Marcial. River Mile: 68.3; UTM Easting: 315091; UTM Northing: 3728487; Zone: 13; Datum: NAD83
- New Mexico, Socorro County, Rio Grande, ca. 8.0 mi downstream of San Marcial Railroad bridge crossing, San Marcial.
   River Mile: 60.1; UTM Easting: 309441; UTM Northing: 3718309; Zone: 13; Datum: NAD83
- 20 New Mexico, Socorro County, Rio Grande, ca. 10.0 mi downstream of San Marcial Railroad bridge crossing, San Marcial. River Mile: 58.5; UTM Easting: 307767; UTM Northing: 3716360; Zone: 13; Datum: NAD83

### Table A2.Sampling reaches and additional sites (old) for population monitoring of Rio Grande Silvery<br/>Minnow in the Middle Rio Grande.

Reach and Site	Locality

#### Angostura Reach

- New Mexico, Sandoval County, Rio Grande, ca. 4.4 miles upstream of Alameda Blvd. (NM State Hwy. 528) bridge crossing, Corrales.
   River Mile: 196.6; UTM Easting: 355531; UTM Northing: 3900626; Zone: 13; Datum: NAD83
- 22 New Mexico, Sandoval County, Rio Grande, ca. 1.1 miles upstream of Alameda Blvd. (NM State Hwy. 528) bridge crossing, Corrales. River Mile: 193.1; UTM Easting: 351562; UTM Northing: 3897190; Zone: 13; Datum: NAD83
- New Mexico, Bernalillo County, Rio Grande, ca. 1.0 miles downstream of Paseo del Norte Blvd. (NM State Hwy. 423) bridge crossing Albuquerque.
   River Mile: 190.0; UTM Easting: 349214; UTM Northing: 3893063; Zone: 13; Datum: NAD83
- 24 New Mexico, Bernalillo County, Rio Grande, ca. 1.1 miles upstream of I-40 bridge crossing, Albuquerque. River Mile: 186.1; UTM Easting: 346011; UTM Northing: 3887973; Zone: 13; Datum: NAD83
- 25 New Mexico, Bernalillo County, Rio Grande, ca. 1.5 miles upstream of I-25 bridge crossing, Isleta. River Mile: 174.0; UTM Easting: 345900; UTM Northing: 3870990; Zone: 13; Datum: NAD83

#### Isleta Reach

- New Mexico, Valencia County, Rio Grande, ca. 4.1 miles upstream of NM State Hwy. 6 bridge crossing, Los Lunas.
   River Mile: 165.2; UTM Easting: 342799; UTM Northing: 3858637; Zone: 13; Datum: NAD83
- New Mexico, Valencia County, Rio Grande, ca. 6.2 miles upstream of NM State Hwy. 309 bridge crossing, Belen.
   River Mile: 156.0; UTM Easting: 340647; UTM Northing: 3845146; Zone: 13; Datum: NAD83
- 28 New Mexico, Socorro County, Rio Grande, ca. 6.3 miles upstream of US Hwy. 60 bridge crossing, Bernardo. River Mile: 137.1; UTM Easting: 335554; UTM Northing: 3819543; Zone: 13; Datum: NAD83
- 29 New Mexico, Socorro County, Rio Grande, ca. 1.5 miles upstream of confluence with the Rio Salado, San Acacia. River Mile: 120.1; UTM Easting: 330498; UTM Northing: 3795053; Zone: 13; Datum: NAD83

#### San Acacia Reach

30 New Mexico, Socorro County, Rio Grande, ca. 2.6 miles upstream of Pueblitos Rd. bridge crossing, Escondida. River Mile: 107.1; UTM Easting: 326303; UTM Northing: 3781123; Zone: 13; Datum: NAD83

### Table A3.Sampling reaches and additional sites (new) for population monitoring of Rio GrandeSilvery Minnow in the Middle Rio Grande.

Reach and Site	Locality

#### Isleta Reach

- 61 New Mexico, Valencia County, Rio Grande, ca. 6.2 mi upstream of NM State HWY 346 bridge crossing, Jarales. River Mile: 147.0; UTM Easting: 339379; UTM Northing: 3832429; Zone: 13; Datum: NAD83
- 62 New Mexico, Valencia County, Rio Grande, ca. 0.7 mi downstream of NM State HWY 346 bridge crossing, Jarales. River Mile: 140.0; UTM Easting: 337520; UTM Northing: 3822964; Zone: 13; Datum: NAD83
- 63 New Mexico, Socorro County, Rio Grande, ca. 3.1 mi upstream of US HWY 60 bridge crossing, Bernardo. River Mile: 133.7; UTM Easting: 334853; UTM Northing: 3814593; Zone: 13; Datum: NAD83
- 64 New Mexico, Socorro County, Rio Grande, ca. 4.7 mi upstream of the Rio Salado confluence, San Acacia. River Mile: 123.2; UTM Easting: 329215; UTM Northing: 3799784; Zone: 13; Datum: NAD83

#### San Acacia Reach

- 65 New Mexico, Socorro County, Rio Grande, ca. 5.4 mi downstream of San Acacia Diversion Dam, San Acacia. River Mile: 110.3; UTM Easting: 326105; UTM Northing: 3785502; Zone: 13; Datum: NAD83
- 66 New Mexico, Socorro County, Rio Grande, ca. 3.8 mi downstream of Socorro Low Flow Conveyance Channel bridge crossing, Socorro. River Mile: 95.1; UTM Easting: 327905; UTM Northing: 3765463; Zone: 13; Datum: NAD83
- New Mexico, Socorro County, Rio Grande, ca. 4.3 mi downstream of San Antonio bridge crossing, San Antonio.
   River Mile: 83.3; UTM Easting: 329319; UTM Northing: 3747431; Zone: 13; Datum: NAD83
- 68 New Mexico, Socorro County, Rio Grande, ca. 5.3 mi upstream of San Marcial Railroad bridge crossing, San Marcial. River Mile: 73.7; UTM Easting: 322751; UTM Northing: 3732864; Zone: 13; Datum: NAD83
- 69 New Mexico, Socorro County, Rio Grande, ca. 4.4 mi downstream of San Marcial Railroad bridge crossing, San Marcial. River Mile: 63.9; UTM Easting: 313940; UTM Northing: 3722027; Zone: 13; Datum: NAD83
- New Mexico, Socorro County, Rio Grande, ca. 12.9 mi downstream of San Marcial Railroad bridge crossing, San Marcial.
   River Mile: 55.5; UTM Easting: 305502; UTM Northing: 3711951; Zone: 13; Datum: NAD83

#### Table A4. Sampling reaches and active replacement sites for population monitoring of Rio Grande Silvery Minnow in the Middle Rio Grande.

Reach and Site	Locality	

#### San Acacia Reach

- 51 New Mexico, Socorro County, Rio Grande, ca. 5.0 mi downstream of San Acacia Diversion Dam, San Acacia. River Mile: 110.8; UTM Easting: 325855; UTM Northing: 3786216; Zone: 13; Datum: NAD83
- 52 New Mexico, Socorro County, Rio Grande, ca. 2.2 mi. downstream of Pueblitos Rd. bridge crossing, Escondida. River Mile: 101.7; UTM Easting: 327091; UTM Northing: 3773950; Zone: 13; Datum: NAD83
- 53 New Mexico, Socorro County, Rio Grande, ca. 3.1 mi downstream of the Socorro Low Flow Conveyance Channel bridge crossing, Socorro. River Mile: 96.0; UTM Easting: 327928; UTM Northing: 3766570; Zone: 13; Datum: NAD83
- 54 New Mexico, Socorro County, Rio Grande, ca. 4.7 mi. downstream of Socorro LFCC bridge crossing, Socorro. River Mile: 94.2; UTM Easting: 327288; UTM Northing: 3764453; Zone: 13; Datum: NAD83
- 56 New Mexico, Socorro County, Rio Grande, ca. 2.1 miles upstream of San Antonio bridge crossing, San Antonio. River Mile: 89.3; UTM Easting: 329188; UTM Northing: 3758027; Zone: 13; Datum: NAD83
- 58 New Mexico, Socorro County, Rio Grande, ca. 1.8 mi. upstream of San Marcial Railroad bridge crossing, San Marcial. River Mile: 70.1; UTM Easting: 318083; UTM Northing: 3728535; Zone: 13; Datum: NAD83
- 59 New Mexico, Socorro County, Rio Grande, ca. 5.1 mi. downstream of San Marcial Railroad bridge crossing, San Marcial. River Mile: 63.3; UTM Easting: 313269; UTM Northing: 3721434; Zone: 13; Datum: NAD83
- 60 New Mexico, Socorro County, Rio Grande, ca. 6.4 mi. downstream of San Marcial Railroad bridge crossing, San Marcial.

River Mile: 61.8; UTM Easting: 311422; UTM Northing: 3719873; Zone: 13; Datum: NAD83

#### **APPENDIX B (Site-Specific Population Monitoring Data)**

Site-specific data, collected in June 2024, as part of the Rio Grande Silvery Minnow Population Monitoring Program (Any blanks in this database output indicate null data)

\*\* Data are provisional and should be verified by direct inspection of field data \*\*

1

	: SANDOVAL County, RIO GR st downstream of Angostura D				RKD24-078
Site Number:	-	River Mile: 2			06 June 2024
	363665 UTM Northing:		Zone: 13	USGS Quad:	San Felipe Pueblo
Collector(s): F	R.K. Dudley, A.D. Urioste, C.M.	Accardo			Effort: 414.8 sq. m
<b>Family</b>	<u>Species</u>		<u>Total</u>		
2	Catostomus commersonii		1		
4	Cyprinella lutrensis		1		
4	Platygobio gracilis		2		
4	Rhinichthys cataractae		35		
10	Micropterus salmoides		1		
10	Pomoxis annularis		29		

11 Morone chrysops	
--------------------	--

NEW MEXICO: SANDOVAL County, R	RIO GRANDE Drainage	
Rio Grande, at US HWY 550 bridge cro	ossing, Bernalillo.	
Site Number: 2	River Mile: 203.9	(
UTM Easting: 358457 UTM Nor	thing: 3909887 Zone: 13	3 USGS Quad: I
Collector(s): R.K. Dudley, A.D. Urioste	e, C.M. Accardo	I

Family	<u>Species</u>	<u>Total</u>
2	Catostomus commersonii	5
4	Cyprinella lutrensis	45
4	Platygobio gracilis	26
4	Rhinichthys cataractae	27
5	Ictalurus punctatus	1
10	Pomoxis annularis	6
11	Morone chrysops	1

	: SANDOVAL County, RIO GR . 4.0 mi downstream of US HV	0	ing Rio Ranc	ho	RKD24-080
Site Number: 3		River Mile: 199.9	ing, rue rune		06 June 2024
UTM Easting:	UTM Northing:	3905587 Zon	e: 13 U	SGS Quad:	Bernalillo
Collector(s): R	.K. Dudley, A.D. Urioste, C.M.	Accardo			Effort: 510.8 sq. m
<u>Family</u>	<u>Species</u>		<u>Total</u>		
Family 2	<u>Species</u> Catostomus commersonii		<u>Total</u> 1		
			<u>Total</u> 1 6		
2	Catostomus commersonii		1		

	10	Pomoxis annularis	
--	----	-------------------	--

#### RKD24-079

	06 Jun	e 2024		
GS Quad:	Bernali	illo		
	Effort:	500.2	sq.	m

Rio Grande, at Site Number: 4 UTM Easting:		US HWY 66), River Mile: 18 3884331	Albuquerque.	USGS Quad:	RKD24-077 06 June 2024 Albuquerque West Effort: 511.0 sq. m
<u>Family</u> 2 4 4 4 10	<u>Species</u> Carpiodes carpio Catostomus commersonii Cyprinella lutrensis Hybognathus amarus* Rhinichthys cataractae Pomoxis annularis		<u>Total</u> 5 6 77 3 1 20		
	*Hybognathus amart	us (age-clas	ses):		
		age-0 age-1 age-2+	2 1		
	BERNALILLO County, RIO G				RKD24-076
Rio Grande, at Site Number: 5	Rio Bravo Blvd. bridge crossin	ng (NM State I River Mile: 1		uerque.	06 June 2024
UTM Easting:		3877400	Zone: 13	USGS Quad:	Albuquerque West Effort: 528.6 sq. m
<u>Family</u>	<u>Species</u>		<u>Total</u>		
2	Carpiodes carpio		8		
4 4	Cyprinella lutrensis Hybognathus amarus*		50 3		
4	Platygobio gracilis		3		
9	Gambusia affinis		5		
10 10	Micropterus salmoides Pomoxis annularis		1 1		
10					

\*Hybognathus amarus (age-classes):

age-0 age-1 age-2+ 3

	: VALENCIA County, RIO G				RKD24-075
· · ·	st upstream of NM State HW	•	•		051 0004
Site Number:	0	River Mile: 16	51.7		05 June 2024
UTM Easting:	343149 UTM Northing	: 3853187	Zone: 13	USGS Quad:	Los Lunas
Collector(s): F	R.K. Dudley, A.D. Urioste, E.F	R. Braun, and C.	.M. Accardo		Effort: 471.7 sq. m
<b>Family</b>	<u>Species</u>		<u>Total</u>		
4	Cyprinella lutrensis		81		
5	Ameiurus natalis		1		
9	Gambusia affinis		1		

NEW MEXICO:	VALENCIA County, RIO GR	ANDE Drainage		RKD24-074
Rio Grande, ca	. 1.0 mi upstream of NM Stat	e HWY 309 bridge crossing, E	Belen.	
Site Number: 7	,	River Mile: 150.8		05 June 2024
UTM Easting:	340105 UTM Northing:	3837722 Zone: 13	USGS Quad:	Tome
Collector(s): R	.K. Dudley, A.D. Urioste, E.R	. Braun, and C.M. Accardo		Effort: 478.4 sq. m
<b>Family</b>	<u>Species</u>	<u>Total</u>		
2	Catostomus commersonii	3		
3	Cyprinus carpio	1		
4	Cyprinella lutrensis	155		
4	Hybognathus amarus*	224		
4	Pimephales promelas	1		
9	Gambusia affinis	18		
10	Micropterus salmoides	1		

age-2+

#### 10 Pomoxis annularis

*Hybognathus amarus	(age-cla	asses):
	age-0	214
	age-1	10

- 23 -

5

Rio Grande, ca	VALENCIA County, RIO GRAN	IWY 346 brid	lge crossing, Ja	arales.	R
Site Number: 8		iver Mile: 14	3.2		0
0	338020 UTM Northing: 38		Zone: 13	USGS Quad:	V
Collector(s): R	.K. Dudley, A.D. Urioste, E.R. B	raun, and C.	M. Accardo		E
<b>Family</b>	<u>Species</u>		<u>Total</u>		
3	Cyprinus carpio		1		
4	Cyprinella lutrensis		238		
4	Hyboqnathus amarus*		9		
4	Pimephales promelas		1		
9	Gambusia affinis		8		
10	Micropterus salmoides		1		
10	Pomoxis annularis		4		
	*Hybognathus amarus	age-class	ses):		
		age-0 age-1 age-2+	9		

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage Rio Grande, at US HWY 60 bridge crossing, Bernardo. Site Number: 9 River Mile: 130.6 UTM Easting: 334578 UTM Northing: 3809921 Zone: 13 Collector(s): R.K. Dudley, A.D. Urioste, E.R. Braun, and C.M. Accardo

Family	<u>Species</u>	<u>Total</u>
3	Cyprinus carpio	3
4	Cyprinella lutrensis	111
4	Hybognathus amarus*	6
9	Gambusia affinis	2
10	Micropterus salmoides	1
	*Hybognathus amarus (age-classes):	

age-0	1
age-1	5
age-2+	

#### RKD24-073

05 June 2024 uad: Veguita Effort: 477.8 sq. m

RKD24-072

05 June 2024 USGS Quad: Abeytas Effort: 457.3 sq. m

Rio Grande, ca Site Number: 1 UTM Easting:		WY 60 bridge crossing, B River Mile: 126.8 3805307 Zone: 13	3 USGS Quad:	RKD24-071 05 June 2024 Abeytas Effort: 462.7 sq. m
Family	<u>Species</u>	<u>Tot</u>	al	
2	Catostomus commersonii		1	
3	Cyprinus carpio		1	
4	Cyprinella lutrensis	3	33	
4	Hybognathus amarus*	2	23	
5	Ameiurus natalis		2	
9	Gambusia affinis		8	
10	Micropterus salmoides		4	
10	Pomoxis annularis		2	
	*Hybognathus amai	rus (age-classes):		
		age-0 20		
		age-1 3		
		age-2+		
	SOCORRO County, RIO GR . 1.2 mi upstream of San Aca	0	vcacia	RKD24-070
Site Number: 1		River Mile: 117.3		04 June 2024
UTM Easting:			3 USGS Quad:	
Collector(s): R	.K. Dudley, A.D. Urioste, E.R	. Braun		Effort: 438.6 sq. m
Family	Species	Tot	al	
3	Cyprinus carpio		8	

anny			I V tui
3	Cyprinus carpio		8
4	Cyprinella lutrensis		50
4	Hybognathus amarus*		9
5	Ameiurus natalis		1
9	Gambusia affinis		2
10	Micropterus salmoides		1
10	Pomoxis annularis		17
	*Hybognathus amarus	(age-classes):	
		age-0 9	
		age-1	
		age-2+	

Rio Grande, jus Site Number: 7 UTM Easting:		Diversion Dar River Mile: 1 3792183	n, San Acacia.	USGS Quad:	RKD24-069 04 June 2024 San Acacia Effort: 443.3 sq. m
Family 1 3 4 4 4 4 12	Species Dorosoma cepedianum Cyprinus carpio Cyprinella lutrensis Hybognathus amarus* Platygobio gracilis Percina macrolepida		<u>Total</u> 28 19 167 29 1 1		
	*Hybognathus amar	us (age-clas	sses):		
		age-0 age-1 age-2+	1 28		
		cacia Diversio River Mile: 1	on Dam, San Aca	icia.	RKD24-068
	325390 UTM Northing: R.K. Dudley, A.D. Urioste, E.R.		Zone: 13	USGS Quad:	04 June 2024 Lemitar Effort: 472.5 sq. m
			Zone: 13 <u>Total</u>	USGS Quad:	Lemitar
Collector(s): R	.K. Dudley, A.D. Urioste, E.R.			USGS Quad:	Lemitar
Collector(s): R Family 1 3	t.K. Dudley, A.D. Urioste, E.R. <u>Species</u> Dorosoma cepedianum Cyprinus carpio		<u>Total</u> 25 3	USGS Quad:	Lemitar
Collector(s): F Family 1 3 4	t.K. Dudley, A.D. Urioste, E.R. <u>Species</u> Dorosoma cepedianum Cyprinus carpio Cyprinella lutrensis		<u>Total</u> 25 3 114	USGS Quad:	Lemitar
Collector(s): F Family 1 3 4 4	8.K. Dudley, A.D. Urioste, E.R. <u>Species</u> Dorosoma cepedianum Cyprinus carpio Cyprinella lutrensis Hybognathus amarus*		<u>Total</u> 25 3 114 8	USGS Quad:	Lemitar
Collector(s): R Family 1 3 4 4 4 4	8.K. Dudley, A.D. Urioste, E.R. <u>Species</u> Dorosoma cepedianum Cyprinus carpio Cyprinella lutrensis Hybognathus amarus* Platygobio gracilis		<u>Total</u> 25 3 114 8 1	USGS Quad:	Lemitar
Collector(s): F Family 1 3 4 4 4 5	8.K. Dudley, A.D. Urioste, E.R. <u>Species</u> Dorosoma cepedianum Cyprinus carpio Cyprinella lutrensis Hybognathus amarus* Platygobio gracilis Ictalurus furcatus		<u>Total</u> 25 3 114 8 1 1	USGS Quad:	Lemitar
Collector(s): R Family 1 3 4 4 4 4	X.K. Dudley, A.D. Urioste, E.R. <u>Species</u> Dorosoma cepedianum Cyprinus carpio Cyprinella lutrensis Hybognathus amarus* Platygobio gracilis Ictalurus furcatus Gambusia affinis	Braun	<u>Total</u> 25 3 114 8 1 1 1	USGS Quad:	Lemitar
Collector(s): F Family 1 3 4 4 4 5	8.K. Dudley, A.D. Urioste, E.R. <u>Species</u> Dorosoma cepedianum Cyprinus carpio Cyprinella lutrensis Hybognathus amarus* Platygobio gracilis Ictalurus furcatus	Braun	<u>Total</u> 25 3 114 8 1 1 1	USGS Quad:	Lemitar
Collector(s): F Family 1 3 4 4 4 5	X.K. Dudley, A.D. Urioste, E.R. <u>Species</u> Dorosoma cepedianum Cyprinus carpio Cyprinella lutrensis Hybognathus amarus* Platygobio gracilis Ictalurus furcatus Gambusia affinis	Braun	<u>Total</u> 25 3 114 8 1 1 1	USGS Quad:	Lemitar

age-1 age-2+

Rio Grande, ca Site Number: UTM Easting:		Low Flow Cor River Mile: 9 3771432	nveyance Channel	•	<b>RKD24-067</b> ng, Socorro. 04 June 2024 Loma de las Canas Effort: 513.4 sq. m
Family 1 2 3 4 4 4 5 5 5 9	Species Dorosoma cepedianum Catostomus commersonii Cyprinus carpio Cyprinella lutrensis Hybognathus amarus* Platygobio gracilis Ictalurus furcatus Ictalurus punctatus Gambusia affinis		<u>Total</u> 8 1 7 97 211 2 1 2 7		
	*Hybognathus amar	us (age-clas	sses):		
		age-0 age-1 age-2+	202 9		
NEW MEXICO: SOCORRO County, RIO GRANDE DrainageRKD24-066Rio Grande, ca. 4.5 mi upstream of US HWY 380 bridge crossing, San Antonio.04 June 2024Site Number: 15River Mile: 92.004 June 2024UTM Easting: 328151UTM Northing: 3761487Zone: 13USGS Quad:Collector(s):R.K. Dudley, A.D. Urioste, E.R. BraunEffort: 466.0 sq. m					
<u>Family</u> 1 2 3 4 4 4 4 5 9	Species Dorosoma cepedianum Carpiodes carpio Catostomus commersonii Cyprinus carpio Cyprinella lutrensis Hybognathus amarus* Pimephales promelas Platygobio gracilis Ictalurus punctatus Gambusia affinis		<u>Total</u> 2 1 2 13 53 44 1 1 1 6		

*Hybognathus amarus	(age-clas	sses):
	age-0	42
	age-1	2
	age-2+	

Rio Grande, at Site Number: 7 UTM Easting:	: SOCORRO County, RIO GRANDE I US HWY 380 bridge crossing, San Ai I6 River M 328907 UTM Northing: 375492 .K. Dudley, A.D. Urioste, E.R. Braun	ntonio. 1ile: 87.8	USGS Quad:	RKD24-065 03 June 2024 San Antonio Effort: 541.6 sq. m
<u>Family</u> 1 3 4 4 5	<u>Species</u> Dorosoma cepedianum Cyprinus carpio Cyprinella lutrensis Hybognathus amarus* Ictalurus furcatus	<u>Total</u> 16 1 28 3 1		
	*Hybognathus amarus (ag	e-classes):		
	age age age			
NEW MEXICO: SOCORRO County, RIO GRANDE DrainageRKD24-064Rio Grande, east of Bosque del Apache NWR headquarters, San Antonio.03 June 2024Site Number: 17River Mile: 79.003 June 2024UTM Easting: 327219UTM Northing: 3740906Zone: 13USGS Quad:Collector(s): R.K. Dudley, A.D. Urioste, E.R. BraunEffort: 531.0 sq. m				
Family 1 2	<u>Species</u> Dorosoma cepedianum Catostomus commersonii	<u>Total</u> 13 1		

1	Dorosoma cepedianum	13
2	Catostomus commersonii	1
3	Cyprinus carpio	1
4	Cyprinella lutrensis	2
4	Hybognathus amarus*	29
4	Platygobio gracilis	1
9	Gambusia affinis	5
	*Hybognathus amarus (age-classes):	

age-0	24
age-1	5
age-2+	

	SOCORRO County, RIO GR/ San Marcial Railroad bridge ci				RKD24-063
Site Number: 1	•	River Mile: 6			03 June 2024
UTM Easting: 3	UTM Northing:	3728487	Zone: 13	USGS Quad:	San Marcial
Collector(s): R.	K. Dudley, A.D. Urioste, E.R.	Braun			Effort: 469.3
<b>Family</b>	<u>Species</u>		<u>Total</u>		
1	Dorosoma cepedianum		8		
2	Catostomus commersonii		4		
3	Cyprinus carpio		2		
4	Cyprinella lutrensis		17		
4	Hybognathus amarus*		387		
9	Gambusia affinis		2		
12	Percina macrolepida		1		
	*Hybognathus amart	us (age-clas	sses):		
		age-0 age-1 age-2+	384 3		

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage RKD24-062 Rio Grande, ca. 8.0 mi downstream of San Marcial Railroad bridge crossing, San Marcial. Site Number: 19 River Mile: 60.1 03 June 2024 UTM Easting: 309441 UTM Northing: 3718309 Zone: 13 USGS Quad: Paraje Well Collector(s): R.K. Dudley, A.D. Urioste, E.R. Braun Effort: 503.1 sq. m

<u>Species</u>			<u>Total</u>	
Dorosoma cepedianum				
Carpiodes carpio			1	
Catostomus commersonii			1	
Cyprinus carpio			1	
Cyprinella lutrensis			66	
Hybognathus amarus*			531	
Platygobio gracilis			3	
Gambusia affinis			6	
Percina macrolepida			1	
*Hybognathus amarus	(age-clas	sses):		
	age-0 age-1 age-2+	529 1 1		
	Dorosoma cepedianum Carpiodes carpio Catostomus commersonii Cyprinus carpio Cyprinella lutrensis Hybognathus amarus* Platygobio gracilis Gambusia affinis Percina macrolepida	Dorosoma cepedianum Carpiodes carpio Catostomus commersonii Cyprinus carpio Cyprinella lutrensis Hybognathus amarus* Platygobio gracilis Gambusia affinis Percina macrolepida <b>*Hybognathus amarus (age-clas</b> age-0	Dorosoma cepedianum Carpiodes carpio Catostomus commersonii Cyprinus carpio Cyprinella lutrensis Hybognathus amarus* Platygobio gracilis Gambusia affinis Percina macrolepida <b>*Hybognathus amarus (age-classes):</b> age-0 529 age-1 1	

### Page 29 of 30 Funded by U.S. Bureau of Reclamation

#### 3 June 2024 an Marcial

ffort: 469.3 sq. m

Rio Grande, c Site Number: UTM Easting:	D: SOCORRO County, RIO GRAN a. 10.0 mi downstream of San Ma 20 Ri 307767 UTM Northing: 37 R.K. Dudley, A.D. Urioste, E.R. Bi	arcial Railroa ver Mile: 58 716360	id bridge crossir	ng, San Marcial USGS Quad:	03 June 2024
Family	Species		Total		
1	Dorosoma cepedianum		18		
3	Cyprinus carpio		2		
4	Cyprinella lutrensis		94		
4	Hybognathus amarus*		2		
5	Ictalurus furcatus		3		
	*Hybognathus amarus	(age-class	ses):		
		age-0 age-1 age-2+	2		