

# SUMMARY OF THE RIO GRANDE SILVERY MINNOW POPULATION MONITORING PROGRAM RESULTS FROM JUNE 2015

# A MIDDLE RIO GRANDE ENDANGERED SPECIES COLLABORATIVE PROGRAM FUNDED RESEARCH PROJECT





Robert K. Dudley and Steven P. Platania American Southwest Ichthyological Researchers, L.L.C. 800 Encino Place, NE Albuquerque, NM 87102-2606

# SUMMARY OF THE RIO GRANDE SILVERY MINNOW POPULATION MONITORING PROGRAM RESULTS FROM JUNE 2015

### prepared for:

## MIDDLE RIO GRANDE ENDANGERED SPECIES COLLABORATIVE PROGRAM

#### under Contract GS-10F-0249X:

#### Order R15PD00171

U.S. Bureau of Reclamation Albuquerque Area Office 555 Broadway NE, Suite 100 Albuquerque, NM 87102-2352

### prepared by:

Robert K. Dudley and Steven P. Platania American Southwest Ichthyological Researchers, L.L.C. 800 Encino Place, NE Albuquerque, NM 87102-2606

### submitted to:

U. S. Bureau of Reclamation 555 Broadway NE, Suite 100 Albuquerque, NM 87102-2352

17 July 2015

#### SUMMARY OF OVERALL JUNE 2015 POPULATION MONITORING EFFORTS

The June population monitoring efforts were conducted at 20 sites throughout the Middle Rio Grande. Five sites were located in the Angostura Reach, six sites in the Isleta Reach, and nine sites in the San Acacia Reach. A list of collection localities is appended (Table A-1).

Adult and juvenile fish were obtained by rapidly drawing a  $3.1 \text{ m} \times 1.8 \text{ m}$  small mesh ( $3/16^{th}$  inch) seine through discrete mesohabitats. Larval fish were also collected with a  $1.0 \text{ m} \times 1.0 \text{ m}$  fine mesh ( $1/16^{th}$  inch) seine in all seasons except winter. Rio Grande Silvery Minnow were counted and identified to age-class. Other fishes were identified to species and enumerated, but age-class was not determined. Figures illustrating fish densities (i.e., fish per  $100 \text{ m}^2$ ) were prepared for the ten focal species, including Rio Grande Silvery Minnow, to facilitate comparisons among reaches.

During June, sampling covered  $10,836.9 \text{ m}^2$  (surface area) of water and yielded 3,672 fish. Cumulative fish density during June was  $33.9 \text{ individuals}/100 \text{ m}^2 \text{ sampled}$ . The three most common species were Red Shiner (n = 2,871), Flathead Chub (n = 233), and Longnose Dace (n = 152). The 20 sampling sites yielded a total of 16 fish species. Rio Grande Silvery Minnow was present in 11 of the 290 seine hauls that yielded fish during June, as compared with 8 of the 298 seine hauls that yielded fish during May. The density of Rio Grande Silvery Minnow was  $0.33 \text{ individuals}/100 \text{ m}^2 \text{ sampled (n = } 36 \text{ } 28\% \text{ marked})$  and this species composed 1.0% of the total number of fish collected during June.

### SUMMARY OF JUNE 2015 POPULATION MONITORING EFFORT BY RIVER REACH

### **Angostura Reach**

Mean daily discharge in the Angostura Reach (Rio Grande at Albuquerque, NM; USGS Gauge 8330000) averaged 1,736.7 and ranged from 851 to 2,800 cfs from 16 May to 15 June. Water temperatures ranged from 18.8 to 20.9  $^{\circ}$ C during the Angostura Reach sampling efforts (ca. 0830–1530 h). Secchi disk measurements of water clarity ranged from 12 to 38 cm.

Sampling for fishes in the Angostura Reach during June yielded 341 individuals with a cumulative fish density of 12.0 individuals/100  $\text{m}^2$  sampled. The overall sampling effort in the Angostura Reach covered 2,843.8  $\text{m}^2$  (surface area) of water. Densities of all fish species combined ranged from 2.7 to 23.2 individuals per 100  $\text{m}^2$  at the five sampling sites. In June, there were 9 fish species collected in the Angostura Reach. Longnose Dace was the most abundant taxon (n = 152), followed by Red Shiner (n = 90), and Flathead Chub (n = 47). Rio Grande Silvery Minnow was present in 0 of the 65 seine hauls that yielded fish during June. Densities of Rio Grande Silvery Minnow ranged from 0.0 to 0.0 individuals per 100  $\text{m}^2$  at the five sampling sites.

### Isleta Reach

In the Isleta Reach, mean daily discharge (Rio Grande at Isleta Lakes near Isleta, NM; USGS Gauge 08354900) averaged 1,764.8 and ranged from 755 to 3,430 cfs from 16 May to 15 June. Water temperatures ranged from 24.5 to 28.6  $^{\circ}$ C throughout the sampling localities during the day (ca. 0930–1600 h). Secchi disk measurements ranged from 10 to 17 cm during sampling.

Isleta Reach population monitoring efforts produced 1,426 individuals in June with a cumulative fish density of 44.2 individuals/100  $\text{m}^2$  sampled. The total sampling effort in the Isleta Reach during June covered 3,224.5  $\text{m}^2$  (surface area) of water. Fish densities (all species combined) at the six sites ranged from 20.6 to 76.3 individuals per 100  $\text{m}^2$  sampled. There were 9 fish species collected in the Isleta Reach

during June. Red Shiner was the most abundant taxon (n = 1,085), followed by Flathead Chub (n = 97), and Western Mosquitofish (n = 96). Rio Grande Silvery Minnow was present in 5 of the 92 seine hauls that yielded fish during June. Densities of Rio Grande Silvery Minnow ranged from 0.0 to 1.5 individuals per  $100 \text{ m}^2$  at the six sampling sites.

#### San Acacia Reach

Mean daily discharge at San Acacia (Rio Grande Floodway at San Acacia, NM; USGS Gauge 08354900) from 16 May to 15 June was generally higher (average = 1,586.1; range = 656–3,550 cfs) as compared to San Marcial (Rio Grande Floodway at San Marcial, NM; USGS Gauge 08358400) during the same period (average = 1,013.1; range = 289–2,590 cfs). Water temperatures in June for the San Acacia Reach ranged from 21.0 to 25.1  $^{\circ}$ C (ca. 0930–1600 h). Water clarity was generally lower in this reach (Secchi disk range = 4–10 cm) as compared to the two upstream reaches.

Population monitoring efforts in the San Acacia Reach during June yielded 1,905 individuals with a cumulative fish density of 39.9 individuals per  $100 \text{ m}^2$  sampled. Sampling in the San Acacia Reach covered an area of 4,768.6 m² of water. Fish densities (all species combined) ranged from 4.3 to 177.5 individuals per  $100 \text{ m}^2$  at the nine sites sampled in the San Acacia Reach. In June, there were 13 fish species collected in the San Acacia Reach. Red Shiner was the most abundant taxon (n = 1,696), followed by Flathead Chub (n = 89), and Channel Catfish (n = 36). Rio Grande Silvery Minnow was present in 6 of the 133 seine hauls that yielded fish during June. Densities of Rio Grande Silvery Minnow ranged from 0.0 to 2.7 individuals per  $100 \text{ m}^2$  at the nine sampling sites.

#### Conclusions

The addition of large numbers of hatchery-reared Rio Grande Silvery Minnow in autumn 2014 (ca. 268,000; Thomas P. Archdeacon, New Mexico Fish and Wildlife Conservation Office, pers. comm.) resulted in relatively high densities of this species in February but notably reduced densities by May 2015. Following the substantial annual stocking of Rio Grande Silvery Minnow, there should have presumably been adequate numbers of individuals available in the river for spawning during spring 2015. However, the total overwinter mortality for the Middle Rio Grande population of Rio Grande Silvery Minnow, which is composed almost entirely of hatchery-reared individuals, appears to have resulted in substantial losses of individuals since autumn 2014. Despite these apparent losses, Rio Grande Silvery Minnow was present at 7 of the 20 sampling sites, and there were 25 age-0 individuals (out of 36 total) collected during sampling efforts in June 2015. Spawning has been documented in the study area during spring 2015 (pers. obs.), which has resulted in the presence of recently hatched larvae in relatively shallow and low velocity mesohabitats along the margins of the river. During June 2015, these individuals ranged from 7.0 to 13.7 mm SL with the vast majority < 10 mm SL. As there is a naturally high mortality of larval individuals in the wild, it is likely that only a small fraction will survive to become juveniles or adults. While it is possible that recent spawning activity during June (pers. obs.) could result in more Rio Grande Silvery Minnow by July, it is uncertain if the population will rebound by October 2015. The maintenance of suitable flow and habitat conditions for young Rio Grande Silvery Minnow will be crucial for their successful growth and survival during the summer and autumn of 2015.




Figure 1. Map of the study area and sampling localities (numbered) for the Rio Grande Silvery Minnow population monitoring program. Sampling locality information that corresponds with the numbered localities is provided in Appendix A (Table A-1).




Figure 2. Discharge in the Rio Grande from 1 January 2014 through 15 June 2015 as recorded at seven U. S. Geological Survey (USGS) gauge stations. The Otowi Bridge gauge site is outside of the study area (ca. 25.5 river miles upstream of Cochiti Dam) and provided for reference. \*\*Discharge data are provisional and subject to change.

Table 1. Scientific and common names and species codes of fish collected in the Middle Rio Grande during the Rio Grande Silvery Minnow population monitoring program (since 1993).

Scientific Name	Common Name	Code
Order Clupeiformes		
Family Clupeidae	herrings	
,	· ·	
Dorosoma cepedianum	Gizzard Shad	(DORCEP)
Dorosoma petenense	Threadfin Shad	(DORPET)
Order Cypriniformes		
Family Cyprinidae	carps and minnows	
	0 1 101 "	(0.4444)(0)
Campostoma anomalum		(CAMANO)
Carassius auratus		(CARAUR)
Cyprinella lutrensis		(CYPLUT)
Cyprinus carpio		(CYPCAR)
Gila pandora		(GILPAN)
	Rio Grande Silvery Minnow <sup>1</sup>	(HYBAMA)
Notemigonus crysoleucas		(NOTCRY)
Pimephales promelas		(PIMPRO)
Pimephales vigilax		(PIMVIG)
Platygobio gracilis		(PLAGRA)
Rhinichthys cataractae	Longnose Dace <sup>1</sup>	(RHICAT)
Family Catostomidae	suckers	
Carpiodes carpio	River Carnsucker <sup>1</sup>	(CARCAR)
Catostomus commersonii		(CATCOM)
Ictiobus bubalus		(ICTBUB)
ictiobus bubaius	Smaiimoutii Bunaio	(101000)
Order Siluriformes		
Family Ictaluridae	North American catfishes	
Ameiurus melas	Black Bullhead	(AMEMEL)
Ameiurus natalis	Yellow Bullhead	(AMENAT)
Ictalurus furcatus	Blue Catfish	(ICTFUR)
Ictalurus punctatus	Channel Catfish <sup>1</sup>	(ICTPUN)
Pylodictis olivaris	Flathead Catfish	(PYLOLI)
Order Salmoniformes		
	trouts and salmons	
Family Salmonidae	แบนเร สกน รสกกบกร	
Oncorhynchus mykiss	Rainbow Trout	(ONCMYK)
Salmo trutta		(SALTRU)
Camio tratta		(5/121116)

Table 1. Scientific and common names and species codes of fish collected in the Middle Rio (continued) Grande during the Rio Grande Silvery Minnow population monitoring program (since 1993).

Scientific Name	Common Name	Code
Order Cyprinodontiformes		
Family Poeciliidae	livebearers	
Gambusia affinis	Western Mosquitofish <sup>1</sup>	(GAMAFF)
Order Perciformes		
Family Moronidae	temperate basses	
Morone chrysops	White Bass	(MORCHR)
Morone saxatilis	Striped Bass	(MORSAX)
Family Centrarchidae	sunfishes	
Lepomis cyanellus  Lepomis macrochirus  Lepomis megalotis  Micropterus dolomieu  Micropterus salmoides  Pomoxis annularis  Pomoxis nigromaculatus	BluegillLongear SunfishSmallmouth BassLargemouth BassWhite Crappie	(LEPCYA) (LEPMAC) (LEPMEG) (MICDOL) (MICSAL) (POMANN) (POMNIG)
Family Percidae	perches	
Perca flavescens Percina macrolepida Sander vitreus	Bigscale Logperch	(PERFLA) (PERMAC) (SANVIT)

<sup>&</sup>lt;sup>1</sup> Focal taxa represent the most abundant species present in recent Middle Rio Grande collections; these species are illustrated in monthly plots of data.

Summary of the June 2015 Rio Grande Silvery Minnow population monitoring program Table 2. results (species list is based on fish collected since 1993).

FAMILY		ESIDENCE	TOTAL NUMBER	PERCENT (%)	FREQUENCY OF	% FREQUENCY
	COMMON NAME	STATUS <sup>1</sup>	OF SPECIMENS	OF TOTAL	OCCURRENCE <sup>2</sup>	OCCURRENCE
Clupeidae	Gizzard Shad	N	5	0.14	3	15
Clupeidae	Threadfin Shad	1	-	-	-	-
Cyprinidae	Central Stoneroller	1	-	-	-	
Cyprinidae	Goldfish	1	-	-	-	
Cyprinidae	Red Shiner	N	2,871	78.19	19	95
Cyprinidae	Common Carp	1	50	1.36	8	40
Cyprinidae	Rio Grande Chub	N	4	0.11	1	5
Cyprinidae	Rio Grande Silvery Minnow	N	36	0.98	7	35
Cyprinidae	Golden Shiner	1	-	-	-	
Cyprinidae	Fathead Minnow	N	11	0.30	6	30
Cyprinidae	Bullhead Minnow	1	2	0.05	2	10
Cyprinidae	Flathead Chub	N	233	6.35	14	70
Cyprinidae	Longnose Dace	N	152	4.14	4	20
Catostomidae	River Carpsucker	N	22	0.60	6	30
Catostomidae	White Sucker	1	43	1.17	7	35
Catostomidae	Smallmouth Buffalo	N	5	0.14	3	15
ctaluridae	Black Bullhead	1	-	-	-	
ctaluridae	Yellow Bullhead	1	-	-	-	
ctaluridae	Blue Catfish	N	20	0.54	7	35
ctaluridae	Channel Catfish	1	106	2.89	18	90
ctaluridae	Flathead Catfish	N	-	-	-	
Salmonidae	Rainbow Trout	1	-	-	-	
Salmonidae	Brown Trout	1	-	-	-	
Poeciliidae	Western Mosquitofish	1	111	3.02	4	20
Moronidae	White Bass	1	-	-	-	
Moronidae	Striped Bass	I	-	-	-	
Centrarchidae	Green Sunfish	1	-	-	-	
Centrarchidae	Bluegill	N	-	-	-	
Centrarchidae	Longear Sunfish	I	-	-	-	
Centrarchidae	Smallmouth Bass	I	-	-	-	
Centrarchidae	Largemouth Bass	1	-	-	-	
Centrarchidae	White Crappie	1	1	0.03	1	
Centrarchidae	Black Crappie	1	-	-	-	
Percidae	Yellow Perch	1	-	-	-	
Percidae	Bigscale Logperch	1	-	-	-	
Percidae	Walleye	I	-	-	-	
MONTHLY TOTAL	<u> </u>		3,672	100.00		

 $<sup>^{1}</sup>$  N = native; I = introduced  $^{2}$  Frequency and % frequency of occurrence are based on 20 sample sites.

Table 3. Summary of the monthly catch of all fish species during 2015 (species list is based on fish collected since 1993).

FAMILY	SPECIES COMMON NAME	F E	A P	M A	Ŋ	Ŋ	A U	S E	0 C	D E	T 0
		В	R	Ŷ	N	Ĺ	Ğ	P	Ť	C	T A L
Clupeidae Clupeidae	Gizzard Shad Threadfin Shad	-	7	1 20	5 -	-	-	-	-	-	13 20
Cyprinidae	Central Stoneroller	-	-	-	-	-	-	-	-	-	0
Cyprinidae	Goldfish	-	-	-	-	-	-	-	-	-	0
Cyprinidae	Red Shiner	1,828	2,540	3,088	2,871	-	-	-	-	-	10,327
Cyprinidae	Common Carp	1	3	27	50	-	-	-	-	-	81
Cyprinidae	Rio Grande Chub	-	-	-	4	-	-	-	-	-	4
Cyprinidae	Rio Grande Silvery Minnow	151	19	9	36	-	-	-	-	-	215
Cyprinidae	Golden Shiner	-	-	-	-	-	-	-	-	-	0
Cyprinidae	Fathead Minnow	103	17	72	11	-	-	-	-	-	203
Cyprinidae	Bullhead Minnow	1	1	1	2	-	-	-	-	-	5
Cyprinidae	Flathead Chub	195	222	241	233	-	-	-	-	-	891
Cyprinidae	Longnose Dace	4	124	233	152	-	-	-	-	-	513
Catostomidae	River Carpsucker	10	15	31	22	_	_	_	_	_	78
Catostomidae	White Sucker	7	13	68	43	-	-	-	-	-	131
Catostomidae	Smallmouth Buffalo	-	-	-	5	-	-	-	-	-	5
Ictaluridae	Black Bullhead	-	_	_	_	_	_	_	_	_	0
Ictaluridae	Yellow Bullhead	_	-	1	-	-	-	-	-	-	1
Ictaluridae	Blue Catfish	-	-	13	20	-	-	-	-	-	33
Ictaluridae	Channel Catfish	102	223	173	106	-	-	-	-	-	604
Ictaluridae	Flathead Catfish	-	-	-	-	-	-	-	-	-	0
Salmonidae	Rainbow Trout	-	-	-	-	-	-	-	-	-	0
Salmonidae	Brown Trout	-	-	-	-	-	-	-	-	-	0
Poeciliidae	Western Mosquitofish	8	57	36	111	-	-	-	-	-	212
Moronidae	White Bass	1	2	-	-	-	-	-	-	-	3
Moronidae	Striped Bass	-	-	-	-	-	-	-	-	-	0
Centrarchidae	Green Sunfish	-	-	-	-	-	-	-	-	-	0
Centrarchidae	Bluegill	-	-	1	-	-	-	-	-	-	1
Centrarchidae	Longear Sunfish	-	-	-	-	-	-	-	-	-	0
Centrarchidae	Smallmouth Bass	-	-	-	-	-	-	-	-	-	0
Centrarchidae	Largemouth Bass	-	1	-	-	-	-	-	-	-	1
Centrarchidae	White Crappie	-	2	4	1	-	-	-	-	-	7
Centrarchidae	Black Crappie	-	-	0	-	-	-	-	-	-	0
Percidae	Yellow Perch	-	-	-	-	-	-	-	-	-	0
Percidae	Bigscale Logperch	-	-	-	-	-	-	-	-	-	0
Percidae	Walleye	-	-	1	-	-	-	-	-	-	1
MONTHLY TOTAL	_S	2,411	3,246	4,020	3,672	-	-	-	-	-	13,349

Table 4. Summary of the monthly catch of Rio Grande Silvery Minnow, by site and reach, during 2015. All marked individuals at a site are shown in parentheses (subset of the total).

REACH	SITE#	SITE NAME	F E	A P	M A	J	J	A U	S E	0 C	D E	T 0
			B	R	Y	N	L	G	P	T	C	T
			_		-		_	-			_	A L
Angostura	1	Angostura Dam	-	-	-	-	-	-	-	-	-	0
Angostura	2	Bernalillo	8(5)	1(0)	1(0)	-	-	-	-	-	-	10
Angostura	3	Rio Rancho	3(2)	-	-	-	-	-	-	-	-	3
Angostura	4	Central Ave.	2(2)	-	3(3)	-	-	-	-	-	-	5
Angostura	5	Rio Bravo Blvd.	10(10)	-	-	-	-	-	-	-	-	10
Angostura Totals			23	1	4	-	-	-	-	-	-	28
Isleta	6	Los Lunas	6(1)	_	_	3(1)	-	-	-	-	-	9
Isleta	7	Belen	3(3)	3(3)	-	8(0)	-	-	-	-	-	14
Isleta	8	Jarales	3(1)	1(0)	-	5(0)	-	-	-	-	-	9
Isleta	9	Bernardo	4(3)	-	1(1)	1(1)	-	-	-	-	-	6
Isleta	10	La Joya	-	1(1)	-	-	-	-	-	-	-	1
Isleta	11	North of San Acacia	1(1)	-	-	-	-	-	-	-	-	1
Isleta Totals			17	5	1	17	-	-	-	-	-	40
San Acacia	12	San Acacia Dam	5(0)	-	-	-	-	-	-	-	-	5
San Acacia	13	South of San Acacia	1(0)	2(2)	-	-	-	-	-	-	-	3
San Acacia	14	Socorro	52(52)	1(1)	1(1)	-	-	-	-	-	-	54
San Acacia	15	North of San Antonio	15(15)	2(1)	-	14(3)	-	-	-	-	-	31
San Acacia	16	San Antonio	11(7)	2(2)	2(2)	-	-	-	-	-	-	15
San Acacia	17	South of San Antonio	1(1)	2(2)	1(0)	3(3)	-	-	-	-	-	7
San Acacia	18	San Marcial	5(5)	2(2)	-	-	-	-	-	-	-	7
San Acacia	19	South of San Marcial 1	18(15)	2(2)	-	2(2)	-	-	-	-	-	22
San Acacia	20	South of San Marcial 2	3(1)	-	-	-	-	-	-	-	-	3
San Acacia Totals			111	13	4	19	-	-	-	-	-	147
MONTHLY TOTALS	i		151	19	9	36	_	_	_	_	-	215





Figure 3. Fish densities from June 2015 for each focal species in the three reaches of the Middle Rio Grande (see Table 1 for fish species codes).






Figure 4. Catch rates for ten focal species from all reaches combined, including Rio Grande Silvery Minnow, during June 2015 at Rio Grande Silvery Minnow population monitoring program collection sites (see Table 1 for fish species codes).




Figure 5. Inter-month fluctuations in densities of Rio Grande Silvery Minnow (all age-classes and age-0 only) during 2015.

### APPENDIX A.

Collection localities of the Rio Grande Silvery Minnow population monitoring program.

Table A-1. Collection localities of the Rio Grande Silvery Minnow population monitoring program.

#### Site #

#### **Site Locality**

# ANGOSTURA REACH SITES SITE #

- 1 New Mexico, Sandoval County, Rio Grande, downstream of Angostura Diversion Dam, Algodones.
- 2 New Mexico, Sandoval County, Rio Grande, upstream of US Highway 550 bridge crossing, Bernalillo.
- 3 New Mexico, Sandoval County, Rio Grande, ca. 4.0 miles downstream of US Highway 550 bridge crossing, at Rio Rancho Wastewater Treatment Plant, Rio Rancho.
- 4 New Mexico, Bernalillo County, Rio Grande, upstream of Central Avenue (US Highway 66) bridge crossing, Albuquerque.
- 5 New Mexico, Bernalillo County, Rio Grande, upstream of Rio Bravo Boulevard bridge crossing, Albuquerque.

### **ISLETA REACH SITES**

#### SITE#

- 6 New Mexico, Valencia County, Rio Grande, ca. 0.3 miles upstream of Los Lunas (NM State Highway 49) bridge crossing, Los Lunas.
- New Mexico, Valencia County, Rio Grande, ca. 1.0 miles upstream of NM State Highway 309/6 bridge crossing, Belen.
- 8 New Mexico, Valencia County, Rio Grande, ca. 2.2 miles upstream of NM State Highway 346 bridge crossing (near Transwestern Natural Gas Pipeline crossing), Jarales.
- 9 New Mexico, Socorro County, Rio Grande, upstream of US Highway 60 bridge crossing, Bernardo.
- 10 New Mexico, Socorro County, Rio Grande, ca. 3.5 miles downstream of US Highway 60 bridge crossing, La Joya.
- 11 New Mexico, Socorro County, Rio Grande, ca. 0.6 miles upstream of San Acacia Diversion Dam, San Acacia.

### **SAN ACACIA REACH SITES**

#### SITE#

12 New Mexico, Socorro County, Rio Grande, downstream of San Acacia Diversion Dam, San Acacia.

Table A-1. Collection localities of the Rio Grande Silvery Minnow population monitoring program (continued).

#### Site #

### **Site Locality**

## SAN ACACIA REACH SITES (continued) SITE #

- 13 New Mexico, Socorro County, Rio Grande, ca. 1.5 miles downstream of San Acacia Diversion Dam, San Acacia.
- 14 New Mexico, Socorro County, Rio Grande, ca. 0.5 miles upstream of the Low Flow Conveyance Channel bridge, east and upstream of Socorro Wastewater Treatment Plant, Socorro.
- 15 New Mexico, Socorro County, Rio Grande, ca. 4.0 miles upstream of US Highway 380 bridge crossing, San Antonio.
- 16 New Mexico, Socorro County, Rio Grande, upstream of US Highway 380 bridge crossing, San Antonio.
- 17 New Mexico, Socorro County, Rio Grande, directly east of Bosque del Apache National Wildlife Refuge headquarters, San Antonio.
- 18 New Mexico, Socorro County, Rio Grande, downstream of the San Marcial railroad crossing, San Marcial.
- 19 New Mexico, Socorro County, Rio Grande, at its former confluence with the Low Flow Conveyance Channel and 16 miles downstream of the southern end of the Bosque del Apache National Wildlife Refuge, San Marcial.
- 20 New Mexico, Socorro County, Rio Grande, ca. 10.0 miles downstream of the San Marcial Railroad Bridge crossing, San Marcial.

### APPENDIX B.

Ichthyofaunal composition of the June 2015 Rio Grande Silvery Minnow population monitoring efforts

\*\* Data are provisional and should be verified by direct inspection of field data whenever possible \*\*

NEW MEXICO: SANDOVAL Co., RIO GRANDE Drainage RKD15-078

Rio Grande, directly below Angostura Diversion Dam, Algodones.

Site Number: 1 River Mile: 209.7 02 June 2015 UTM Easting: 363811 UTM Northing: 3916006 Zone: 13 Quad: San Felipe Pueblo

R.K. Dudley, R.C. Keller, R.A. Reese Effort: 534.1 sq. m

<b>FAMILY</b>		<u>N</u>
76	Cyprinella lutrensis	7
76	Gila pandora	4
76	Platygobio gracilis	1
76	Rhinichthys cataractae	78
81	Catostomus commersonii	33
294	Pomoxis annularis	1

NEW MEXICO: SANDOVAL Co., RIO GRANDE Drainage RKD15-079

Rio Grande, at US HWY 550 (formerly NM State HWY 44) bridge crossing, Bernalillo.

Site Number: 2 River Mile: 203.8 02 June 2015

UTM Easting: 358543 UTM Northing: 3909722 Zone: 13 Quad: Bernalillo

R.K. Dudley, R.C. Keller, R.A. Reese Effort: 559.7 sq. m

<b>FAMILY</b>		<u>N</u>
76	Platygobio gracilis	10
76	Rhinichthys cataractae	40
81	Catostomus commersonii	2
93	Ictalurus punctatus	3

NEW MEXICO: SANDOVAL Co., RIO GRANDE Drainage

RKD15-080

Rio Grande, ca. 4.0 miles downstream of US HWY 550 (formerly NM State HWY 44) bridge crossing, at

Rio Rancho Wastewater Treatment Plant, Rio Rancho.

Site Number: 3 River Mile: 200.0 02 June 2015

UTM Easting: 354772 UTM Northing: 3905355 Zone: 13 Quad: Bernalillo

R.K. Dudley, R.C. Keller, R.A. Reese Effort: 607.1 sq. m

<b>FAMILY</b>		<u>N</u>
76	Cyprinella lutrensis	4
76	Pimephales promelas	1
76	Platygobio gracilis	28
76	Rhinichthys cataractae	33
81	Carpiodes carpio	1
81	Catostomus commersonii	1
93	Ictalurus punctatus	1

NEW MEXICO: BERNALILLO Co., RIO GRANDE Drainage

RKD15-077

Rio Grande, at Central Avenue bridge crossing (US HWY 66), Albuquerque.

Site Number: 4 River Mile: 183.4 02 June 2015

UTM Easting: 346840 UTM Northing: 3884094 Zone: 13 Quad: Albuquerque West

R.K. Dudley, R.C. Keller, R.A. Reese Effort: 594.3 sq. m

FAMILY		<u>N</u>
76	Cyprinella lutrensis	67
76	Pimephales promelas	1
76	Platygobio gracilis	7
76	Rhinichthys cataractae	1
81	Catostomus commersonii	2

NEW MEXICO: BERNALILLO Co., RIO GRANDE Drainage RKD15-076

Rio Grande, at Rio Bravo Blvd. Bridge crossing (NM State HWY 500) crossing, Albuquerque.

Site Number: 5 River Mile: 178.3 02 June 2015 UTM Easting: 347554 UTM Northing: 3877163 Zone: 13 Quad: Albuquerque West

R.K. Dudley, R.C. Keller, R.A. Reese Effort: 548.5 sq. m

<b>FAMILY</b>		<u>N</u>
76	Cyprinella lutrensis	12
76	Platygobio gracilis	1
93	Ictalurus punctatus	2

NEW MEXICO: VALENCIA Co., RIO GRANDE Drainage
RKD15-075
Rio Grande, at Los Lunas Bridge crossing (NM State HWY 49), Los Lunas.

Site Number: 6 River Mile: 161.4 04 June 2015

UTM Easting: 342898 UTM Northing: 3852531 Zone: 13 Quad: Los Lunas

J.L. Kennedy, S.L. Clark Barkalow, R.C. Keller Effort: 512.9 sq. m

<b>FAMILY</b>		<u>N</u>
76	Cyprinella lutrensis	124
76	Cyprinus carpio	27
76	Hybognathus amarus*	3
76	Pimephales promelas	4
76	Platygobio gracilis	5
81	Carpiodes carpio	2
93	Ictalurus punctatus	11

<sup>\*</sup> Hybognathus amarus by age class:

age-0: 2 age-1: 1 age-2+:

NEW MEXICO: VALENCIA Co., RIO GRANDE Drainage RKD15-074

Rio Grande, ca. 1.0 miles upstream of NM State HWY 309/6 bridge crossing, Belen.

Site Number: 7 River Mile: 151.5 04 June 2015

UTM Easting: 339972 UTM Northing: 3837061 Zone: 13 Quad: Tome

J.L. Kennedy, S.L. Clark Barkalow, R.C. Keller Effort: 528.3 sq. m

<b>FAMILY</b>		N
76	Cyprinella lutrensis	309
76	Cyprinus carpio	9
76	Hybognathus amarus*	8
76	Pimephales promelas	3
76	Platygobio gracilis	1
81	Carpiodes carpio	9
81	Catostomus commersonii	3
93	Ictalurus punctatus	11
212	Gambusia affinis	50

<sup>\*</sup> Hybognathus amarus by age class:

age-0: 8 age-1: age-2+:

NEW MEXICO: VALENCIA Co., RIO GRANDE Drainage RKD15-073

Rio Grande, ca. 2.2 miles upstream of NM State HWY 346 bridge crossing, Jarales.

Site Number: 8 River Mile: 143.2 04 June 2015

UTM Easting: 338136 UTM Northing: 3827329 Zone: 13 Quad: Veguita

J.L. Kennedy, S.L. Clark Barkalow, R.C. Keller

<b>FAMILY</b>		N
76	Cyprinella lutrensis	338
76	Cyprinus carpio	1
76	Hybognathus amarus*	5
76	Pimephales promelas	1
81	Carpiodes carpio	1
81	Catostomus commersonii	1
93	Ictalurus punctatus	4

\* Hybognathus amarus by age class:

age-0: 5 age-1: age-2+:

NEW MEXICO: SOCORRO Co., RIO GRANDE Drainage Rio Grande, at US HWY 60 bridge crossing, Bernardo.

RKD15-072

Effort: 542.2 sq. m

Site Number: 9 River Mile: 130.6 04 June 2015

UTM Easting: 334604 UTM Northing: 3809726 Zone: 13 Quad: Abeytas

J.L. Kennedy, S.L. Clark Barkalow, R.C. Keller Effort: 523.4 sq. m

<u>I</u>	<u> </u>
utrensis 8	8
arpio	2
us amarus*	1
nctatus 1	8
affinis 4	6
	utrensis 8 arpio us amarus* nctatus 1

\* Hybognathus amarus by age class:

age-0: age-1: 1 age-2+:

NEW MEXICO: SOCORRO Co., RIO GRANDE Drainage RKD15-071

Rio Grande, ca. 3.5 miles downstream of the US HWY 60 bridge crossing, Bernardo.

Site Number: 10 River Mile: 127.0 04 June 2015

UTM Easting: 331094 UTM Northing: 3805229 Zone: 13 Quad: Abeytas

J.L. Kennedy, S.L. Clark Barkalow, R.C. Keller Effort: 568.4 sq. m

 FAMILY
 N

 76
 Cyprinella lutrensis
 223

 93
 Ictalurus punctatus
 5

NEW MEXICO: SOCORRO Co., RIO GRANDE Drainage RKD15-070

Rio Grande, ca. 0.6 miles upstream of San Acacia Diversion Dam, San Acacia

Site Number: 11 River Mile: 116.8 03 June 2015

UTM Easting: 327902 UTM Northing: 3792603 Zone: 13 Quad: La Joya

J.L. Kennedy, A.L. Barkalow, R. C. Keller Effort: 549.2 sq. m

**FAMILY** Ν 76 Cyprinella lutrensis 3 76 Cyprinus carpio 3 76 Platygobio gracilis 91 Carpiodes carpio 81 1 Ictalurus punctatus 93 15 Site Number: 12

# Rio Grande Silvery Minnow Population Monitoring June 2015

NEW MEXICO: SOCORRO Co., RIO GRANDE Drainage RKD15-069

Rio Grande, directly below San Acacia Diversion Dam, San Acacia.

River Mile: 116.2 03 June 2015

UTM Easting: 326162 UTM Northing: 3791977 Zone: 13 Quad: San Acacia

J.L. Kennedy, A.L. Barkalow, R. C. Keller Effort: 522.3 sq. m

<b>FAMILY</b>		<u>N</u>
69	Dorosoma cepedianum	3
76	Cyprinella lutrensis	54
76	Cyprinus carpio	3
76	Platygobio gracilis	24
93	Ictalurus furcatus	5
93	Ictalurus punctatus	5
212	Gambusia affinis	8

NEW MEXICO: SOCORRO Co., RIO GRANDE Drainage RKD15-068

Rio Grande, ca. 1.5 miles downstream of San Acacia Diversion Dam, San Acacia.

Site Number: 13 River Mile: 114.6 03 June 2015

UTM Easting: 325263 UTM Northing: 3790442 Zone: 13 Quad: Lemitar

J.L. Kennedy, A.L. Barkalow, R. C. Keller Effort: 605.9 sq. m

	<u>N</u>
Cyprinella lutrensis	17
Platygobio gracilis	16
Ictalurus furcatus	2
Ictalurus punctatus	9
	Platygobio gracilis Ictalurus furcatus

NEW MEXICO: SOCORRO Co., RIO GRANDE Drainage

RKD15-067

Rio Grande, east of Socorro, 0.5 miles upstream of Socorro Low Flow Conveyance Channel bridge and

east just upstream of Socorro Wastewater Treatment Plant, Socorro.

Site Number: 14 River Mile: 99.5 03 June 2015 UTM Easting: 327097 UTM Northing: 3771043 Zone: 13 Quad: Loma de las Canas

J.L. Kennedy, A.L. Barkalow, R. C. Keller Effort: 555.5 sq. m

<b>FAMILY</b>		<u>N</u>
76	Cyprinella lutrensis	187
76	Platygobio gracilis	13
93	Ictalurus punctatus	5

NEW MEXICO: SOCORRO Co., RIO GRANDE Drainage Rio Grande, ca. 4.0 miles upstream of U.S. 380 bridge crossing. RKD15-066

Site Number: 15 River Mile: 91.7 03 June 2015

UTM Easting: 328140 UTM Northing: 3761283 Zone: 13 Quad: San Antonio

J.L. Kennedy, A.L. Barkalow, R. C. Keller Effort: 510.0 sq. m

<b>FAMILY</b>		<u>N</u>
69	Dorosoma cepedianum	1
76	Cyprinella lutrensis	61
76	Cyprinus carpio	4
76	Hybognathus amarus*	14
76	Pimephales promelas	1
76	Platygobio gracilis	24
81	Carpiodes carpio	8
93	Ictalurus furcatus	1
93	Ictalurus punctatus	5

<sup>\*</sup> Hybognathus amarus by age class:

age-0: 10 age-1: 4 age-2+:

NEW MEXICO: SOCORRO Co., RIO GRANDE Drainage RKD15-065

Rio Grande, at US HWY 380 bridge crossing, San Antonio.

Site Number: 16 River Mile: 87.1 01 June 2015

UTM Easting: 328914 UTM Northing: 3754471 Zone: 13 Quad: San Antonio

R.K. Dudley, J.L. Kennedy, S.L. Clark-Barkalow Effort: 520.1 sq. m

<b>FAMILY</b>		<u>N</u>
69	Dorosoma cepedianum	1
76	Cyprinella lutrensis	35
81	Ictiobus bubalus	3
93	Ictalurus furcatus	2
93	Ictalurus punctatus	5

NEW MEXICO: SOCORRO Co., RIO GRANDE Drainage

RKD15-064

Rio Grande, directly east of Bosque del Apache National Wildlife Refuge Headquarters.

Site Number: 17 River Mile: 79.1 01 June 2015

UTM Easting: 327055 UTM Northing: 3740839 Zone: 13 Quad: San Antonio SE

R.K. Dudley, J.L. Kennedy, S.L. Clark-Barkalow Effort: 463.8 sq. m

 FAMILY
 N

 76
 Cyprinella lutrensis
 15

 76
 Hybognathus amarus\*
 3

 93
 Ictalurus punctatus
 2

\* Hybognathus amarus by age class:

age-0: age-1: 3 age-2+:

NEW MEXICO: SOCORRO Co., RIO GRANDE Drainage

RKD15-063

Rio Grande, at San Marcial Railroad Bridge, San Marcial.

Site Number: 18 River Mile: 68.6 01 June 2015

UTM Easting: 315284 UTM Northing: 3728347 Zone: 13 Quad: San Marcial

R.K. Dudley, J.L. Kennedy, S.L. Clark-Barkalow Effort: 535.0 sq. m

<b>FAMILY</b>		<u>N</u>
76	Cyprinella lutrensis	301
76	Pimephales vigilax	1
93	Ictalurus furcatus	3
93	Ictalurus punctatus	1

NEW MEXICO: SOCORRO Co., RIO GRANDE Drainage

RKD15-062

Rio Grande, ca. 8 miles downstream of the San Marcial railroad bridge crossing

Site Number: 19 River Mile: 60.5 01 June 2015

UTM Easting: 309487 UTM Northing: 3718178 Zone: 13 Quad: Paraje Well

R.K. Dudley, J.L. Kennedy, S.L. Clark-Barkalow Effort: 522.9 sq. m

<b>FAMILY</b>		<u>N</u>
76	Cyprinella lutrensis	898
76	Hybognathus amarus*	2
76	Pimephales vigilax	1
76	Platygobio gracilis	11
81	Catostomus commersonii	1
81	Ictiobus bubalus	1
93	Ictalurus furcatus	4
93	Ictalurus punctatus	3
212	Gambusia affinis	7

<sup>\*</sup> Hybognathus amarus by age class:

age-0: age-1: 2

age-2+:

NEW MEXICO: SOCORRO Co., RIO GRANDE Drainage RKD15-061

Rio Grande, ca. 10 mi downstream of the San Marcial railroad bridge crossing

Site Number: 20 River Mile: 58.8 01 June 2015

UTM Easting: 307846 UTM Northing: 3716150 Zone: 13 Quad: Paraje Well

R.K. Dudley, J.L. Kennedy, S.L. Clark-Barkalow Effort: 533.2 sq. m

<b>FAMILY</b>		<u>N</u>
76	Cyprinella lutrensis	128
76	Cyprinus carpio	1
76	Platygobio gracilis	1
81	Ictiobus bubalus	1
93	Ictalurus furcatus	3
93	Ictalurus punctatus	1