



RIO GRANDE SILVERY MINNOW POPULATION MONITORING DURING AUGUST 2020

***A U.S. BUREAU OF RECLAMATION FUNDED
RESEARCH PROGRAM***



18 September 2020

RIO GRANDE SILVERY MINNOW POPULATION MONITORING DURING AUGUST 2020

***A U.S. BUREAU OF RECLAMATION FUNDED
RESEARCH PROGRAM***

Contract 140R4019P0048:

Requisition 0040488238

U.S. Bureau of Reclamation
Albuquerque Area Office
555 Broadway NE, Suite 100
Albuquerque, NM 87102

Submitted to:

U.S. Bureau of Reclamation
Albuquerque Area Office
555 Broadway NE, Suite 100
Albuquerque, NM 87102

Robert K. Dudley^{1,2}, Steven P. Platania^{1,2}, and Gary C. White^{1,3}

¹ American Southwest Ichthyological Researchers (ASIR); 800 Encino Place NE; Albuquerque, NM 87102
&

² Museum of Southwestern Biology (Fishes), Biology, UNM; MSC03-2020; Albuquerque, NM 87131
&

³ Fish, Wildlife, and Conservation Biology, CSU; 10 Wagar; Fort Collins, CO 80523

18 September 2020

SUMMARY OF AUGUST 2020 POPULATION MONITORING

The August population monitoring efforts were conducted at the 20 standard sites. Five sites were located in the Angostura Reach, six sites were located in the Isleta Reach, and nine sites were located in the San Acacia Reach. For August 2020, no comparisons were made between standard sites and all sites (i.e., standard, additional, and replacement sites), as no replacement sites were sampled. For the 2020 monthly trends, data were based on all sites (i.e., standard, additional, and replacement sites) to maintain consistency across all monthly reports. A list of all collection localities is appended (Appendix A). Adult and juvenile fish were obtained by rapidly drawing a 3.1 m x 1.8 m small mesh (ca. 5 mm) seine through discrete mesohabitats. Larval fish were collected with a 1.0 m x 1.0 m fine mesh (ca. 1.5 mm) seine. All fishes were identified to species and enumerated. We used length-age relationships to assign ages (i.e., age-0, age-1, and age-2+) to all Rio Grande Silvery Minnow collected. Age-0 individuals are only present, however, after annual spring spawning occurs (ca. April–June). Figures illustrating fish densities (i.e., fish per 100 m²) were prepared for the ten focal species to facilitate comparisons across reaches.

Angostura Reach

From 16 July to 15 August, provisional mean daily discharge in the Angostura Reach (Rio Grande at Albuquerque, NM; USGS Gage 08330000) averaged 233.6 ft³/s and ranged from 90 to 480 ft³/s. Water temperatures ranged from 22.1 to 25.0 °C during the Angostura Reach sampling efforts (ca. 0830–1530 h). Secchi disk measurements of water clarity ranged from 8 to 25 cm.

Sampling for fishes in the Angostura Reach during August yielded 1,159 individuals with a cumulative fish density of 46.9 individuals per 100 m² sampled. The overall sampling effort in the Angostura Reach covered 2,468.7 m² (surface area) of water. Densities of all fish species combined ranged from 29.8 to 73.1 individuals per 100 m² at the different sampling sites. In August, there were 13 fish species collected in the Angostura Reach. Red Shiner was the most abundant taxon (n = 406), followed by White Sucker (n = 160), and Longnose Dace (n = 127). We collected Rio Grande Silvery Minnow (n = 4) in 3 of the 91 seine hauls that yielded fish, and its site-specific densities ranged from 0.0 to 0.6 individuals per 100 m².

Isleta Reach

Provisional mean daily discharge in the Isleta Reach (Rio Grande near Bosque Farms, NM; USGS Gage 08331160), from 16 July to 15 August, averaged 48.1 ft³/s and ranged from 26 to 203 ft³/s. Water temperatures ranged from 25.3 to 36.5 °C throughout the sampling localities during the day (ca. 0930–1600 h). Secchi disk measurements ranged from 5 to 36 cm during sampling.

Isleta Reach population monitoring efforts produced 3,815 individuals in August with a cumulative fish density of 128.6 individuals per 100 m² sampled. The total sampling effort in the Isleta Reach during August covered 2,966.2 m² (surface area) of water. Fish densities (all species combined) at the sampling sites ranged from 11.5 to 218.6 individuals per 100 m² sampled. There were 8 fish species collected in the Isleta Reach during August. Red Shiner was the most abundant taxon (n = 2,751), followed by Western Mosquitofish (n = 890), and Fathead Minnow (n = 68). We collected Rio Grande Silvery Minnow (n = 20) in 10 of the 110 seine hauls that yielded fish, and its site-specific densities ranged from 0.0 to 1.8 individuals per 100 m².

San Acacia Reach

From 16 July to 15 August, provisional mean daily discharge at San Acacia (Rio Grande Floodway at San Acacia, NM; USGS Gage 08354900) was generally higher (average = 70.7; range = 26–271 ft³/s) than at San Marcial (Rio Grande Floodway at San Marcial, NM; USGS Gage 08358400) during the same period (average = 66.4; range = 0–705 ft³/s). Water temperatures in August for the San Acacia Reach ranged from 23.3 to 28.9 °C (ca. 0930–1600 h). Secchi disk measurements ranged from 0 to 8 cm during sampling.

Population monitoring efforts in the San Acacia Reach during August yielded 2,450 individuals with a cumulative fish density of 53.0 individuals per 100 m² sampled. Sampling in the San Acacia Reach covered an area of 4,624.4 m² of water. Fish densities (all species combined) ranged from 9.8 to 102.1 individuals per 100 m² at sites sampled in the San Acacia Reach. In August, there were 11 fish species collected in the San Acacia Reach. Red Shiner was the most abundant taxon (n = 2,041), followed by Flathead Chub (n = 122), and Common Carp (n = 89). We collected Rio Grande Silvery Minnow (n = 72) in 24 of the 148 seine hauls that yielded fish, and its site-specific densities ranged from 0.0 to 8.0 individuals per 100 m².

All Sites

During August, sampling covered 10,059.2 m² (surface area) of water and yielded 7,424 fish. There were no dry sampling sites. Cumulative fish density during August was 73.80 individuals per 100 m² sampled. The three most common species were Red Shiner (n = 5,198), Western Mosquitofish (n = 1,007), and Flathead Chub (n = 242). The sampling sites yielded a total of 14 fish species.

Rio Grande Silvery Minnow was present in 37 of the 349 seine hauls that yielded fish and at 14 of the 20 sampling sites. Densities of unmarked and marked individuals were 0.95 (n = 96) and 0.00 (n = 0) individuals per 100 m² sampled, respectively. Densities of age-0, age-1, and age-2+ individuals were 0.11 (n = 11), 0.84 (n = 85), and 0.00 (n = 0) individuals per 100 m² sampled, respectively. Based on all August surveys since 1993, the overall density of Rio Grande Silvery Minnow averaged 9.56 (range = 0.05–41.58) individuals per 100 m² sampled. During August 2020, its overall density was 0.95 (n = 96) individuals per 100 m² sampled.




Figure 1. Map of the study area, standard sites, and additional sites for the Rio Grande Silvery Minnow population monitoring study. Sampling site descriptions are provided in Appendix A.




Figure 2. Map of the study area, standard sites, and replacement sites for the Rio Grande Silvery Minnow population monitoring study. Sampling site descriptions are provided in Appendix A.




Figure 3. Rio Grande mean-daily discharge, by U.S. Geological Survey (USGS) gaging station, from 1 January 2019 to 15 August 2020. All discharge data are provisional and subject to change.

Table 1. Scientific names, common names, and species codes of fishes collected in the Middle Rio Grande since 1993.

Scientific Name	Common Name	Species Code
Order Clupeiformes		
Family Clupeidae		
	herrings	
<i>Dorosoma cepedianum</i>	Gizzard Shad	(DORCEP)
<i>Dorosoma petenense</i>	Threadfin Shad	(DORPET)
Order Cypriniformes		
Family Cyprinidae		
	carps and minnows	
<i>Campostoma anomalum</i>	Central Stoneroller	(CAMANO)
<i>Carassius auratus</i>	Goldfish	(CARAUR)
<i>Cyprinella lutrensis</i>	Red Shiner ¹	(CYPLUT)
<i>Cyprinus carpio</i>	Common Carp ¹	(CYPCAR)
<i>Gila pandora</i>	Rio Grande Chub	(GILPAN)
<i>Hybognathus amarus</i>	Rio Grande Silvery Minnow ¹	(HYBAMA)
<i>Notemigonus crysoleucas</i>	Golden Shiner	(NOTCRY)
<i>Pimephales promelas</i>	Fathead Minnow ¹	(PIMPRO)
<i>Pimephales vigilax</i>	Bullhead Minnow	(PIMVIG)
<i>Platygobio gracilis</i>	Flathead Chub ¹	(PLAGRA)
<i>Rhinichthys cataractae</i>	Longnose Dace ¹	(RHICAT)
Family Catostomidae		
	suckers	
<i>Carpionodes carpio</i>	River Carpsucker ¹	(CARCAR)
<i>Catostomus commersonii</i>	White Sucker ¹	(CATCOM)
<i>Ictiobus bubalus</i>	Smallmouth Buffalo	(ICTBUB)
Order Siluriformes		
Family Ictaluridae		
	North American catfishes	
<i>Ameiurus melas</i>	Black Bullhead	(AMEMEL)
<i>Ameiurus natalis</i>	Yellow Bullhead	(AMENAT)
<i>Ictalurus furcatus</i>	Blue Catfish	(ICTFUR)
<i>Ictalurus punctatus</i>	Channel Catfish ¹	(ICTPUN)
<i>Pylodictis olivaris</i>	Flathead Catfish	(PYLOLI)
Family Loricariidae		
	suckermouth armored catfishes	
<i>Pterygoplichthys disjunctivus</i>	Vermiculated Sailfin Catfish	(PTEDIS)
Order Salmoniformes		
Family Salmonidae		
	trouts and salmons	
<i>Oncorhynchus mykiss</i>	Rainbow Trout	(ONCMYK)
<i>Salmo trutta</i>	Brown Trout	(SALTRU)

Table 1. Scientific names, common names, and species codes of fishes collected in the Middle Rio Grande since 1993 (continued).

Scientific Name	Common Name	Species Code
Order Cyprinodontiformes		
Family Poeciliidae		
	livebearers	
<i>Gambusia affinis</i>	Western Mosquitofish ¹	(GAMAFF)
Order Perciformes		
Family Moronidae		
	temperate basses	
<i>Morone chrysops</i>	White Bass	(MORCHR)
<i>Morone saxatilis</i>	Striped Bass	(MORSAX)
Family Centrarchidae		
	sunfishes	
<i>Lepomis cyanellus</i>	Green Sunfish	(LEPCYA)
<i>Lepomis gulosus</i>	Warmouth	(LEPGUL)
<i>Lepomis macrochirus</i>	Bluegill	(LEPMAC)
<i>Lepomis megalotis</i>	Longear Sunfish	(LEPMEG)
<i>Micropterus dolomieu</i>	Smallmouth Bass	(MICDOL)
<i>Micropterus salmoides</i>	Largemouth Bass	(MICSAL)
<i>Pomoxis annularis</i>	White Crappie	(POMANN)
<i>Pomoxis nigromaculatus</i>	Black Crappie	(POMNIG)
Family Percidae		
	perches	
<i>Perca flavescens</i>	Yellow Perch	(PERFLA)
<i>Percina macrolepida</i>	Bigscale Logperch	(PERMAC)
<i>Sander vitreus</i>	Walleye	(SANVIT)
Family Sciaenidae		
	drums and croakers	
<i>Aplodinotus grunniens</i>	Freshwater Drum	(APLGRU)

¹ = Focal taxa were typically the 10 most abundant species collected during October.

Table 2. Rio Grande Silvery Minnow abundance, by reach, site, and mesohabitat, during August 2020. Marked and unmarked individuals were included. Blank cells indicate site-specific mesohabitats that were unavailable for sampling.

Reach	Site	Locality	BW	PO	RU	SHPO	SHRU	Total
Angostura	1	Angostura Dam	-	-	-	-	-	0
Angostura	2	Bernalillo	-	-	-	-	-	0
Angostura	3	Rio Rancho	1	-	-	-	-	1
Angostura	4	Central Ave.	-	-	-	-	-	0
Angostura	5	Rio Bravo Blvd.	-	-	2	-	1	3
<i>Angostura Totals</i>			1	-	2	-	1	4
Isleta	6	Los Lunas	-	1	-	-	-	1
Isleta	7	Belen	-	-	-	7	-	7
Isleta	8	Jarales	-	-	-	-	1	1
Isleta	9	Bernardo	-	-	-	-	-	0
Isleta	10	La Joya	-	1	6	-	2	9
Isleta	11	North of San Acacia	-	-	-	-	2	2
<i>Isleta Totals</i>			-	2	6	7	5	20
San Acacia	12	San Acacia Dam	-	-	-	-	3	3
San Acacia	13	South of San Acacia	-	-	1	-	3	4
San Acacia	14	Socorro	-	-	-	1	4	5
San Acacia	15	North of San Antonio	1	-	1	1	-	3
San Acacia	16	San Antonio	2	-	-	-	7	9
San Acacia	17	South of San Antonio	38	-	-	-	-	38
San Acacia	18	San Marcial	7	-	-	2	1	10
San Acacia	19	South of San Marcial 1	-	-	-	-	-	0
San Acacia	20	South of San Marcial 2	-	-	-	-	-	0
<i>San Acacia Totals</i>			48	-	2	4	18	72
Monthly Totals			49	2	10	11	24	96

Table 3. Rio Grande Silvery Minnow abundance, by reach, site, and month, during 2020. Marked individuals are shown in parentheses, as a subset of the site-specific total. Blank cells indicate months when a site was not visited or will not be visited.

Reach	Site	Locality	Apr	May	Jun	Jul	Aug	Sep	Oct	Total
Angostura	1	Angostura Dam	-	-	1(0)	1(0)	-	-	-	2
Angostura	2	Bernalillo	4(0)	-	2(0)	6(0)	-	-	-	12
Angostura	3	Rio Rancho	8(0)	1(0)	-	-	1(0)	-	-	10
Angostura	21	Site 21	3(0)						-	3
Angostura	22	Site 22	99(0)						-	99
Angostura	23	Site 23	8(0)						-	8
Angostura	24	Site 24	7(0)						-	7
Angostura	4	Central Ave.	3(0)	1(0)	-	-	-	-	-	4
Angostura	5	Rio Bravo Blvd.	5(0)	2(0)	3(0)	3(0)	3(0)	-	-	16
Angostura	25	Site 25	-						-	0
<i>Angostura Totals</i>			137	4	6	10	4	-	-	161
Isleta	26	Site 26	5(0)						-	5
Isleta	6	Los Lunas	11(0)	1(0)	1(0)	-	1(0)	-	-	14
Isleta	27	Site 27	14(0)						-	14
Isleta	7	Belen	5(0)	1(0)	1(0)	-	7(0)	-	-	14
Isleta	8	Jarales	1(0)	4(0)	4(0)	11(0)	1(0)	-	-	21
Isleta	28	Site 28	6(0)						-	6
Isleta	9	Bernardo	7(0)	4(0)	5(0)	1(0)	-	-	-	17
Isleta	10	La Joya	1(0)	1(0)	4(0)	-	9(0)	-	-	15
Isleta	29	Site 29	4(0)						-	4
Isleta	11	North of San Acacia	4(0)	1(0)	-	-	2(0)	-	-	7
<i>Isleta Totals</i>			58	12	15	12	20	-	-	117
San Acacia	12	San Acacia Dam	9(0)	10(0)	31(0)	59(0)	3(0)	-	-	112
San Acacia	13	South of San Acacia	12(0)	6(0)	5(0)	18(0)	4(0)	-	-	45
San Acacia	51	Site 51				24(0)				24
San Acacia	30	Site 30	7(0)						-	7
San Acacia	52	Site 52				20(1)				20
San Acacia	14	Socorro	16(6)	7(1)	2(0)	9(1)	5(0)	-	-	39
San Acacia	15	North of San Antonio	4(0)	3(0)	50(2)	-	3(0)	-	-	60
San Acacia	16	San Antonio	7(0)	3(0)	2(0)	-	9(0)	-	-	21
San Acacia	17	South of San Antonio	10(0)	3(0)	11(0)	-	38(0)	-	-	62
San Acacia	58	Site 58				-				0
San Acacia	18	San Marcial	4(0)	-	-	-	10(0)	-	-	14
San Acacia	19	South of San Marcial 1	4(0)	2(0)	-	2(0)	-	-	-	8
San Acacia	20	South of San Marcial 2	2(0)	-	1(0)	-	-	-	-	3
<i>San Acacia Totals</i>			75	34	102	132	72	-	-	415
Monthly Totals			270	50	123	154	96	-	-	693




Figure 4. Rio Grande Silvery Minnow densities based on all sites, by age-class and month, during 2020. Marked and unmarked individuals were included.

Table 4. Ichthyofaunal summary based on all sites, by species, during August 2020. Marked and unmarked Rio Grande Silvery Minnow were included.

Family	Common Name	Residence Status ¹	Total Number of Individuals	Percent (%) of Total	Frequency of Occurrence ²	% Frequency of Occurrence ²
Clupeidae	Gizzard Shad	N	-	-	-	-
Clupeidae	Threadfin Shad	I	-	-	-	-
Cyprinidae	Central Stoneroller	I	-	-	-	-
Cyprinidae	Goldfish	I	-	-	-	-
Cyprinidae	Red Shiner	N	5,198	70.02	20	100.00
Cyprinidae	Common Carp	I	94	1.27	14	70.00
Cyprinidae	Rio Grande Chub	N	-	-	-	-
Cyprinidae	Rio Grande Silvery Minnow	N	96	1.29	14	70.00
Cyprinidae	Golden Shiner	I	-	-	-	-
Cyprinidae	Fathead Minnow	N	171	2.30	14	70.00
Cyprinidae	Bullhead Minnow	I	1	0.01	1	5.00
Cyprinidae	Fathead Chub	N	242	3.26	13	65.00
Cyprinidae	Longnose Dace	N	136	1.83	5	25.00
Catostomidae	River Carpsucker	N	122	1.64	15	75.00
Catostomidae	White Sucker	I	160	2.16	5	25.00
Catostomidae	Smallmouth Buffalo	N	-	-	-	-
Ictaluridae	Black Bullhead	I	-	-	-	-
Ictaluridae	Yellow Bullhead	I	71	0.96	6	30.00
Ictaluridae	Blue Catfish	N	-	-	-	-
Ictaluridae	Channel Catfish	I	123	1.66	13	65.00
Ictaluridae	Fathead Catfish	N	-	-	-	-
Loricariidae	Vermiculated Sailfin Catfish	I	-	-	-	-
Salmonidae	Rainbow Trout	I	-	-	-	-
Salmonidae	Brown Trout	I	-	-	-	-
Poeciliidae	Western Mosquitofish	I	1,007	13.56	18	90.00
Moronidae	White Bass	I	-	-	-	-
Moronidae	Striped Bass	I	-	-	-	-
Centrarchidae	Green Sunfish	I	-	-	-	-
Centrarchidae	Bluegill	I	-	-	-	-
Centrarchidae	Longear Sunfish	I	-	-	-	-
Centrarchidae	Smallmouth Bass	I	-	-	-	-
Centrarchidae	Largemouth Bass	I	2	0.03	2	10.00
Centrarchidae	White Crappie	I	1	0.01	1	5.00
Centrarchidae	Black Crappie	I	-	-	-	-
Percidae	Yellow Perch	I	-	-	-	-
Percidae	Bigscale Logperch	I	-	-	-	-
Percidae	Walleye	I	-	-	-	-
Sciaenidae	Freshwater Drum	N	-	-	-	-
Monthly Total			7,424	100.00		

¹ = N (native); I (introduced)

² = Frequency and % frequency of occurrence were based on all sites.




Figure 5. Fish densities based on all sites, by reach and focal taxa, during August 2020. Marked and unmarked Rio Grande Silvery Minnow were included.

Table 5. Ichthyofaunal summary based on all sites, by species and month, during 2020. Marked and unmarked Rio Grande Silvery Minnow were included.

Family	Common Name	Apr	May	Jun	Jul	Aug	Sep	Oct	Total
Clupeidae	Gizzard Shad	2	4	8	1	-	-	-	15
Clupeidae	Threadfin Shad	-	-	-	-	-	-	-	0
Cyprinidae	Central Stoneroller	-	-	-	-	-	-	-	0
Cyprinidae	Goldfish	-	-	-	-	-	-	-	0
Cyprinidae	Red Shiner	2,618	1,622	7,308	8,962	5,198	-	-	25,708
Cyprinidae	Common Carp	33	18	433	1,061	94	-	-	1,639
Cyprinidae	Rio Grande Chub	-	-	-	-	-	-	-	0
Cyprinidae	Rio Grande Silvery Minnow	270	50	123	154	96	-	-	693
Cyprinidae	Golden Shiner	-	-	-	-	-	-	-	0
Cyprinidae	Fathead Minnow	21	69	433	280	171	-	-	974
Cyprinidae	Bullhead Minnow	-	-	-	-	1	-	-	1
Cyprinidae	Flathead Chub	349	221	533	289	242	-	-	1,634
Cyprinidae	Longnose Dace	83	33	61	81	136	-	-	394
Catostomidae	River Carpsucker	1	55	386	488	122	-	-	1,052
Catostomidae	White Sucker	4	945	365	418	160	-	-	1,892
Catostomidae	Smallmouth Buffalo	-	1	2	13	-	-	-	16
Ictaluridae	Black Bullhead	-	-	-	-	-	-	-	0
Ictaluridae	Yellow Bullhead	-	-	5	1	71	-	-	77
Ictaluridae	Blue Catfish	1	10	1	-	-	-	-	12
Ictaluridae	Channel Catfish	157	50	26	22	123	-	-	378
Ictaluridae	Flathead Catfish	-	-	-	-	-	-	-	0
Loricariidae	Vermiculated Sailfin Catfish	-	-	-	-	-	-	-	0
Salmonidae	Rainbow Trout	-	-	-	-	-	-	-	0
Salmonidae	Brown Trout	-	-	-	-	-	-	-	0
Poeciliidae	Western Mosquitofish	10	34	605	839	1,007	-	-	2,495
Moronidae	White Bass	1	3	2	2	-	-	-	8
Moronidae	Striped Bass	-	-	-	-	-	-	-	0
Centrarchidae	Green Sunfish	-	-	-	-	-	-	-	0
Centrarchidae	Bluegill	-	1	-	1	-	-	-	2
Centrarchidae	Longear Sunfish	-	-	-	-	-	-	-	0
Centrarchidae	Smallmouth Bass	-	-	-	1	-	-	-	1
Centrarchidae	Largemouth Bass	1	1	5	3	2	-	-	12
Centrarchidae	White Crappie	4	-	1	1	1	-	-	7
Centrarchidae	Black Crappie	-	-	-	-	-	-	-	0
Percidae	Yellow Perch	-	-	-	-	-	-	-	0
Percidae	Bigscale Logperch	-	-	-	1	-	-	-	1
Percidae	Walleye	-	-	-	-	-	-	-	0
Sciaenidae	Freshwater Drum	-	-	-	-	-	-	-	0
Monthly Totals		3,555	3,117	10,297	12,618	7,424	-	-	37,011

APPENDIX A (Sampling Sites)

Middle Rio Grande Fish Sampling Sites

Table A - 1. Sampling reaches and standard sites for population monitoring of Rio Grande Silvery Minnow in the Middle Rio Grande.

Reach and Site	Locality
Angostura Reach	
1	New Mexico, Sandoval County, Rio Grande, just downstream of Angostura Diversion Dam, Algodones. River Mile: 209.9; UTM Easting: 363665; UTM Northing: 3916331; Zone: 13; Datum: NAD83
2	New Mexico, Sandoval County, Rio Grande, at US HWY 550 bridge crossing, Bernalillo. River Mile: 203.9; UTM Easting: 358457; UTM Northing: 3909887; Zone: 13; Datum: NAD83
3	New Mexico, Sandoval County, Rio Grande, ca. 4.0 mi downstream of US HWY 550 bridge crossing, Rio Rancho. River Mile: 199.9; UTM Easting: 354728; UTM Northing: 3905587; Zone: 13; Datum: NAD83
4	New Mexico, Bernalillo County, Rio Grande, at Central Ave. bridge crossing (US HWY 66), Albuquerque. River Mile: 183.4; UTM Easting: 346719; UTM Northing: 3884331; Zone: 13; Datum: NAD83
5	New Mexico, Bernalillo County, Rio Grande, at Rio Bravo Blvd. bridge crossing (NM State HWY 500), Albuquerque. River Mile: 178.4; UTM Easting: 347468; UTM Northing: 3877400; Zone: 13; Datum: NAD83
Isleta Reach	
6	New Mexico, Valencia County, Rio Grande, just upstream of NM State HWY 6 bridge crossing, Los Lunas. River Mile: 161.7; UTM Easting: 343149; UTM Northing: 3853187; Zone: 13; Datum: NAD83
7	New Mexico, Valencia County, Rio Grande, ca. 1.0 mi upstream of NM State HWY 309 bridge crossing, Belen. River Mile: 150.8; UTM Easting: 340105; UTM Northing: 3837722; Zone: 13; Datum: NAD83
8	New Mexico, Valencia County, Rio Grande, ca. 2.2 mi upstream of NM State HWY 346 bridge crossing, Jarales. River Mile: 143.2; UTM Easting: 338020; UTM Northing: 3827545; Zone: 13; Datum: NAD83
9	New Mexico, Socorro County, Rio Grande, at US HWY 60 bridge crossing, Bernardo. River Mile: 130.6; UTM Easting: 334578; UTM Northing: 3809921; Zone: 13; Datum: NAD83
10	New Mexico, Socorro County, Rio Grande, ca. 3.7 mi downstream of US HWY 60 bridge crossing, Bernardo. River Mile: 126.8; UTM Easting: 330946; UTM Northing: 3805307; Zone: 13; Datum: NAD83
11	New Mexico, Socorro County, Rio Grande, ca. 1.2 mi upstream of San Acacia Diversion Dam, San Acacia. River Mile: 117.3; UTM Easting: 328152; UTM Northing: 3792564; Zone: 13; Datum: NAD83

Table A - 1. Sampling reaches and standard sites for population monitoring of Rio Grande Silvery Minnow in the Middle Rio Grande (continued).

Reach and Site	Locality
San Acacia Reach	
12	New Mexico, Socorro County, Rio Grande, just downstream of San Acacia Diversion Dam, San Acacia. River Mile: 115.6; UTM Easting: 325960; UTM Northing: 3792183; Zone: 13; Datum: NAD83
13	New Mexico, Socorro County, Rio Grande, ca. 1.5 mi downstream of San Acacia Diversion Dam, San Acacia. River Mile: 114.1; UTM Easting: 325390; UTM Northing: 3790397; Zone: 13; Datum: NAD83
14	New Mexico, Socorro County, Rio Grande, ca. 0.5 mi upstream of Socorro Low Flow Conveyance Channel bridge crossing, Socorro. River Mile: 99.6; UTM Easting: 327231; UTM Northing: 3771432; Zone: 13; Datum: NAD83
15	New Mexico, Socorro County, Rio Grande, ca. 4.5 mi upstream of US HWY 380 bridge crossing, San Antonio. River Mile: 92.0; UTM Easting: 328151; UTM Northing: 3761487; Zone: 13; Datum: NAD83
16	New Mexico, Socorro County, Rio Grande, at US HWY 380 bridge crossing, San Antonio. River Mile: 87.8; UTM Easting: 328907; UTM Northing: 3754926; Zone: 13; Datum: NAD83
17	New Mexico, Socorro County, Rio Grande, east of Bosque del Apache NWR headquarters, San Antonio. River Mile: 79.0; UTM Easting: 327219; UTM Northing: 3740906; Zone: 13; Datum: NAD83
18	New Mexico, Socorro County, Rio Grande, at San Marcial Railroad bridge crossing, San Marcial. River Mile: 68.3; UTM Easting: 315091; UTM Northing: 3728487; Zone: 13; Datum: NAD83
19	New Mexico, Socorro County, Rio Grande, ca. 8.0 mi downstream of San Marcial Railroad bridge crossing, San Marcial. River Mile: 60.1; UTM Easting: 309441; UTM Northing: 3718309; Zone: 13; Datum: NAD83
20	New Mexico, Socorro County, Rio Grande, ca. 10.0 mi downstream of San Marcial Railroad bridge crossing, San Marcial. River Mile: 58.5; UTM Easting: 307767; UTM Northing: 3716360; Zone: 13; Datum: NAD83

Table A - 2. Sampling reaches and additional sites for population monitoring of Rio Grande Silvery Minnow in the Middle Rio Grande.

Reach and Site	Locality
Angostura Reach	
21	New Mexico, Sandoval County, Rio Grande, ca. 4.4 miles upstream of Alameda Blvd. (NM State Hwy. 528) bridge crossing, Corrales. River Mile: 196.6; UTM Easting: 355531; UTM Northing: 3900626; Zone: 13; Datum: NAD83
22	New Mexico, Sandoval County, Rio Grande, ca. 1.1 miles upstream of Alameda Blvd. (NM State Hwy. 528) bridge crossing, Corrales. River Mile: 193.1; UTM Easting: 351562; UTM Northing: 3897190; Zone: 13; Datum: NAD83
23	New Mexico, Bernalillo County, Rio Grande, ca. 1.0 miles downstream of Paseo del Norte Blvd. (NM State Hwy. 423) bridge crossing Albuquerque. River Mile: 190.0; UTM Easting: 349214; UTM Northing: 3893063; Zone: 13; Datum: NAD83
24	New Mexico, Bernalillo County, Rio Grande, ca. 1.1 miles upstream of I-40 bridge crossing, Albuquerque. River Mile: 186.1; UTM Easting: 346011; UTM Northing: 3887973; Zone: 13; Datum: NAD83
25	New Mexico, Bernalillo County, Rio Grande, ca. 1.5 miles upstream of I-25 bridge crossing, Isleta. River Mile: 174.0; UTM Easting: 345900; UTM Northing: 3870990; Zone: 13; Datum: NAD83
Isleta Reach	
26	New Mexico, Valencia County, Rio Grande, ca. 4.1 miles upstream of NM State Hwy. 6 bridge crossing, Los Lunas. River Mile: 165.2; UTM Easting: 342799; UTM Northing: 3858637; Zone: 13; Datum: NAD83
27	New Mexico, Valencia County, Rio Grande, ca. 6.2 miles upstream of NM State Hwy. 309 bridge crossing, Belen. River Mile: 156.0; UTM Easting: 340647; UTM Northing: 3845146; Zone: 13; Datum: NAD83
28	New Mexico, Socorro County, Rio Grande, ca. 6.3 miles upstream of U.S. Hwy. 60 bridge crossing, Bernardo. River Mile: 137.1; UTM Easting: 335554; UTM Northing: 3819543; Zone: 13; Datum: NAD83
29	New Mexico, Socorro County, Rio Grande, ca. 1.5 miles upstream of confluence with the Rio Salado, San Acacia. River Mile: 120.1; UTM Easting: 330498; UTM Northing: 3795053; Zone: 13; Datum: NAD83
San Acacia Reach	
30	New Mexico, Socorro County, Rio Grande, ca. 2.6 miles upstream of Pueblitos Rd. bridge crossing, Escondida. River Mile: 107.1; UTM Easting: 326303; UTM Northing: 3781123; Zone: 13; Datum: NAD83

Table A - 3. Sampling reaches and replacement sites for population monitoring of Rio Grande Silvery Minnow in the Middle Rio Grande.

Reach and Site	Locality
San Acacia Reach	
51	New Mexico, Socorro County, Rio Grande, ca. 5.0 mi downstream of San Acacia Diversion Dam, San Acacia. River Mile: 110.8; UTM Easting: 325855; UTM Northing: 3786215; Zone: 13; Datum: NAD83
52	New Mexico, Socorro County, Rio Grande, ca. 2.2 mi. downstream of Pueblitos Rd. bridge crossing, Escondida. River Mile: 101.7; UTM Easting: 327091; UTM Northing: 3773950; Zone: 13; Datum: NAD83
53	New Mexico, Socorro County, Rio Grande, ca. 3.1 mi downstream of the Socorro Low Flow Conveyance Channel bridge crossing, Socorro. River Mile: 96.0; UTM Easting: 327928; UTM Northing: 3766570; Zone: 13; Datum: NAD83
54	New Mexico, Socorro County, Rio Grande, ca. 4.7 mi. downstream of Socorro LFCC bridge crossing, Socorro. River Mile: 94.2; UTM Easting: 327288; UTM Northing: 3764453; Zone: 13; Datum: NAD83
56	New Mexico, Socorro County, Rio Grande, ca. 2.1 miles upstream of San Antonio bridge crossing, San Antonio. River Mile: 89.3; UTM Easting: 329188; UTM Northing: 3758027; Zone: 13; Datum: NAD83
58	New Mexico, Socorro County, Rio Grande, ca. 1.8 mi. upstream of San Marcial Railroad bridge crossing, San Marcial. River Mile: 70.1; UTM Easting: 318083; UTM Northing: 3728535; Zone: 13; Datum: NAD83
60	New Mexico, Socorro County, Rio Grande, ca. 6.4 mi. downstream of San Marcial Railroad bridge crossing, San Marcial. River Mile: 61.8; UTM Easting: 311422; UTM Northing: 3719873; Zone: 13; Datum: NAD83

APPENDIX B (Site-Specific Population Monitoring Data)

Site-specific data, collected in August 2020, as part of the
Rio Grande Silvery Minnow Population Monitoring Program

**** Data are provisional and should be verified by direct inspection of field data ****

Rio Grande Silvery Minnow Population Monitoring August 2020

NEW MEXICO: SANDOVAL County, RIO GRANDE Drainage
Rio Grande, just downstream of Angostura Diversion Dam, Algodones.
Site Number: 1 River Mile: 209.9
UTM Easting: 363665 UTM Northing: 3916331 Zone: 13
Collector(s): R.K. Dudley, S.L. Clark-Barkalow, A.D. Urioste

RKD20-111

07 August 2020
USGS Quad: San Felipe Pueblo
Effort: 444.3 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	21
76	<i>Pimephales promelas</i>	17
76	<i>Platygobio gracilis</i>	4
76	<i>Rhinichthys cataractae</i>	69
81	<i>Catostomus commersonii</i>	53
93	<i>Ameiurus natalis</i>	43
212	<i>Gambusia affinis</i>	37

NEW MEXICO: SANDOVAL County, RIO GRANDE Drainage
Rio Grande, at US HWY 550 bridge crossing, Bernalillo.
Site Number: 2 River Mile: 203.9
UTM Easting: 358457 UTM Northing: 3909887 Zone: 13
Collector(s): R.K. Dudley, S.L. Clark-Barkalow, A.D. Urioste

RKD20-112

07 August 2020
USGS Quad: Bernalillo
Effort: 489.4 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	43
76	<i>Pimephales promelas</i>	4
76	<i>Platygobio gracilis</i>	42
76	<i>Rhinichthys cataractae</i>	35
81	<i>Catostomus commersonii</i>	16
93	<i>Ameiurus natalis</i>	4
93	<i>Ictalurus punctatus</i>	2

Rio Grande Silvery Minnow Population Monitoring August 2020

NEW MEXICO: SANDOVAL County, RIO GRANDE Drainage

RKD20-113

Rio Grande, ca. 4.0 mi downstream of US HWY 550 bridge crossing, Rio Rancho.

Site Number: 3

River Mile: 199.9

07 August 2020

UTM Easting: 354728

UTM Northing: 3905587

Zone: 13

USGS Quad: Bernalillo

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, A.D. Urioste

Effort: 522.5 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	178
76	<i>Cyprinus carpio</i>	1
76	<i>Hybognathus amarus*</i>	1
76	<i>Pimephales promelas</i>	10
76	<i>Platygobio gracilis</i>	40
76	<i>Rhinichthys cataractae</i>	23
81	<i>Carpoides carpio</i>	12
81	<i>Catostomus commersonii</i>	71
93	<i>Ameiurus natalis</i>	19
93	<i>Ictalurus punctatus</i>	3
212	<i>Gambusia affinis</i>	23
294	<i>Micropterus salmoides</i>	1

***Hybognathus amarus (age-classes):**

age-0

age-1 1

age-2+

Rio Grande Silvery Minnow Population Monitoring August 2020

NEW MEXICO: BERNALILLO County, RIO GRANDE Drainage
Rio Grande, at Central Ave. bridge crossing (US HWY 66), Albuquerque.
Site Number: 4 River Mile: 183.4
UTM Easting: 346719 UTM Northing: 3884331 Zone: 13
Collector(s): R.K. Dudley, S.L. Clark-Barkalow, A.D. Urioste

RKD20-110

06 August 2020
USGS Quad: Albuquerque West
Effort: 504.5 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	78
76	<i>Cyprinus carpio</i>	1
76	<i>Pimephales promelas</i>	13
76	<i>Platygobio gracilis</i>	3
81	<i>Carpoides carpio</i>	10
81	<i>Catostomus commersonii</i>	14
93	<i>Ameiurus natalis</i>	2
93	<i>Ictalurus punctatus</i>	50
212	<i>Gambusia affinis</i>	5

Rio Grande Silvery Minnow Population Monitoring August 2020

NEW MEXICO: BERNALILLO County, RIO GRANDE Drainage

RKD20-109

Rio Grande, at Rio Bravo Blvd. bridge crossing (NM State HWY 500), Albuquerque.

Site Number: 5

River Mile: 178.4

06 August 2020

UTM Easting: 347468

UTM Northing: 3877400

Zone: 13

USGS Quad: Albuquerque West

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, A.D. Urioste

Effort: 508.1 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	86
76	<i>Cyprinus carpio</i>	1
76	<i>Hybognathus amarus*</i>	3
76	<i>Pimephales promelas</i>	25
76	<i>Platygobio gracilis</i>	7
81	<i>Carpionodes carpio</i>	28
81	<i>Catostomus commersonii</i>	6
93	<i>Ameiurus natalis</i>	2
93	<i>Ictalurus punctatus</i>	30
212	<i>Gambusia affinis</i>	21
294	<i>Micropterus salmoides</i>	1
294	<i>Pomoxis annularis</i>	1

***Hybognathus amarus (age-classes):**

age-0

age-1 3

age-2+

Rio Grande Silvery Minnow Population Monitoring August 2020

NEW MEXICO: VALENCIA County, RIO GRANDE Drainage

RKD20-108

Rio Grande, just upstream of NM State HWY 6 bridge crossing, Los Lunas.

Site Number: 6

River Mile: 161.7

03 August 2020

UTM Easting: 343149

UTM Northing: 3853187

Zone: 13

USGS Quad: Los Lunas

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, A.D. Urioste

Effort: 506.8 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	718
76	<i>Cyprinus carpio</i>	1
76	<i>Hybognathus amarus*</i>	1
76	<i>Pimephales promelas</i>	16
76	<i>Platygobio gracilis</i>	8
81	<i>Carpoides carpio</i>	24
93	<i>Ictalurus punctatus</i>	14
212	<i>Gambusia affinis</i>	326

***Hybognathus amarus (age-classes):**

age-0	
age-1	1
age-2+	

NEW MEXICO: VALENCIA County, RIO GRANDE Drainage

RKD20-107

Rio Grande, ca. 1.0 mi upstream of NM State HWY 309 bridge crossing, Belen.

Site Number: 7

River Mile: 150.8

06 August 2020

UTM Easting: 340105

UTM Northing: 3837722

Zone: 13

USGS Quad: Tome

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, A.D. Urioste

Effort: 410.0 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	366
76	<i>Hybognathus amarus*</i>	7
76	<i>Pimephales promelas</i>	11
81	<i>Carpoides carpio</i>	8
212	<i>Gambusia affinis</i>	27

***Hybognathus amarus (age-classes):**

age-0	2
age-1	5
age-2+	

Rio Grande Silvery Minnow Population Monitoring August 2020

NEW MEXICO: VALENCIA County, RIO GRANDE Drainage

RKD20-106

Rio Grande, ca. 2.2 mi upstream of NM State HWY 346 bridge crossing, Jarales.

Site Number: 8

River Mile: 143.2

06 August 2020

UTM Easting: 338020

UTM Northing: 3827545

Zone: 13

USGS Quad: Veguita

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, A.D. Urioste

Effort: 506.5 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	875
76	<i>Cyprinus carpio</i>	1
76	<i>Hybognathus amarus*</i>	1
76	<i>Pimephales promelas</i>	35
81	<i>Carpoides carpio</i>	4
212	<i>Gambusia affinis</i>	170

***Hybognathus amarus (age-classes):**

age-0	
age-1	1
age-2+	

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage

RKD20-105

Rio Grande, at US HWY 60 bridge crossing, Bernardo.

Site Number: 9

River Mile: 130.6

05 August 2020

UTM Easting: 334578

UTM Northing: 3809921

Zone: 13

USGS Quad: Abeytas

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, A.D. Urioste

Effort: 498.4 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	233
81	<i>Carpoides carpio</i>	6
212	<i>Gambusia affinis</i>	199

Rio Grande Silvery Minnow Population Monitoring August 2020

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage

RKD20-104

Rio Grande, ca. 3.7 mi downstream of US HWY 60 bridge crossing, Bernardo.

Site Number: 10

River Mile: 126.8

05 August 2020

UTM Easting: 330946

UTM Northing: 3805307

Zone: 13

USGS Quad: Abeytas

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, A.D. Urioste

Effort: 488.5 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	518
76	<i>Hybognathus amarus</i> *	9
76	<i>Pimephales promelas</i>	6
212	<i>Gambusia affinis</i>	167

***Hybognathus amarus (age-classes):**

age-0	6
age-1	3
age-2+	

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage

RKD20-103

Rio Grande, ca. 1.2 mi upstream of San Acacia Diversion Dam, San Acacia.

Site Number: 11

River Mile: 117.3

05 August 2020

UTM Easting: 328152

UTM Northing: 3792564

Zone: 13

USGS Quad: La Joya

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, A.D. Urioste

Effort: 556.2 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	41
76	<i>Hybognathus amarus</i> *	2
76	<i>Platygobio gracilis</i>	16
81	<i>Carpoides carpio</i>	2
93	<i>Ictalurus punctatus</i>	2
212	<i>Gambusia affinis</i>	1

***Hybognathus amarus (age-classes):**

age-0	
age-1	2
age-2+	

Rio Grande Silvery Minnow Population Monitoring August 2020

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage
Rio Grande, just downstream of San Acacia Diversion Dam, San Acacia.
Site Number: 12 River Mile: 115.6
UTM Easting: 325960 UTM Northing: 3792183 Zone: 13
Collector(s): R.K. Dudley, S.L. Clark-Barkalow, A.D. Urioste

RKD20-102

05 August 2020
USGS Quad: San Acacia
Effort: 485.6 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	284
76	<i>Cyprinus carpio</i>	28
76	<i>Hybognathus amarus*</i>	3
76	<i>Pimephales promelas</i>	27
76	<i>Platygobio gracilis</i>	103
76	<i>Rhinichthys cataractae</i>	6
81	<i>Carpoides carpio</i>	3
93	<i>Ameiurus natalis</i>	1
93	<i>Ictalurus punctatus</i>	5
212	<i>Gambusia affinis</i>	1

***Hybognathus amarus (age-classes):**

age-0	1
age-1	2
age-2+	

Rio Grande Silvery Minnow Population Monitoring August 2020

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage

RKD20-101

Rio Grande, ca. 1.5 mi downstream of San Acacia Diversion Dam, San Acacia.

Site Number: 13

River Mile: 114.1

04 August 2020

UTM Easting: 325390

UTM Northing: 3790397

Zone: 13

USGS Quad: Lemitar

Collector(s): M.A. Farrington, S.L. Clark-Barkalow, A.D. Urioste

Effort: 479.5 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	178
76	<i>Cyprinus carpio</i>	4
76	<i>Hybognathus amarus*</i>	4
76	<i>Pimephales promelas</i>	4
76	<i>Platygobio gracilis</i>	7
81	<i>Carpoides carpio</i>	1
93	<i>Ictalurus punctatus</i>	3
212	<i>Gambusia affinis</i>	4

***Hybognathus amarus (age-classes):**

age-0	1
age-1	3
age-2+	

Rio Grande Silvery Minnow Population Monitoring August 2020

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage

RKD20-100

Rio Grande, ca. 0.5 mi upstream of Socorro Low Flow Conveyance Channel bridge crossing, Socorro.

Site Number: 14

River Mile: 99.6

04 August 2020

UTM Easting: 327231

UTM Northing: 3771432

Zone: 13

USGS Quad: Loma de las Canas

Collector(s): M.A. Farrington, S.L. Clark-Barkalow, A.D. Urioste

Effort: 525.0 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	517
76	<i>Cyprinus carpio</i>	2
76	<i>Hybognathus amarus*</i>	5
76	<i>Pimephales promelas</i>	1
76	<i>Platygobio gracilis</i>	3
81	<i>Carpoides carpio</i>	4
93	<i>Ictalurus punctatus</i>	1
212	<i>Gambusia affinis</i>	3

***Hybognathus amarus (age-classes):**

age-0	1
age-1	4
age-2+	

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage

RKD20-099

Rio Grande, ca. 4.5 mi upstream of US HWY 380 bridge crossing, San Antonio.

Site Number: 15

River Mile: 92.0

04 August 2020

UTM Easting: 328151

UTM Northing: 3761487

Zone: 13

USGS Quad: San Antonio

Collector(s): M.A. Farrington, S.L. Clark-Barkalow, A.D. Urioste

Effort: 539.7 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	144
76	<i>Cyprinus carpio</i>	4
76	<i>Hybognathus amarus*</i>	3
76	<i>Pimephales promelas</i>	1
76	<i>Platygobio gracilis</i>	2
81	<i>Carpoides carpio</i>	5

***Hybognathus amarus (age-classes):**

age-0	
age-1	3
age-2+	

Rio Grande Silvery Minnow Population Monitoring August 2020

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage

Rio Grande, at US HWY 380 bridge crossing, San Antonio.

Site Number: 16

River Mile: 87.8

UTM Easting: 328907

UTM Northing: 3754926

Zone: 13

Collector(s): M.A. Farrington, S.L. Clark-Barkalow, A.D. Urioste

RKD20-098

04 August 2020

USGS Quad: San Antonio

Effort: 495.1 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	145
76	<i>Cyprinus carpio</i>	18
76	<i>Hybognathus amarus</i> *	9
81	<i>Carpoides carpio</i>	11
93	<i>Ictalurus punctatus</i>	2
212	<i>Gambusia affinis</i>	2

***Hybognathus amarus (age-classes):**

age-0	
age-1	9
age-2+	

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage

Rio Grande, east of Bosque del Apache NWR headquarters, San Antonio.

Site Number: 17

River Mile: 79.0

UTM Easting: 327219

UTM Northing: 3740906

Zone: 13

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, A.D. Urioste

RKD20-097

03 August 2020

USGS Quad: San Antonio SE

Effort: 475.0 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	10
76	<i>Cyprinus carpio</i>	11
76	<i>Hybognathus amarus</i> *	38
76	<i>Rhinichthys cataractae</i>	3
93	<i>Ictalurus punctatus</i>	8
212	<i>Gambusia affinis</i>	5

***Hybognathus amarus (age-classes):**

age-0	
age-1	38
age-2+	

Rio Grande Silvery Minnow Population Monitoring August 2020

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage
Rio Grande, at San Marcial Railroad bridge crossing, San Marcial.
Site Number: 18 River Mile: 68.3
UTM Easting: 315091 UTM Northing: 3728487 Zone: 13
Collector(s): R.K. Dudley, S.L. Clark-Barkalow, A.D. Urioste

RKD20-096

03 August 2020
USGS Quad: San Marcial
Effort: 500.0 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	16
76	<i>Cyprinus carpio</i>	15
76	<i>Hybognathus amarus</i> *	10
76	<i>Platygobio gracilis</i>	1
81	<i>Carpoides carpio</i>	3
93	<i>Ictalurus punctatus</i>	1
212	<i>Gambusia affinis</i>	3

***Hybognathus amarus (age-classes):**

age-0
age-1 10
age-2+

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage
Rio Grande, ca. 8.0 mi downstream of San Marcial Railroad bridge crossing, San Marcial.
Site Number: 19 River Mile: 60.1
UTM Easting: 309441 UTM Northing: 3718309 Zone: 13
Collector(s): R.K. Dudley, S.L. Clark-Barkalow, A.D. Urioste

RKD20-095

03 August 2020
USGS Quad: Paraje Well
Effort: 572.3 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	287
76	<i>Cyprinus carpio</i>	5
76	<i>Pimephales promelas</i>	1
76	<i>Pimephales vigilax</i>	1
81	<i>Carpoides carpio</i>	1
212	<i>Gambusia affinis</i>	11

Rio Grande Silvery Minnow Population Monitoring August 2020

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage

RKD20-094

Rio Grande, ca. 10.0 mi downstream of San Marcial Railroad bridge crossing, San Marcial.

Site Number: 20

River Mile: 58.5

03 August 2020

UTM Easting: 307767

UTM Northing: 3716360

Zone: 13

USGS Quad: Paraje Well

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, A.D. Urioste

Effort: 552.3 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	460
76	<i>Cyprinus carpio</i>	2
76	<i>Platygobio gracilis</i>	6
93	<i>Ictalurus punctatus</i>	2
212	<i>Gambusia affinis</i>	2