



RIO GRANDE SILVERY MINNOW POPULATION MONITORING DURING OCTOBER 2020

***A U.S. BUREAU OF RECLAMATION FUNDED
RESEARCH PROGRAM***



16 November 2020

RIO GRANDE SILVERY MINNOW POPULATION MONITORING DURING OCTOBER 2020

***A U.S. BUREAU OF RECLAMATION FUNDED
RESEARCH PROGRAM***

Contract 140R4019P0048:

Requisition 0040488238

U.S. Bureau of Reclamation
Albuquerque Area Office
555 Broadway NE, Suite 100
Albuquerque, NM 87102

Submitted to:

U.S. Bureau of Reclamation
Albuquerque Area Office
555 Broadway NE, Suite 100
Albuquerque, NM 87102

Robert K. Dudley^{1,2}, Steven P. Platania^{1,2}, and Gary C. White^{1,3}

¹ American Southwest Ichthyological Researchers (ASIR); 800 Encino Place NE; Albuquerque, NM 87102
&

² Museum of Southwestern Biology (Fishes), Biology, UNM; MSC03-2020; Albuquerque, NM 87131
&

³ Fish, Wildlife, and Conservation Biology, CSU; 10 Wagar; Fort Collins, CO 80523

16 November 2020

SUMMARY OF OCTOBER 2020 POPULATION MONITORING

The October population monitoring efforts were conducted at the 20 standard sites, 10 additional sites, and three replacement sites. Ten sites were located in the Angostura Reach, eleven sites were located in the Isleta Reach, and twelve sites were located in the San Acacia Reach. For October 2020, comparisons were made between standard sites and all sites (i.e., standard, additional, and replacement sites), as additional and replacement sites were sampled. For the 2020 monthly trends, data were based on all sites (i.e., standard, additional, and replacement sites) to maintain consistency across all monthly reports. A list of all collection localities is appended (Appendix A). Adult and juvenile fish were obtained by rapidly drawing a 3.1 m x 1.8 m small mesh (ca. 5 mm) seine through discrete mesohabitats. Larval fish were collected with a 1.0 m x 1.0 m fine mesh (ca. 1.5 mm) seine. All fishes were identified to species and enumerated. We used length-age relationships to assign ages (i.e., age-0, age-1, and age-2+) to all Rio Grande Silvery Minnow collected. Age-0 individuals are only present, however, after annual spring spawning occurs (ca. April–June). Figures illustrating fish densities (i.e., fish per 100 m²) were prepared for the ten focal species to facilitate comparisons across reaches.

Angostura Reach

From 16 September to 15 October, provisional mean daily discharge in the Angostura Reach (Rio Grande at Albuquerque, NM; USGS Gage 08330000) averaged 112.2 ft³/s and ranged from 91 to 151 ft³/s. Water temperatures ranged from 13.4 to 24.6 °C during the Angostura Reach sampling efforts (ca. 0830–1530 h). Secchi disk measurements of water clarity ranged from 20 to 55 cm.

Sampling for fishes in the Angostura Reach during October yielded 4,029 individuals with a cumulative fish density of 80.1 individuals per 100 m² sampled. The overall sampling effort in the Angostura Reach covered 5,031.8 m² (surface area) of water. Densities of all fish species combined ranged from 19.8 to 192.8 individuals per 100 m² at the different sampling sites. In October, there were 13 fish species collected in the Angostura Reach. Red Shiner was the most abundant taxon (n = 1,948), followed by Western Mosquitofish (n = 944), and Flathead Chub (n = 508). We collected Rio Grande Silvery Minnow (n = 3) in 1 of the 154 seine hauls that yielded fish, and its overall density was 0.06 (range = 0.00–0.67) individuals per 100 m².

Isleta Reach

Provisional mean daily discharge in the Isleta Reach (Rio Grande near Bosque Farms, NM; USGS Gage 08331160), from 16 September to 15 October, averaged 29.8 ft³/s and ranged from 27 to 34 ft³/s. During the Isleta Reach sampling efforts (ca. 0930–1600 h), water temperatures ranged from 13.2 to 25.6 °C. Secchi disk measurements ranged from 9 to 38 cm during sampling.

Isleta Reach population monitoring efforts produced 8,711 individuals in October with a cumulative fish density of 169.4 individuals per 100 m² sampled. The total sampling effort in the Isleta Reach during October covered 5,141.6 m² (surface area) of water. Fish densities (all species combined) at the sampling sites ranged from 0.0 to 539.0 individuals per 100 m² sampled. There were 10 fish species collected in the Isleta Reach during October. Red Shiner was the most abundant taxon (n = 6,163), followed by Western Mosquitofish (n = 2,132), and Fathead Minnow (n = 251). We collected Rio Grande Silvery Minnow (n = 39) in 9 of the 178 seine hauls that yielded fish, and its overall density was 0.76 (range = 0.00–3.22) individuals per 100 m².

San Acacia Reach

From 16 September to 15 October, provisional mean daily discharge at San Acacia (Rio Grande Floodway at San Acacia, NM; USGS Gage 08354900) was generally higher (average = 30.8; range = 24–37 ft³/s) than at San Marcial (Rio Grande Floodway at San Marcial, NM; USGS Gage 08358400) during the same period (average = 0.0; range = 0–0 ft³/s). Water temperatures in October for the San Acacia Reach ranged from 11.8 to 24.6 °C (ca. 0930–1600 h). Secchi disk measurements ranged from 2 to 75 cm during sampling.

Population monitoring efforts in the San Acacia Reach during October yielded 6,767 individuals with a cumulative fish density of 175.8 individuals per 100 m² sampled. Sampling in the San Acacia Reach covered an area of 3,848.3 m² of water. Fish densities (all species combined) ranged from 0.0 to 399.8 individuals per 100 m² at sites sampled in the San Acacia Reach. In October, there were 11 fish species collected in the San Acacia Reach. Red Shiner was the most abundant taxon (n = 5,892), followed by Western Mosquitofish (n = 446), and Gizzard Shad (n = 256). We collected Rio Grande Silvery Minnow (n = 9) in 6 of the 118 seine hauls that yielded fish, and its overall density was 0.23 (range = 0.00–3.60) individuals per 100 m².

Standard Sites

During October, sampling covered 8,025.8 m² (surface area) of water and yielded 13,013 fish. There were two dry sampling sites. Cumulative fish density during October was 162.1 individuals per 100 m² sampled. The three most common species were Red Shiner (n = 9,300), Western Mosquitofish (n = 2,340), and Flathead Chub (n = 453). The sampling sites yielded a total of 15 fish species.

Rio Grande Silvery Minnow was present in 7 of the 272 seine hauls that yielded fish and at 4 of the 20 sampling sites. Densities of unmarked and marked individuals were 0.29 (n = 23) and 0.00 (n = 0) individuals per 100 m² sampled, respectively. Densities of age-0, age-1, and age-2+ individuals were 0.10 (n = 8), 0.04 (n = 3), and 0.15 (n = 12) individuals per 100 m² sampled, respectively. Based on all October surveys since 1993, the overall density of Rio Grande Silvery Minnow averaged 7.21 (range = 0.00–37.86) individuals per 100 m² sampled. During October 2020, its overall density was 0.29 (n = 23) individuals per 100 m² sampled.

All Sites

During October, sampling covered 14,021.6 m² (surface area) of water and yielded 19,507 fish. There were three dry sampling sites. Cumulative fish density during October was 139.12 individuals per 100 m² sampled. The three most common species were Red Shiner (n = 14,003), Western Mosquitofish (n = 3,522), and Flathead Chub (n = 619). The sampling sites yielded a total of 15 fish species.

Rio Grande Silvery Minnow was present in 16 of the 450 seine hauls that yielded fish and at 10 of the 33 sampling sites. Densities of unmarked and marked individuals were 0.36 (n = 51) and 0.00 (n = 0) individuals per 100 m² sampled, respectively. Densities of age-0, age-1, and age-2+ individuals were 0.08 (n = 11), 0.06 (n = 8), and 0.23 (n = 32) individuals per 100 m² sampled, respectively. Based on all October surveys since 1993, the overall density of Rio Grande Silvery Minnow averaged 7.21 (range = 0.00–37.86) individuals per 100 m² sampled. During October 2020, its overall density was 0.36 (n = 51) individuals per 100 m² sampled.




Figure 1. Map of the study area, standard sites, and additional sites for the Rio Grande Silvery Minnow population monitoring study. Sampling site descriptions are provided in Appendix A.




Figure 2. Map of the study area, standard sites, and replacement sites for the Rio Grande Silvery Minnow population monitoring study. Sampling site descriptions are provided in Appendix A.




Figure 3. Rio Grande mean-daily discharge, by U.S. Geological Survey (USGS) gaging station, from 1 January 2019 to 15 October 2020. All discharge data are provisional and subject to change.

Table 1. Scientific names, common names, and species codes of fishes collected in the Middle Rio Grande since 1993.

Scientific Name	Common Name	Species Code
Order Clupeiformes		
Family Clupeidae		
	herrings	
<i>Dorosoma cepedianum</i>	Gizzard Shad	(DORCEP)
<i>Dorosoma petenense</i>	Threadfin Shad	(DORPET)
Order Cypriniformes		
Family Cyprinidae		
	carps and minnows	
<i>Campostoma anomalum</i>	Central Stoneroller	(CAMANO)
<i>Carassius auratus</i>	Goldfish	(CARAUR)
<i>Cyprinella lutrensis</i>	Red Shiner ¹	(CYPLUT)
<i>Cyprinus carpio</i>	Common Carp ¹	(CYPCAR)
<i>Gila pandora</i>	Rio Grande Chub	(GILPAN)
<i>Hybognathus amarus</i>	Rio Grande Silvery Minnow ¹	(HYBAMA)
<i>Notemigonus crysoleucas</i>	Golden Shiner	(NOTCRY)
<i>Pimephales promelas</i>	Fathead Minnow ¹	(PIMPRO)
<i>Pimephales vigilax</i>	Bullhead Minnow	(PIMVIG)
<i>Platygobio gracilis</i>	Flathead Chub ¹	(PLAGRA)
<i>Rhinichthys cataractae</i>	Longnose Dace ¹	(RHICAT)
Family Catostomidae		
	suckers	
<i>Carpionodes carpio</i>	River Carpsucker ¹	(CARCAR)
<i>Catostomus commersonii</i>	White Sucker ¹	(CATCOM)
<i>Ictiobus bubalus</i>	Smallmouth Buffalo	(ICTBUB)
Order Siluriformes		
Family Ictaluridae		
	North American catfishes	
<i>Ameiurus melas</i>	Black Bullhead	(AMEMEL)
<i>Ameiurus natalis</i>	Yellow Bullhead	(AMENAT)
<i>Ictalurus furcatus</i>	Blue Catfish	(ICTFUR)
<i>Ictalurus punctatus</i>	Channel Catfish ¹	(ICTPUN)
<i>Pylodictis olivaris</i>	Flathead Catfish	(PYLOLI)
Family Loricariidae		
	suckermouth armored catfishes	
<i>Pterygoplichthys disjunctivus</i>	Vermiculated Sailfin Catfish	(PTEDIS)
Order Salmoniformes		
Family Salmonidae		
	trouts and salmons	
<i>Oncorhynchus mykiss</i>	Rainbow Trout	(ONCMYK)
<i>Salmo trutta</i>	Brown Trout	(SALTRU)

Table 1. Scientific names, common names, and species codes of fishes collected in the Middle Rio Grande since 1993 (continued).

Scientific Name	Common Name	Species Code
Order Cyprinodontiformes		
Family Poeciliidae		
	livebearers	
<i>Gambusia affinis</i>	Western Mosquitofish ¹	(GAMAFF)
Order Perciformes		
Family Moronidae		
	temperate basses	
<i>Morone chrysops</i>	White Bass	(MORCHR)
<i>Morone saxatilis</i>	Striped Bass	(MORSAX)
Family Centrarchidae		
	sunfishes	
<i>Lepomis cyanellus</i>	Green Sunfish	(LEPCYA)
<i>Lepomis gulosus</i>	Warmouth	(LEPGUL)
<i>Lepomis macrochirus</i>	Bluegill	(LEPMAC)
<i>Lepomis megalotis</i>	Longear Sunfish	(LEPMEG)
<i>Micropterus dolomieu</i>	Smallmouth Bass	(MICDOL)
<i>Micropterus salmoides</i>	Largemouth Bass	(MICSAL)
<i>Pomoxis annularis</i>	White Crappie	(POMANN)
<i>Pomoxis nigromaculatus</i>	Black Crappie	(POMNIG)
Family Percidae		
	perches and darters	
<i>Perca flavescens</i>	Yellow Perch	(PERFLA)
<i>Percina macrolepida</i>	Bigscale Logperch	(PERMAC)
<i>Sander vitreus</i>	Walleye	(SANVIT)
Family Sciaenidae		
	drums and croakers	
<i>Aplodinotus grunniens</i>	Freshwater Drum	(APLGRU)

¹ = Focal taxa were typically the 10 most abundant species collected during October.

Table 2. Rio Grande Silvery Minnow abundance, by reach, site, and mesohabitat, during October 2020. Marked and unmarked individuals were included. Blank cells indicate site-specific mesohabitats that were unavailable for sampling.

Reach	Site	Locality	BW	PO	RU	SHPO	SHRU	Total
Angostura	1	Angostura Dam	-	-	-	-	-	0
Angostura	2	Bernalillo	-	-	-	-	-	0
Angostura	3	Rio Rancho	-	-	-	-	-	0
Angostura	21	Site 21	-	-	-	3	-	3
Angostura	22	Site 22	-	-	-	-	-	0
Angostura	23	Site 23	-	-	-	-	-	0
Angostura	24	Site 24	-	-	-	-	-	0
Angostura	4	Central Ave.	-	-	-	-	-	0
Angostura	5	Rio Bravo Blvd.	-	-	-	-	-	0
Angostura	25	Site 25	-	-	-	-	-	0
<i>Angostura Totals</i>			-	-	-	3	-	3
Isleta	26	Site 26	-	-	-	-	17	17
Isleta	6	Los Lunas	-	-	-	-	-	0
Isleta	27	Site 27	-	-	-	-	-	0
Isleta	7	Belen	-	-	-	12	-	12
Isleta	44	Site 44	-	-	-	1	-	1
Isleta	8	Jarales	-	-	-	-	-	0
Isleta	28	Site 28	-	-	-	-	-	0
Isleta	9	Bernardo	-	-	-	-	-	0
Isleta	10	La Joya	-	-	-	-	-	0
Isleta	29	Site 29	-	-	3	-	-	3
Isleta	11	North of San Acacia	-	-	5	-	1	6
<i>Isleta Totals</i>			-	-	8	13	18	39
San Acacia	12	San Acacia Dam	-	-	-	-	1	1
San Acacia	13	South of San Acacia	-	-	-	-	-	0
San Acacia	30	Site 30	-	-	1	-	1	2
San Acacia	14	Socorro	-	-	-	-	-	0
San Acacia	53	Site 53	-	2	-	-	-	2
San Acacia	15	North of San Antonio	-	-	-	-	-	0
San Acacia	16	San Antonio	-	-	-	-	-	0
San Acacia	17	South of San Antonio	-	-	-	-	-	0
San Acacia	18	San Marcial	-	4	-	-	-	4
San Acacia	59	Site 59	-	-	-	-	-	0
San Acacia	19	South of San Marcial 1	-	-	-	-	-	0
San Acacia	20	South of San Marcial 2	-	-	-	-	-	0
<i>San Acacia Totals</i>			-	6	1	-	2	9
Monthly Totals			-	6	9	16	20	51

Table 3. Rio Grande Silvery Minnow abundance, by reach, site, and month, during 2020. Marked individuals are shown in parentheses, as a subset of the site-specific total. Blank cells indicate months when a site was not visited or will not be visited.

Reach	Site	Locality	Apr	May	Jun	Jul	Aug	Sep	Oct	Total
Angostura	1	Angostura Dam	-	-	1(0)	1(0)	-	-	-	2
Angostura	2	Bernalillo	4(0)	-	2(0)	6(0)	-	-	-	12
Angostura	3	Rio Rancho	8(0)	1(0)	-	-	1(0)	6(0)	-	16
Angostura	21	Site 21	3(0)						3(0)	6
Angostura	22	Site 22	99(0)						-	99
Angostura	23	Site 23	8(0)						-	8
Angostura	24	Site 24	7(0)						-	7
Angostura	4	Central Ave.	3(0)	1(0)	-	-	-	1(0)	-	5
Angostura	5	Rio Bravo Blvd.	5(0)	2(0)	3(0)	3(0)	3(0)	3(0)	-	19
Angostura	25	Site 25	-						-	0
<i>Angostura Totals</i>			137	4	6	10	4	10	3	174
Isleta	26	Site 26	5(0)						17(0)	22
Isleta	6	Los Lunas	11(0)	1(0)	1(0)	-	1(0)	-	-	14
Isleta	27	Site 27	14(0)						-	14
Isleta	7	Belen	5(0)	1(0)	1(0)	-	7(0)	7(0)	12(0)	33
Isleta	44	Site 44							1(0)	1
Isleta	8	Jarales	1(0)	4(0)	4(0)	11(0)	1(0)	9(0)	-	30
Isleta	28	Site 28	6(0)						-	6
Isleta	9	Bernardo	7(0)	4(0)	5(0)	1(0)	-	-	-	17
Isleta	10	La Joya	1(0)	1(0)	4(0)	-	9(0)	-	-	15
Isleta	29	Site 29	4(0)						3(0)	7
Isleta	11	North of San Acacia	4(0)	1(0)	-	-	2(0)	6(0)	6(0)	19
<i>Isleta Totals</i>			58	12	15	12	20	22	39	178
San Acacia	12	San Acacia Dam	9(0)	10(0)	31(0)	59(0)	3(0)	-	1(0)	113
San Acacia	13	South of San Acacia	12(0)	6(0)	5(0)	18(0)	4(0)	2(0)	-	47
San Acacia	51	Site 51				24(0)				24
San Acacia	30	Site 30	7(0)						2(0)	9
San Acacia	52	Site 52				20(1)		6(0)		26
San Acacia	14	Socorro	16(6)	7(1)	2(0)	9(1)	5(0)	-	-	39
San Acacia	53	Site 53							2(0)	2
San Acacia	15	North of San Antonio	4(0)	3(0)	50(2)	-	3(0)	-	-	60
San Acacia	16	San Antonio	7(0)	3(0)	2(0)	-	9(0)	-	-	21
San Acacia	17	South of San Antonio	10(0)	3(0)	11(0)	-	38(0)	-	-	62
San Acacia	58	Site 58				-				0
San Acacia	18	San Marcial	4(0)	-	-	-	10(0)	3(0)	4(0)	21
San Acacia	59	Site 59							-	0
San Acacia	60	Site 60						-		0
San Acacia	19	South of San Marcial 1	4(0)	2(0)	-	2(0)	-	-	-	8
San Acacia	20	South of San Marcial 2	2(0)	-	1(0)	-	-	-	-	3
<i>San Acacia Totals</i>			75	34	102	132	72	11	9	435
Monthly Totals			270	50	123	154	96	43	51	787




Figure 4. Rio Grande Silvery Minnow densities based on all sites, by age-class and month, during 2020. Marked and unmarked individuals were included.

Table 4. Ichthyofaunal summary based on standard sites, by species, during October 2020. Marked and unmarked Rio Grande Silvery Minnow were included.

Family	Common Name	Residence Status ¹	Total Number of Individuals	Percent (%) of Total	Frequency of Occurrence ²	% Frequency of Occurrence ²
Clupeidae	Gizzard Shad	N	240	1.84	3	15.00
Clupeidae	Threadfin Shad	I	-	-	-	-
Cyprinidae	Central Stoneroller	I	-	-	-	-
Cyprinidae	Goldfish	I	-	-	-	-
Cyprinidae	Red Shiner	N	9,300	71.47	17	85.00
Cyprinidae	Common Carp	I	26	0.20	6	30.00
Cyprinidae	Rio Grande Chub	N	-	-	-	-
Cyprinidae	Rio Grande Silvery Minnow	N	23	0.18	4	20.00
Cyprinidae	Golden Shiner	I	-	-	-	-
Cyprinidae	Fathead Minnow	N	253	1.94	11	55.00
Cyprinidae	Bullhead Minnow	I	1	0.01	1	5.00
Cyprinidae	Fathead Chub	N	453	3.48	8	40.00
Cyprinidae	Longnose Dace	N	44	0.34	5	25.00
Catostomidae	River Carpsucker	N	202	1.55	9	45.00
Catostomidae	White Sucker	I	37	0.28	4	20.00
Catostomidae	Smallmouth Buffalo	N	-	-	-	-
Ictaluridae	Black Bullhead	I	-	-	-	-
Ictaluridae	Yellow Bullhead	I	3	0.02	3	15.00
Ictaluridae	Blue Catfish	N	-	-	-	-
Ictaluridae	Channel Catfish	I	87	0.67	10	50.00
Ictaluridae	Fathead Catfish	N	-	-	-	-
Loricariidae	Vermiculated Sailfin Catfish	I	-	-	-	-
Salmonidae	Rainbow Trout	I	-	-	-	-
Salmonidae	Brown Trout	I	-	-	-	-
Poeciliidae	Western Mosquitofish	I	2,340	17.98	18	90.00
Moronidae	White Bass	I	-	-	-	-
Moronidae	Striped Bass	I	-	-	-	-
Centrarchidae	Green Sunfish	I	-	-	-	-
Centrarchidae	Bluegill	I	1	0.01	1	5.00
Centrarchidae	Longear Sunfish	I	-	-	-	-
Centrarchidae	Smallmouth Bass	I	-	-	-	-
Centrarchidae	Largemouth Bass	I	3	0.02	3	15.00
Centrarchidae	White Crappie	I	-	-	-	-
Centrarchidae	Black Crappie	I	-	-	-	-
Percidae	Yellow Perch	I	-	-	-	-
Percidae	Bigscale Logperch	I	-	-	-	-
Percidae	Walleye	I	-	-	-	-
Sciaenidae	Freshwater Drum	N	-	-	-	-
Monthly Total			13,013	100.00		

¹ = N (native); I (introduced)

² = Frequency and % frequency of occurrence were based on standard sites.




Figure 5. Fish densities based on standard sites, by reach and focal taxa, during October 2020. Marked and unmarked Rio Grande Silvery Minnow were included.

Table 5. Ichthyofaunal summary based on all sites, by species, during October 2020. Marked and unmarked Rio Grande Silvery Minnow were included.

Family	Common Name	Residence Status ¹	Total Number of Individuals	Percent (%) of Total	Frequency of Occurrence ²	% Frequency of Occurrence ²
Clupeidae	Gizzard Shad	N	256	1.31	4	12.12
Clupeidae	Threadfin Shad	I	-	-	-	-
Cyprinidae	Central Stoneroller	I	-	-	-	-
Cyprinidae	Goldfish	I	-	-	-	-
Cyprinidae	Red Shiner	N	14,003	71.78	28	84.85
Cyprinidae	Common Carp	I	37	0.19	10	30.30
Cyprinidae	Rio Grande Chub	N	-	-	-	-
Cyprinidae	Rio Grande Silvery Minnow	N	51	0.26	10	30.30
Cyprinidae	Golden Shiner	I	-	-	-	-
Cyprinidae	Fathead Minnow	N	363	1.86	19	57.58
Cyprinidae	Bullhead Minnow	I	1	0.01	1	3.03
Cyprinidae	Fathead Chub	N	619	3.17	14	42.42
Cyprinidae	Longnose Dace	N	47	0.24	6	18.18
Catostomidae	River Carpsucker	N	405	2.08	16	48.48
Catostomidae	White Sucker	I	74	0.38	8	24.24
Catostomidae	Smallmouth Buffalo	N	-	-	-	-
Ictaluridae	Black Bullhead	I	-	-	-	-
Ictaluridae	Yellow Bullhead	I	5	0.03	5	15.15
Ictaluridae	Blue Catfish	N	-	-	-	-
Ictaluridae	Channel Catfish	I	120	0.62	17	51.52
Ictaluridae	Fathead Catfish	N	-	-	-	-
Loricariidae	Vermiculated Sailfin Catfish	I	-	-	-	-
Salmonidae	Rainbow Trout	I	-	-	-	-
Salmonidae	Brown Trout	I	-	-	-	-
Poeciliidae	Western Mosquitofish	I	3,522	18.06	28	84.85
Moronidae	White Bass	I	-	-	-	-
Moronidae	Striped Bass	I	-	-	-	-
Centrarchidae	Green Sunfish	I	-	-	-	-
Centrarchidae	Bluegill	I	1	0.01	1	3.03
Centrarchidae	Longear Sunfish	I	-	-	-	-
Centrarchidae	Smallmouth Bass	I	-	-	-	-
Centrarchidae	Largemouth Bass	I	3	0.02	3	9.09
Centrarchidae	White Crappie	I	-	-	-	-
Centrarchidae	Black Crappie	I	-	-	-	-
Percidae	Yellow Perch	I	-	-	-	-
Percidae	Bigscale Logperch	I	-	-	-	-
Percidae	Walleye	I	-	-	-	-
Sciaenidae	Freshwater Drum	N	-	-	-	-
Monthly Total			19,507	100.00		

¹ = N (native); I (introduced)

² = Frequency and % frequency of occurrence were based on all sites.




Figure 6. Fish densities based on all sites, by reach and focal taxa, during October 2020. Marked and unmarked Rio Grande Silvery Minnow were included.

Table 6. Ichthyofaunal summary based on all sites, by species and month, during 2020. Marked and unmarked Rio Grande Silvery Minnow were included.

Family	Common Name	Apr	May	Jun	Jul	Aug	Sep	Oct	Total
Clupeidae	Gizzard Shad	2	4	8	1	-	155	256	426
Clupeidae	Threadfin Shad	-	-	-	-	-	-	-	0
Cyprinidae	Central Stoneroller	-	-	-	-	-	-	-	0
Cyprinidae	Goldfish	-	-	-	-	-	-	-	0
Cyprinidae	Red Shiner	2,618	1,622	7,308	8,962	5,198	10,979	14,003	50,690
Cyprinidae	Common Carp	33	18	433	1,061	94	39	37	1,715
Cyprinidae	Rio Grande Chub	-	-	-	-	-	-	-	0
Cyprinidae	Rio Grande Silvery Minnow	270	50	123	154	96	43	51	787
Cyprinidae	Golden Shiner	-	-	-	-	-	-	-	0
Cyprinidae	Fathead Minnow	21	69	433	280	171	204	363	1,541
Cyprinidae	Bullhead Minnow	-	-	-	-	1	2	1	4
Cyprinidae	Flathead Chub	349	221	533	289	242	157	619	2,410
Cyprinidae	Longnose Dace	83	33	61	81	136	89	47	530
Catostomidae	River Carpsucker	1	55	386	488	122	162	405	1,619
Catostomidae	White Sucker	4	945	365	418	160	111	74	2,077
Catostomidae	Smallmouth Buffalo	-	1	2	13	-	1	-	17
Ictaluridae	Black Bullhead	-	-	-	-	-	-	-	0
Ictaluridae	Yellow Bullhead	-	-	5	1	71	13	5	95
Ictaluridae	Blue Catfish	1	10	1	-	-	-	-	12
Ictaluridae	Channel Catfish	157	50	26	22	123	152	120	650
Ictaluridae	Flathead Catfish	-	-	-	-	-	1	-	1
Loricariidae	Vermiculated Sailfin Catfish	-	-	-	-	-	-	-	0
Salmonidae	Rainbow Trout	-	-	-	-	-	-	-	0
Salmonidae	Brown Trout	-	-	-	-	-	-	-	0
Poeciliidae	Western Mosquitofish	10	34	605	839	1,007	2,590	3,522	8,607
Moronidae	White Bass	1	3	2	2	-	-	-	8
Moronidae	Striped Bass	-	-	-	-	-	-	-	0
Centrarchidae	Green Sunfish	-	-	-	-	-	-	-	0
Centrarchidae	Bluegill	-	1	-	1	-	1	1	4
Centrarchidae	Longear Sunfish	-	-	-	-	-	-	-	0
Centrarchidae	Smallmouth Bass	-	-	-	1	-	-	-	1
Centrarchidae	Largemouth Bass	1	1	5	3	2	2	3	17
Centrarchidae	White Crappie	4	-	1	1	1	-	-	7
Centrarchidae	Black Crappie	-	-	-	-	-	-	-	0
Percidae	Yellow Perch	-	-	-	-	-	-	-	0
Percidae	Bigscale Logperch	-	-	-	1	-	-	-	1
Percidae	Walleye	-	-	-	-	-	-	-	0
Sciaenidae	Freshwater Drum	-	-	-	-	-	-	-	0
Monthly Totals		3,555	3,117	10,297	12,618	7,424	14,701	19,507	71,219

APPENDIX A (Sampling Sites)

Middle Rio Grande Fish Sampling Sites

Table A - 1. Sampling reaches and standard sites for population monitoring of Rio Grande Silvery Minnow in the Middle Rio Grande.

Reach and Site	Locality
Angostura Reach	
1	New Mexico, Sandoval County, Rio Grande, just downstream of Angostura Diversion Dam, Algodones. River Mile: 209.9; UTM Easting: 363665; UTM Northing: 3916331; Zone: 13; Datum: NAD83
2	New Mexico, Sandoval County, Rio Grande, at US HWY 550 bridge crossing, Bernalillo. River Mile: 203.9; UTM Easting: 358457; UTM Northing: 3909887; Zone: 13; Datum: NAD83
3	New Mexico, Sandoval County, Rio Grande, ca. 4.0 mi downstream of US HWY 550 bridge crossing, Rio Rancho. River Mile: 199.9; UTM Easting: 354728; UTM Northing: 3905587; Zone: 13; Datum: NAD83
4	New Mexico, Bernalillo County, Rio Grande, at Central Ave. bridge crossing (US HWY 66), Albuquerque. River Mile: 183.4; UTM Easting: 346719; UTM Northing: 3884331; Zone: 13; Datum: NAD83
5	New Mexico, Bernalillo County, Rio Grande, at Rio Bravo Blvd. bridge crossing (NM State HWY 500), Albuquerque. River Mile: 178.4; UTM Easting: 347468; UTM Northing: 3877400; Zone: 13; Datum: NAD83
Isleta Reach	
6	New Mexico, Valencia County, Rio Grande, just upstream of NM State HWY 6 bridge crossing, Los Lunas. River Mile: 161.7; UTM Easting: 343149; UTM Northing: 3853187; Zone: 13; Datum: NAD83
7	New Mexico, Valencia County, Rio Grande, ca. 1.0 mi upstream of NM State HWY 309 bridge crossing, Belen. River Mile: 150.8; UTM Easting: 340105; UTM Northing: 3837722; Zone: 13; Datum: NAD83
8	New Mexico, Valencia County, Rio Grande, ca. 2.2 mi upstream of NM State HWY 346 bridge crossing, Jarales. River Mile: 143.2; UTM Easting: 338020; UTM Northing: 3827545; Zone: 13; Datum: NAD83
9	New Mexico, Socorro County, Rio Grande, at US HWY 60 bridge crossing, Bernardo. River Mile: 130.6; UTM Easting: 334578; UTM Northing: 3809921; Zone: 13; Datum: NAD83
10	New Mexico, Socorro County, Rio Grande, ca. 3.7 mi downstream of US HWY 60 bridge crossing, Bernardo. River Mile: 126.8; UTM Easting: 330946; UTM Northing: 3805307; Zone: 13; Datum: NAD83
11	New Mexico, Socorro County, Rio Grande, ca. 1.2 mi upstream of San Acacia Diversion Dam, San Acacia. River Mile: 117.3; UTM Easting: 328152; UTM Northing: 3792564; Zone: 13; Datum: NAD83

Table A - 1. Sampling reaches and standard sites for population monitoring of Rio Grande Silvery Minnow in the Middle Rio Grande (continued).

Reach and Site	Locality
San Acacia Reach	
12	New Mexico, Socorro County, Rio Grande, just downstream of San Acacia Diversion Dam, San Acacia. River Mile: 115.6; UTM Easting: 325960; UTM Northing: 3792183; Zone: 13; Datum: NAD83
13	New Mexico, Socorro County, Rio Grande, ca. 1.5 mi downstream of San Acacia Diversion Dam, San Acacia. River Mile: 114.1; UTM Easting: 325390; UTM Northing: 3790397; Zone: 13; Datum: NAD83
14	New Mexico, Socorro County, Rio Grande, ca. 0.5 mi upstream of Socorro Low Flow Conveyance Channel bridge crossing, Socorro. River Mile: 99.6; UTM Easting: 327231; UTM Northing: 3771432; Zone: 13; Datum: NAD83
15	New Mexico, Socorro County, Rio Grande, ca. 4.5 mi upstream of US HWY 380 bridge crossing, San Antonio. River Mile: 92.0; UTM Easting: 328151; UTM Northing: 3761487; Zone: 13; Datum: NAD83
16	New Mexico, Socorro County, Rio Grande, at US HWY 380 bridge crossing, San Antonio. River Mile: 87.8; UTM Easting: 328907; UTM Northing: 3754926; Zone: 13; Datum: NAD83
17	New Mexico, Socorro County, Rio Grande, east of Bosque del Apache NWR headquarters, San Antonio. River Mile: 79.0; UTM Easting: 327219; UTM Northing: 3740906; Zone: 13; Datum: NAD83
18	New Mexico, Socorro County, Rio Grande, at San Marcial Railroad bridge crossing, San Marcial. River Mile: 68.3; UTM Easting: 315091; UTM Northing: 3728487; Zone: 13; Datum: NAD83
19	New Mexico, Socorro County, Rio Grande, ca. 8.0 mi downstream of San Marcial Railroad bridge crossing, San Marcial. River Mile: 60.1; UTM Easting: 309441; UTM Northing: 3718309; Zone: 13; Datum: NAD83
20	New Mexico, Socorro County, Rio Grande, ca. 10.0 mi downstream of San Marcial Railroad bridge crossing, San Marcial. River Mile: 58.5; UTM Easting: 307767; UTM Northing: 3716360; Zone: 13; Datum: NAD83

Table A - 2. Sampling reaches and additional sites for population monitoring of Rio Grande Silvery Minnow in the Middle Rio Grande.

Reach and Site	Locality
Angostura Reach	
21	New Mexico, Sandoval County, Rio Grande, ca. 4.4 miles upstream of Alameda Blvd. (NM State Hwy. 528) bridge crossing, Corrales. River Mile: 196.6; UTM Easting: 355531; UTM Northing: 3900626; Zone: 13; Datum: NAD83
22	New Mexico, Sandoval County, Rio Grande, ca. 1.1 miles upstream of Alameda Blvd. (NM State Hwy. 528) bridge crossing, Corrales. River Mile: 193.1; UTM Easting: 351562; UTM Northing: 3897190; Zone: 13; Datum: NAD83
23	New Mexico, Bernalillo County, Rio Grande, ca. 1.0 miles downstream of Paseo del Norte Blvd. (NM State Hwy. 423) bridge crossing Albuquerque. River Mile: 190.0; UTM Easting: 349214; UTM Northing: 3893063; Zone: 13; Datum: NAD83
24	New Mexico, Bernalillo County, Rio Grande, ca. 1.1 miles upstream of I-40 bridge crossing, Albuquerque. River Mile: 186.1; UTM Easting: 346011; UTM Northing: 3887973; Zone: 13; Datum: NAD83
25	New Mexico, Bernalillo County, Rio Grande, ca. 1.5 miles upstream of I-25 bridge crossing, Isleta. River Mile: 174.0; UTM Easting: 345900; UTM Northing: 3870990; Zone: 13; Datum: NAD83
Isleta Reach	
26	New Mexico, Valencia County, Rio Grande, ca. 4.1 miles upstream of NM State Hwy. 6 bridge crossing, Los Lunas. River Mile: 165.2; UTM Easting: 342799; UTM Northing: 3858637; Zone: 13; Datum: NAD83
27	New Mexico, Valencia County, Rio Grande, ca. 6.2 miles upstream of NM State Hwy. 309 bridge crossing, Belen. River Mile: 156.0; UTM Easting: 340647; UTM Northing: 3845146; Zone: 13; Datum: NAD83
28	New Mexico, Socorro County, Rio Grande, ca. 6.3 miles upstream of U.S. Hwy. 60 bridge crossing, Bernardo. River Mile: 137.1; UTM Easting: 335554; UTM Northing: 3819543; Zone: 13; Datum: NAD83
29	New Mexico, Socorro County, Rio Grande, ca. 1.5 miles upstream of confluence with the Rio Salado, San Acacia. River Mile: 120.1; UTM Easting: 330498; UTM Northing: 3795053; Zone: 13; Datum: NAD83
San Acacia Reach	
30	New Mexico, Socorro County, Rio Grande, ca. 2.6 miles upstream of Pueblitos Rd. bridge crossing, Escondida. River Mile: 107.1; UTM Easting: 326303; UTM Northing: 3781123; Zone: 13; Datum: NAD83

Table A - 3. Sampling reaches and replacement sites for population monitoring of Rio Grande Silvery Minnow in the Middle Rio Grande.

Reach and Site	Locality
Isleta Reach	
44	New Mexico, Valencia County, Rio Grande, ca. 1.0 mi upstream of NM State HWY 309 bridge crossing, Belen. River Mile: 150.5; UTM Easting: 340084; UTM Northing: 3837308; Zone: 13; Datum: NAD83
San Acacia Reach	
51	New Mexico, Socorro County, Rio Grande, ca. 5.0 mi downstream of San Acacia Diversion Dam, San Acacia. River Mile: 110.8; UTM Easting: 325855; UTM Northing: 3786216; Zone: 13; Datum: NAD83
52	New Mexico, Socorro County, Rio Grande, ca. 2.2 mi. downstream of Pueblitos Rd. bridge crossing, Escondida. River Mile: 101.7; UTM Easting: 327091; UTM Northing: 3773950; Zone: 13; Datum: NAD83
53	New Mexico, Socorro County, Rio Grande, ca. 3.1 mi downstream of the Socorro Low Flow Conveyance Channel bridge crossing, Socorro. River Mile: 96.0; UTM Easting: 327933; UTM Northing: 3766570; Zone: 13; Datum: NAD83
54	New Mexico, Socorro County, Rio Grande, ca. 4.7 mi. downstream of Socorro LFCC bridge crossing, Socorro. River Mile: 94.2; UTM Easting: 327288; UTM Northing: 3764453; Zone: 13; Datum: NAD83
56	New Mexico, Socorro County, Rio Grande, ca. 2.1 miles upstream of San Antonio bridge crossing, San Antonio. River Mile: 89.3; UTM Easting: 329188; UTM Northing: 3758027; Zone: 13; Datum: NAD83
58	New Mexico, Socorro County, Rio Grande, ca. 1.8 mi. upstream of San Marcial Railroad bridge crossing, San Marcial. River Mile: 70.1; UTM Easting: 318083; UTM Northing: 3728535; Zone: 13; Datum: NAD83
59	New Mexico, Socorro County, Rio Grande, ca. 5.1 mi. downstream of San Marcial Railroad bridge crossing, San Marcial. River Mile: 63.3; UTM Easting: 313269; UTM Northing: 3721434; Zone: 13; Datum: NAD83
60	New Mexico, Socorro County, Rio Grande, ca. 6.4 mi. downstream of San Marcial Railroad bridge crossing, San Marcial. River Mile: 61.8; UTM Easting: 311422; UTM Northing: 3719873; Zone: 13; Datum: NAD83

APPENDIX B (Site-Specific Population Monitoring Data)

Site-specific data, collected in October 2020, as part of the
Rio Grande Silvery Minnow Population Monitoring Program

**** Data are provisional and should be verified by direct inspection of field data ****

Rio Grande Silvery Minnow Population Monitoring October 2020

NEW MEXICO: SANDOVAL County, RIO GRANDE Drainage
Rio Grande, just downstream of Angostura Diversion Dam, Algodones.
Site Number: 1 River Mile: 209.9
UTM Easting: 363665 UTM Northing: 3916331 Zone: 13
Collector(s): R.K. Dudley, T.O. Robbins, J.G. Ditty

RKD20-153

07 October 2020
USGS Quad: San Felipe Pueblo
Effort: 433.9 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	31
76	<i>Pimephales promelas</i>	18
76	<i>Platygobio gracilis</i>	15
76	<i>Rhinichthys cataractae</i>	10
81	<i>Catostomus commersonii</i>	8
93	<i>Ameiurus natalis</i>	1
93	<i>Ictalurus punctatus</i>	1
212	<i>Gambusia affinis</i>	100
294	<i>Lepomis macrochirus</i>	1
294	<i>Micropterus salmoides</i>	1

NEW MEXICO: SANDOVAL County, RIO GRANDE Drainage
Rio Grande, at US HWY 550 bridge crossing, Bernalillo.
Site Number: 2 River Mile: 203.9
UTM Easting: 358457 UTM Northing: 3909887 Zone: 13
Collector(s): R.K. Dudley, T.O. Robbins, J.G. Ditty

RKD20-155

07 October 2020
USGS Quad: Bernalillo
Effort: 500.5 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	495
76	<i>Cyprinus carpio</i>	1
76	<i>Pimephales promelas</i>	11
76	<i>Platygobio gracilis</i>	252
76	<i>Rhinichthys cataractae</i>	8
81	<i>Catostomus commersonii</i>	1
93	<i>Ictalurus punctatus</i>	3
212	<i>Gambusia affinis</i>	9

Rio Grande Silvery Minnow Population Monitoring October 2020

NEW MEXICO: SANDOVAL County, RIO GRANDE Drainage

RKD20-154

Rio Grande, ca. 4.0 mi downstream of US HWY 550 bridge crossing, Rio Rancho.

Site Number: 3

River Mile: 199.9

07 October 2020

UTM Easting: 354728

UTM Northing: 3905587

Zone: 13

USGS Quad: Bernalillo

Collector(s): R.K. Dudley, T.O. Robbins, J.G. Ditty

Effort: 459.0 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	250
76	<i>Pimephales promelas</i>	10
76	<i>Platygobio gracilis</i>	81
76	<i>Rhinichthys cataractae</i>	18
81	<i>Carpionodes carpio</i>	21
81	<i>Catostomus commersonii</i>	23
93	<i>Ameiurus natalis</i>	1
93	<i>Ictalurus punctatus</i>	13
212	<i>Gambusia affinis</i>	26
294	<i>Micropterus salmoides</i>	1

Rio Grande Silvery Minnow Population Monitoring October 2020

NEW MEXICO: Sandoval County, RIO GRANDE Drainage

RKD20-165

Rio Grande, ca. 4.5 mi upstream of Alameda Blvd. bridge crossing (NM State HWY 528), Corrales.

Site Number: 21

River Mile: 196.5

06 October 2020

UTM Easting: 355670

UTM Northing: 3900620

Zone: 13

USGS Quad: Alameda

Collector(s): R.K. Dudley, T.O. Robbins, J.G. Ditty

Effort: 445.0 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	726
76	<i>Hybognathus amarus</i> *	3
76	<i>Pimephales promelas</i>	20
76	<i>Platygobio gracilis</i>	58
76	<i>Rhinichthys cataractae</i>	3
81	<i>Carpoides carpio</i>	1
81	<i>Catostomus commersonii</i>	14
93	<i>Ictalurus punctatus</i>	1
212	<i>Gambusia affinis</i>	32

***Hybognathus amarus (age-classes):**

age-0	
age-1	3
age-2+	

NEW MEXICO: Sandoval County, RIO GRANDE Drainage

RKD20-164

Rio Grande, ca. 1.0 mi upstream of Alameda Blvd. bridge crossing (NM State HWY 528), Corrales.

Site Number: 22

River Mile: 193.0

06 October 2020

UTM Easting: 351565

UTM Northing: 3897088

Zone: 13

USGS Quad: Los Griegos

Collector(s): R.K. Dudley, T.O. Robbins, J.G. Ditty

Effort: 523.1 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	61
76	<i>Pimephales promelas</i>	3
76	<i>Platygobio gracilis</i>	72
81	<i>Carpoides carpio</i>	14
81	<i>Catostomus commersonii</i>	17
212	<i>Gambusia affinis</i>	45

Rio Grande Silvery Minnow Population Monitoring October 2020

NEW MEXICO: Bernalillo County, RIO GRANDE Drainage

RKD20-163

Rio Grande, ca. 1.2 mi downstream of Paseo del Norte Blvd. bridge crossing (NM State HWY 423), Albuquerque.

Site Number: 23

River Mile: 189.9

06 October 2020

UTM Easting: 349121

UTM Northing: 3893113

Zone: 13

USGS Quad: Los Griegos

Collector(s): R.K. Dudley, T.O. Robbins, J.G. Ditty

Effort: 573.0 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	169
76	<i>Pimephales promelas</i>	3
76	<i>Platygobio gracilis</i>	15
81	<i>Carpoides carpio</i>	3
81	<i>Catostomus commersonii</i>	5
93	<i>Ictalurus punctatus</i>	1

NEW MEXICO: Bernalillo County, RIO GRANDE Drainage

RKD20-162

Rio Grande, ca. 1.1 mi upstream of US Interstate HWY I-40 bridge crossing, Albuquerque.

Site Number: 24

River Mile: 186.1

06 October 2020

UTM Easting: 346011

UTM Northing: 3887973

Zone: 13

USGS Quad: Albuquerque West

Collector(s): R.K. Dudley, T.O. Robbins, J.G. Ditty

Effort: 554.0 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	106
76	<i>Pimephales promelas</i>	28
76	<i>Platygobio gracilis</i>	6
81	<i>Carpoides carpio</i>	139
81	<i>Catostomus commersonii</i>	1
93	<i>Ameiurus natalis</i>	1
93	<i>Ictalurus punctatus</i>	10
212	<i>Gambusia affinis</i>	83

Rio Grande Silvery Minnow Population Monitoring October 2020

NEW MEXICO: BERNALILLO County, RIO GRANDE Drainage
Rio Grande, at Central Ave. bridge crossing (US HWY 66), Albuquerque.
Site Number: 4 River Mile: 183.4
UTM Easting: 346719 UTM Northing: 3884331 Zone: 13
Collector(s): R.K. Dudley, S.L. Clark-Barkalow, J.G. Mortensen

RKD20-152

01 October 2020
USGS Quad: Albuquerque West
Effort: 504.8 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	78
76	<i>Pimephales promelas</i>	2
76	<i>Platygobio gracilis</i>	8
76	<i>Rhinichthys cataractae</i>	5
81	<i>Carpoides carpio</i>	135
81	<i>Catostomus commersonii</i>	5
93	<i>Ictalurus punctatus</i>	51
212	<i>Gambusia affinis</i>	61

NEW MEXICO: BERNALILLO County, RIO GRANDE Drainage
Rio Grande, at Rio Bravo Blvd. bridge crossing (NM State HWY 500), Albuquerque.
Site Number: 5 River Mile: 178.4
UTM Easting: 347468 UTM Northing: 3877400 Zone: 13
Collector(s): R.K. Dudley, S.L. Clark-Barkalow, J.G. Mortensen

RKD20-151

01 October 2020
USGS Quad: Albuquerque West
Effort: 492.2 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	32
76	<i>Pimephales promelas</i>	10
76	<i>Platygobio gracilis</i>	1
81	<i>Carpoides carpio</i>	2
93	<i>Ameiurus natalis</i>	1
212	<i>Gambusia affinis</i>	480

Rio Grande Silvery Minnow Population Monitoring October 2020

NEW MEXICO: Bernalillo County, RIO GRANDE Drainage

RKD20-161

Rio Grande, ca. 1.4 mi upstream of US Interstate HWY I-25 bridge crossing, Isleta.

Site Number: 25

River Mile: 174.0

05 October 2020

UTM Easting: 345874

UTM Northing: 3870990

Zone: 13

USGS Quad: Isleta

Collector(s): R.K. Dudley, M.A. Farrington, J.G. Ditty

Effort: 546.4 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
212	<i>Gambusia affinis</i>	108

NEW MEXICO: Valencia County, RIO GRANDE Drainage

RKD20-160

Rio Grande, ca. 4.1 mi upstream of NM State HWY 6 bridge crossing, Los Lunas.

Site Number: 26

River Mile: 165.2

02 October 2020

UTM Easting: 342799

UTM Northing: 3858637

Zone: 13

USGS Quad: Los Lunas

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, J.G. Mortensen

Effort: 527.6 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	553
76	<i>Cyprinus carpio</i>	7
76	<i>Hybognathus amarus*</i>	17
76	<i>Pimephales promelas</i>	2
81	<i>Carpoides carpio</i>	21
93	<i>Ictalurus punctatus</i>	14
212	<i>Gambusia affinis</i>	79

***Hybognathus amarus (age-classes):**

age-0	1
age-1	
age-2+	16

Rio Grande Silvery Minnow Population Monitoring October 2020

NEW MEXICO: VALENCIA County, RIO GRANDE Drainage

RKD20-150

Rio Grande, just upstream of NM State HWY 6 bridge crossing, Los Lunas.

Site Number: 6

River Mile: 161.7

01 October 2020

UTM Easting: 343149

UTM Northing: 3853187

Zone: 13

USGS Quad: Los Lunas

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, J.G. Mortensen

Effort: 523.1 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	292
76	<i>Pimephales promelas</i>	18
81	<i>Carpionodes carpio</i>	10
93	<i>Ictalurus punctatus</i>	1
212	<i>Gambusia affinis</i>	626

NEW MEXICO: Valencia County, RIO GRANDE Drainage

RKD20-159

Rio Grande, ca. 6.5 mi upstream of NM State HWY 309 bridge crossing, Belen.

Site Number: 27

River Mile: 156.0

05 October 2020

UTM Easting: 340512

UTM Northing: 3845124

Zone: 13

USGS Quad: Tome

Collector(s): R.K. Dudley, M.A. Farrington, J.G. Ditty

Effort: sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
	Site Dry	

Rio Grande Silvery Minnow Population Monitoring October 2020

NEW MEXICO: VALENCIA County, RIO GRANDE Drainage

RKD20-149

Rio Grande, ca. 1.0 mi upstream of NM State HWY 309 bridge crossing, Belen.

Site Number: 7

River Mile: 150.8

01 October 2020

UTM Easting: 340105

UTM Northing: 3837722

Zone: 13

USGS Quad: Tome

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, J.G. Mortensen

Effort: 469.4 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	2285
76	<i>Cyprinus carpio</i>	5
76	<i>Hybognathus amarus*</i>	12
76	<i>Pimephales promelas</i>	175
81	<i>Carpoides carpio</i>	25
93	<i>Ictalurus punctatus</i>	5
212	<i>Gambusia affinis</i>	23

***Hybognathus amarus (age-classes):**

age-0	
age-1	1
age-2+	11

NEW MEXICO: VALENCIA County, RIO GRANDE Drainage

RKD20-168

Rio Grande, ca. 1.0 mi upstream of NM State Hwy 309 bridge crossing, Belen.

Site Number: 44

River Mile: 150.5

05 October 2020

UTM Easting: 340084

UTM Northing: 3837308

Zone: 13

USGS Quad: Tome

Collector(s): R.K. Dudley, M.A. Farrington, J.G. Ditty

Effort: 539.7 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	594
76	<i>Hybognathus amarus*</i>	1
76	<i>Pimephales promelas</i>	51
81	<i>Carpoides carpio</i>	19
93	<i>Ameiurus natalis</i>	1
93	<i>Ictalurus punctatus</i>	1
212	<i>Gambusia affinis</i>	280

***Hybognathus amarus (age-classes):**

age-0	1
age-1	
age-2+	

Rio Grande Silvery Minnow Population Monitoring September 2020

NEW MEXICO: VALENCIA County, RIO GRANDE Drainage

RKD20-148

Rio Grande, ca. 2.2 mi upstream of NM State HWY 346 bridge crossing, Jarales.

Site Number: 8

River Mile: 143.2

30 September 2020

UTM Easting: 338020

UTM Northing: 3827545

Zone: 13

USGS Quad: Veguita

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, J.G. Mortensen

Effort: 548.9 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	163
212	<i>Gambusia affinis</i>	552

NEW MEXICO: Socorro County, RIO GRANDE Drainage

RKD20-158

Rio Grande, ca. 3.8 mi downstream of NM State HWY 346 bridge crossing, Jarales.

Site Number: 28

River Mile: 137.0

02 October 2020

UTM Easting: 335506

UTM Northing: 3819543

Zone: 13

USGS Quad: Veguita

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, J.G. Mortensen

Effort: 463.6 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	517
76	<i>Cyprinus carpio</i>	1
212	<i>Gambusia affinis</i>	269

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage

RKD20-147

Rio Grande, at US HWY 60 bridge crossing, Bernardo.

Site Number: 9

River Mile: 130.6

30 September 2020

UTM Easting: 334578

UTM Northing: 3809921

Zone: 13

USGS Quad: Abeytas

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, J.G. Mortensen

Effort: 551.2 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	321
212	<i>Gambusia affinis</i>	58

Rio Grande Silvery Minnow Population Monitoring September 2020

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage

RKD20-146

Rio Grande, ca. 3.7 mi downstream of US HWY 60 bridge crossing, Bernardo.

Site Number: 10

River Mile: 126.8

30 September 2020

UTM Easting: 330946

UTM Northing: 3805307

Zone: 13

USGS Quad: Abeytas

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, J.G. Mortensen

Effort: 502.5 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	906
76	<i>Pimephales promelas</i>	4
212	<i>Gambusia affinis</i>	52
294	<i>Micropterus salmoides</i>	1

NEW MEXICO: Socorro County, RIO GRANDE Drainage

RKD20-157

Rio Grande, ca. 1.4 mi upstream of the Rio Salado confluence, San Acacia.

Site Number: 29

River Mile: 120.0

02 October 2020

UTM Easting: 330550

UTM Northing: 3795050

Zone: 13

USGS Quad: La Joya

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, J.G. Mortensen

Effort: 478.4 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	250
76	<i>Hybognathus amarus</i> *	3
76	<i>Pimephales promelas</i>	1
76	<i>Platygobio gracilis</i>	1
93	<i>Ictalurus punctatus</i>	5
212	<i>Gambusia affinis</i>	167

***Hybognathus amarus (age-classes):**

age-0	1
age-1	
age-2+	2

Rio Grande Silvery Minnow Population Monitoring September 2020

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage

RKD20-145

Rio Grande, ca. 1.2 mi upstream of San Acacia Diversion Dam, San Acacia.

Site Number: 11

River Mile: 117.3

30 September 2020

UTM Easting: 328152

UTM Northing: 3792564

Zone: 13

USGS Quad: La Joya

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, J.G. Mortensen

Effort: 537.5 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	282
76	<i>Cyprinus carpio</i>	1
76	<i>Hybognathus amarus</i> *	6
76	<i>Platygobio gracilis</i>	4
93	<i>Ictalurus punctatus</i>	4
212	<i>Gambusia affinis</i>	26

***Hybognathus amarus (age-classes):**

age-0	5
age-1	1
age-2+	

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage

RKD20-144

Rio Grande, just downstream of San Acacia Diversion Dam, San Acacia.

Site Number: 12

River Mile: 115.6

29 September 2020

UTM Easting: 325960

UTM Northing: 3792183

Zone: 13

USGS Quad: San Acacia

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, J.G. Mortensen

Effort: 489.3 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	1751
76	<i>Cyprinus carpio</i>	8
76	<i>Hybognathus amarus</i> *	1
76	<i>Pimephales promelas</i>	3
76	<i>Platygobio gracilis</i>	39
81	<i>Carpionodes carpio</i>	5
93	<i>Ictalurus punctatus</i>	1
212	<i>Gambusia affinis</i>	148

***Hybognathus amarus (age-classes):**

age-0	
age-1	
age-2+	1

Rio Grande Silvery Minnow Population Monitoring September 2020

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage

RKD20-143

Rio Grande, ca. 1.5 mi downstream of San Acacia Diversion Dam, San Acacia.

Site Number: 13

River Mile: 114.1

29 September 2020

UTM Easting: 325390

UTM Northing: 3790397

Zone: 13

USGS Quad: Lemitar

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, J.G. Mortensen

Effort: 512.3 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	715
76	<i>Cyprinus carpio</i>	3
76	<i>Pimephales promelas</i>	1
76	<i>Platygobio gracilis</i>	53
76	<i>Rhinichthys cataractae</i>	3
81	<i>Carpodes carpio</i>	1
93	<i>Ictalurus punctatus</i>	1
212	<i>Gambusia affinis</i>	45

NEW MEXICO: Socorro County, RIO GRANDE Drainage

RKD20-156

Rio Grande, ca. 2.1 mi upstream of Pueblitos Rd. bridge crossing, Lemitar.

Site Number: 30

River Mile: 106.3

02 October 2020

UTM Easting: 326666

UTM Northing: 3780246

Zone: 13

USGS Quad: Lemitar

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, J.G. Mortensen

Effort: 490.9 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	465
76	<i>Cyprinus carpio</i>	2
76	<i>Hybognathus amarus</i> *	2
76	<i>Pimephales promelas</i>	2
76	<i>Platygobio gracilis</i>	14
81	<i>Carpodes carpio</i>	6
212	<i>Gambusia affinis</i>	4

***Hybognathus amarus (age-classes):**

age-0	
age-1	1
age-2+	1

Rio Grande Silvery Minnow Population Monitoring September 2020

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage

RKD20-142

Rio Grande, ca. 0.5 mi upstream of Socorro Low Flow Conveyance Channel bridge crossing, Socorro.

Site Number: 14

River Mile: 99.6

29 September 2020

UTM Easting: 327231

UTM Northing: 3771432

Zone: 13

USGS Quad: Loma de las Canas

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, J.G. Mortensen

Effort: 492.7 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	895
81	<i>Carpoides carpio</i>	2
212	<i>Gambusia affinis</i>	2

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage

RKD20-167

Rio Grande, ca. 3.1 mi downstream of the Socorro Low Flow Conveyance Channel bridge crossing, Socorro.

Site Number: 53

River Mile: 95.9

29 September 2020

UTM Easting: 327933

UTM Northing: 3766550

Zone: 13

USGS Quad: Loma de las Canas

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, J.G. Mortensen

Effort: 494.3 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	1
76	<i>Hybognathus amarus*</i>	2

***Hybognathus amarus (age-classes):**

age-0	
age-1	1
age-2+	1

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage

RKD20-141

Rio Grande, ca. 4.5 mi upstream of US HWY 380 bridge crossing, San Antonio.

Site Number: 15

River Mile: 92.0

29 September 2020

UTM Easting: 328151

UTM Northing: 3761487

Zone: 13

USGS Quad: San Antonio

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, J.G. Mortensen

Effort: sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
	<i>Site Dry</i>	

Rio Grande Silvery Minnow Population Monitoring September 2020

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage

Rio Grande, at US HWY 380 bridge crossing, San Antonio.

Site Number: 16

River Mile: 87.8

UTM Easting: 328907

UTM Northing: 3754926

Zone: 13

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, J.G. Mortensen

RKD20-140

29 September 2020

USGS Quad: San Antonio

Effort: sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
	<i>Site Dry</i>	

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage

Rio Grande, east of Bosque del Apache NWR headquarters, San Antonio.

Site Number: 17

River Mile: 79.0

UTM Easting: 327219

UTM Northing: 3740906

Zone: 13

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, J.G. Mortensen

RKD20-139

28 September 2020

USGS Quad: San Antonio SE

Effort: 7.5 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
212	<i>Gambusia affinis</i>	3

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage

Rio Grande, at San Marcial Railroad bridge crossing, San Marcial.

Site Number: 18

River Mile: 68.3

UTM Easting: 315091

UTM Northing: 3728487

Zone: 13

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, J.G. Mortensen

RKD20-138

28 September 2020

USGS Quad: San Marcial

Effort: 111.3 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
69	<i>Dorosoma cepedianum</i>	237
76	<i>Cyprinella lutrensis</i>	83
76	<i>Cyprinus carpio</i>	8
76	<i>Hybognathus amarus*</i>	4
81	<i>Carpoides carpio</i>	1
93	<i>Ictalurus punctatus</i>	7
212	<i>Gambusia affinis</i>	14

***Hybognathus amarus (age-classes):**

age-0	3
age-1	1
age-2+	

Rio Grande Silvery Minnow Population Monitoring October 2020

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage

RKD20-166

Rio Grande, ca. 5.1 mi downstream of San Marcial Railroad bridge crossing, San Marcial.

Site Number: 59

River Mile: 63.3

05 October 2020

UTM Easting: 313269

UTM Northing: 3721434

Zone: 13

USGS Quad: Paraje Well

Collector(s): R.K. Dudley, M.A. Farrington, J.G. Ditty

Effort: 360.2 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
69	<i>Dorosoma cepedianum</i>	16
76	<i>Cyprinella lutrensis</i>	1261
76	<i>Cyprinus carpio</i>	1
93	<i>Ictalurus punctatus</i>	1
212	<i>Gambusia affinis</i>	115

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage

RKD20-137

Rio Grande, ca. 8.0 mi downstream of San Marcial Railroad bridge crossing, San Marcial.

Site Number: 19

River Mile: 60.1

28 September 2020

UTM Easting: 309441

UTM Northing: 3718309

Zone: 13

USGS Quad: Paraje Well

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, J.G. Mortensen

Effort: 456.0 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
69	<i>Dorosoma cepedianum</i>	1
76	<i>Cyprinella lutrensis</i>	264
212	<i>Gambusia affinis</i>	68

Rio Grande Silvery Minnow Population Monitoring September 2020

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage

RKD20-136

Rio Grande, ca. 10.0 mi downstream of San Marcial Railroad bridge crossing, San Marcial.

Site Number: 20

River Mile: 58.5

28 September 2020

UTM Easting: 307767

UTM Northing: 3716360

Zone: 13

USGS Quad: Paraje Well

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, J.G. Mortensen

Effort: 434.1 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
69	<i>Dorosoma cepedianum</i>	2
76	<i>Cyprinella lutrensis</i>	457
76	<i>Pimephales promelas</i>	1
76	<i>Pimephales vigilax</i>	1
212	<i>Gambusia affinis</i>	47