



RIO GRANDE SILVERY MINNOW POPULATION MONITORING DURING AUGUST 2021

**A U.S. BUREAU OF RECLAMATION FUNDED
RESEARCH PROGRAM**



15 September 2021

RIO GRANDE SILVERY MINNOW POPULATION MONITORING DURING AUGUST 2021

**A U.S. BUREAU OF RECLAMATION FUNDED
RESEARCH PROGRAM**

Contract 140R4019P0048:

Requisition 0040524614
U.S. Bureau of Reclamation
Albuquerque Area Office
555 Broadway NE, Suite 100
Albuquerque, NM 87102

Submitted to:

U.S. Bureau of Reclamation
Albuquerque Area Office
555 Broadway NE, Suite 100
Albuquerque, NM 87102

Robert K. Dudley^{1,2}, Steven P. Platania^{1,2}, and Gary C. White^{1,3}

¹ American Southwest Ichthyological Researchers (ASIR); 800 Encino Place NE; Albuquerque, NM 87102
&

² Museum of Southwestern Biology (Fishes), Biology, UNM; MSC03-2020; Albuquerque, NM 87131
&

³ Fish, Wildlife, and Conservation Biology, CSU; 10 Wagar; Fort Collins, CO 80523

SUMMARY OF AUGUST 2021 POPULATION MONITORING

The August 2021 population monitoring efforts were conducted at the 20 standard sites. Five sites were located in the Angostura Reach, six sites were located in the Isleta Reach, and nine sites were located in the San Acacia Reach. For the 2021 monthly trends, data were based on all sites (i.e., standard, additional, and replacement sites) to maintain consistency across all monthly reports. A list of all collection localities is appended (Appendix A). Adult and juvenile fish were obtained by rapidly drawing a 3.0 m x 1.8 m small-mesh (ca. 5 mm) seine through discrete mesohabitats. Larval fish were collected with a 1.2 m x 1.2 m fine-mesh (ca. 1 mm) seine. All fishes were identified to species and enumerated. We used length-age relationships to assign ages (i.e., age-0, age-1, and age-2+) to all Rio Grande Silvery Minnow collected. Age-0 individuals are only present, however, after annual spring spawning (ca. April–June). Figures illustrating fish densities (i.e., fish per 100 m²) were prepared for the ten focal species to facilitate comparisons across reaches.

Angostura Reach

From 16 July to 15 August, provisional mean daily discharge in the Angostura Reach (Rio Grande at Albuquerque, NM; USGS Gage 08330000) averaged 304 ft³/s and ranged from 137 to 588 ft³/s. Water temperatures ranged from 22.1 to 26.8 °C during the Angostura Reach sampling efforts (ca. 0830–1530 h). Secchi disk measurements of water clarity ranged from 3 to 10 cm.

Sampling for fishes in the Angostura Reach during August yielded 1,845 individuals with a cumulative fish density of 69.9 individuals per 100 m² sampled. The overall sampling effort in the Angostura Reach covered 2,638.3 m² (surface area) of water. Densities of all fish species combined ranged from 43.6 to 83.5 individuals per 100 m² at the different sampling sites. In August, there were 11 fish species collected in the Angostura Reach. Red Shiner was the most abundant taxon (n = 1,049), followed by Channel Catfish (n = 300), and Flathead Chub (n = 195). We collected Rio Grande Silvery Minnow (n = 10) in 8 of the 95 seine hauls that yielded fish, and its overall density was 0.38 (range = 0.00–0.98) individuals per 100 m².

Isleta Reach

Provisional mean daily discharge in the Isleta Reach (Rio Grande near Bosque Farms, NM; USGS Gage 08331160), from 16 July to 15 August, averaged 89 ft³/s and ranged from 17 to 334 ft³/s. During the Isleta Reach sampling efforts (ca. 0930–1600 h), water temperatures ranged from 23.7 to 32.1 °C. Secchi disk measurements ranged from 1 to 6 cm during sampling.

Isleta Reach population monitoring efforts produced 2,050 individuals in August with a cumulative fish density of 66.8 individuals per 100 m² sampled. The total sampling effort in the Isleta Reach during August covered 3,070.8 m² (surface area) of water. Fish densities (all species combined) at the sampling sites ranged from 6.2 to 117.6 individuals per 100 m² sampled. There were 9 fish species collected in the Isleta Reach during August. Red Shiner was the most abundant taxon (n = 1,444), followed by Western Mosquitofish (n = 372), and Channel Catfish (n = 123). We collected Rio Grande Silvery Minnow (n = 16) in 11 of the 100 seine hauls that yielded fish, and its overall density was 0.52 (range = 0.00–1.91) individuals per 100 m².

San Acacia Reach

From 16 July to 15 August, provisional mean daily discharge at San Acacia (Rio Grande Floodway at San Acacia, NM; USGS Gage 08354900) was generally higher (average = 200; range = 20–1,750 ft³/s) than at San Marcial (Rio Grande Floodway at San Marcial, NM; USGS Gage 08358400) during the same period (average = 101; range = 6–814 ft³/s). Water temperatures in August for the San Acacia Reach ranged from 24.0 to 28.0 °C (ca. 0930–1600 h). Secchi disk measurements ranged from 0 to 1 cm during sampling.

Population monitoring efforts in the San Acacia Reach during August yielded 268 individuals with a cumulative fish density of 5.8 individuals per 100 m² sampled. Sampling in the San Acacia Reach covered an area of 4,630.6 m² of water. Fish densities (all species combined) ranged from 1.3 to 13.6 individuals per 100 m² at sites sampled in the San Acacia Reach. In August, there were 10 fish species collected in the San Acacia Reach. Red Shiner was the most abundant taxon (n = 112), followed by Rio Grande Silvery Minnow (n = 61), and Western Mosquitofish (n = 45). We collected Rio Grande Silvery Minnow (n = 61) in 24 of the 83 seine hauls that yielded fish, and its overall density was 1.32 (range = 0.00–5.47) individuals per 100 m².

All Sites

During August, sampling covered 10,339.7 m² (surface area) of water and yielded 4,163 fish. There were no dry sampling sites. Cumulative fish density during August was 40.26 individuals per 100 m² sampled. The three most common species were Red Shiner (n = 2,605), Western Mosquitofish (n = 557), and Channel Catfish (n = 429). The sampling sites yielded a total of 12 fish species.

Rio Grande Silvery Minnow was present in 43 of the 278 seine hauls that yielded fish and at 14 of the 20 sampling sites. Densities of unmarked and marked individuals were 0.84 (n = 87) and 0.00 (n = 0) individuals per 100 m² sampled, respectively. Densities of age-0, age-1, and age-2+ individuals were 0.83 (n = 86), 0.01 (n = 1), and 0.00 (n = 0) individuals per 100 m² sampled, respectively. Based on all August surveys since 1993, the overall density of Rio Grande Silvery Minnow averaged 9.18 (range = 0.05–41.58) individuals per 100 m² sampled. During August 2021, its overall density was 0.84 (n = 87) individuals per 100 m² sampled.




Figure 1. Map of the study area, standard sites, and additional sites for the Rio Grande Silvery Minnow population monitoring study. Sampling site descriptions are provided in Appendix A.




Figure 2. Map of the study area, standard sites, and replacement sites for the Rio Grande Silvery Minnow population monitoring study. Sampling site descriptions are provided in Appendix A.




Figure 3. Rio Grande mean-daily discharge, by U.S. Geological Survey (USGS) gaging station, from 1 January 2020 to 15 August 2021. All discharge data are provisional and subject to change.

Table 1. Scientific names, common names, and species codes of fishes collected in the Middle Rio Grande since 1993.

Scientific Name	Common Name	Species Code
Order Clupeiformes		
Family Clupeidae	herrings	
<i>Dorosoma cepedianum</i>	Gizzard Shad	(DORCEP)
<i>Dorosoma petenense</i>	Threadfin Shad	(DORPET)
Order Cypriniformes		
Family Cyprinidae	carps and minnows	
<i>Campostoma anomalum</i>	Central Stoneroller	(CAMANO)
<i>Carassius auratus</i>	Goldfish	(CARAUR)
<i>Cyprinella lutrensis</i>	Red Shiner ¹	(CYPLUT)
<i>Cyprinus carpio</i>	Common Carp ¹	(CYPCAR)
<i>Gila pandora</i>	Rio Grande Chub	(GILPAN)
<i>Hybognathus amarus</i>	Rio Grande Silvery Minnow ¹	(HYBAMA)
<i>Notemigonus crysoleucas</i>	Golden Shiner	(NOTCRY)
<i>Pimephales promelas</i>	Fathead Minnow ¹	(PIMPRO)
<i>Pimephales vigilax</i>	Bullhead Minnow	(PIMVIG)
<i>Platygobio gracilis</i>	Flathead Chub ¹	(PLAGRA)
<i>Rhinichthys cataractae</i>	Longnose Dace ¹	(RHICAT)
Family Catostomidae	suckers	
<i>Carpoides carpio</i>	River Carpsucker ¹	(CARCAR)
<i>Catostomus commersonii</i>	White Sucker ¹	(CATCOM)
<i>Ictiobus bubalus</i>	Smallmouth Buffalo	(ICTBUB)
Order Siluriformes		
Family Ictaluridae	North American catfishes	
<i>Ameiurus melas</i>	Black Bullhead	(AMEMEL)
<i>Ameiurus natalis</i>	Yellow Bullhead	(AMENAT)
<i>Ictalurus furcatus</i>	Blue Catfish	(ICTFUR)
<i>Ictalurus punctatus</i>	Channel Catfish ¹	(ICTPUN)
<i>Pylodictis olivaris</i>	Flathead Catfish	(PYLOLI)
Family Loricariidae	suckermouth armored catfishes	
<i>Pterygoplichthys disjunctivus</i>	Vermiculated Sailfin Catfish	(PTEDIS)
Order Salmoniformes		
Family Salmonidae	trouts and salmons	
<i>Oncorhynchus mykiss</i>	Rainbow Trout	(ONCMYK)
<i>Salmo trutta</i>	Brown Trout	(SALTRU)

Table 1. Scientific names, common names, and species codes of fishes collected in the Middle Rio Grande since 1993 (continued).

Scientific Name	Common Name	Species Code
Order Cyprinodontiformes		
Family Poeciliidae	livebearers	
<i>Gambusia affinis</i> Western Mosquitofish ¹		
		(GAMAFF)
Order Perciformes		
Family Moronidae	temperate basses	
<i>Morone chrysops</i> White Bass		(MORCHR)
<i>Morone saxatilis</i> Striped Bass		(MORSAX)
Family Centrarchidae	sunfishes	
<i>Lepomis cyanellus</i> Green Sunfish		(LEPCYA)
<i>Lepomis macrochirus</i> Bluegill		(LEPMAC)
<i>Lepomis megalotis</i> Longear Sunfish		(LEPMEG)
<i>Micropterus dolomieu</i> Smallmouth Bass		(MICDOL)
<i>Micropterus salmoides</i> Largemouth Bass		(MICSAL)
<i>Pomoxis annularis</i> White Crappie		(POMANN)
<i>Pomoxis nigromaculatus</i> Black Crappie		(POMNIG)
Family Percidae	perches and darters	
<i>Perca flavescens</i> Yellow Perch		(PERFLA)
<i>Percina macrolepidota</i> Bigscale Logperch		(PERMAC)
<i>Sander vitreus</i> Walleye		(SANVIT)
Family Sciaenidae	drums and croakers	
<i>Aplodinotus grunniens</i> Freshwater Drum		(APLGRU)

¹ = Focal taxa were typically the 10 most abundant species collected during October.

Table 2. Rio Grande Silvery Minnow abundance, by reach, site, and mesohabitat, during August 2021.
 Marked and unmarked individuals were included. Blank cells indicate site-specific
 mesohabitats that were unavailable for sampling.

Reach	Site	Locality	BW	PO	RU	SHPO	SHRU	Total
Angostura	1	Angostura Dam		0	0	0	0	0
Angostura	2	Bernalillo		0	0	0	1	1
Angostura	3	Rio Rancho		0	0	0	0	0
Angostura	4	Central Ave.		0	0	0	4	4
Angostura	5	Rio Bravo Blvd.		0	0	2	3	5
<i>Angostura Totals</i>			0	0	0	2	8	10
Isleta	6	Los Lunas	2		1	4	3	10
Isleta	7	Belen	0	0	0	1	0	1
Isleta	8	Jarales	0	0	0	0	0	0
Isleta	9	Bernardo	0	0	0	0	1	1
Isleta	10	La Joya	1		0	0	1	2
Isleta	11	North of San Acacia		0	0	2	0	2
<i>Isleta Totals</i>			3	0	1	7	5	16
San Acacia	12	San Acacia Dam		0	0	0	0	0
San Acacia	13	South of San Acacia	0	0	0	0	1	1
San Acacia	14	Socorro		0	0	2	3	5
San Acacia	15	North of San Antonio			1	0	0	1
San Acacia	16	San Antonio	1	2	0	13	11	27
San Acacia	17	South of San Antonio	3		0	9	9	21
San Acacia	18	San Marcial	0	0	0	0	0	0
San Acacia	19	South of San Marcial 1			0	0	0	0
San Acacia	20	South of San Marcial 2			0	5	1	6
<i>San Acacia Totals</i>			4	2	1	29	25	61
Monthly Totals			7	2	2	38	38	87

Table 3. Rio Grande Silvery Minnow abundance, by reach, site, and month, during 2021. Marked individuals are shown in parentheses, as a subset of the site-specific total. Blank cells indicate months when a site was not visited or will not be visited.

Reach	Site	Locality	Apr	May	Jun	Jul	Aug	Sep	Oct	Total
Angostura	1	Angostura Dam	0	0	0	2(0)	0	0	0	2
Angostura	2	Bernalillo	2(0)	0	0	1(0)	1(0)	0	0	4
Angostura	3	Rio Rancho	1(0)	0	0	0	0	0	0	1
Angostura	21	Site 21	4(0)						0	4
Angostura	22	Site 22	0						0	0
Angostura	23	Site 23	0						0	0
Angostura	24	Site 24	1(1)						0	1
Angostura	4	Central Ave.	0	1(0)	26(0)	8(0)	4(0)	0	0	39
Angostura	5	Rio Bravo Blvd.	1(0)	1(0)	8(0)	54(0)	5(0)	0	0	69
Angostura	25	Site 25	0						0	0
<i>Angostura Totals</i>			9	2	34	65	10	0	0	120
Isleta	26	Site 26	0						0	0
Isleta	6	Los Lunas	1(0)	0	61(0)	39(0)	10(0)	0	0	111
Isleta	27	Site 27	2(1)						0	2
Isleta	7	Belen	1(0)	1(0)	1(0)	0	1(0)	0	0	4
Isleta	8	Jarales	0	1(0)	2(0)	1(0)	0	0	0	4
Isleta	28	Site 28	0						0	0
Isleta	9	Bernardo	1(0)	2(0)	1(0)	6(0)	1(0)	0	0	11
Isleta	10	La Joya	0	0	1(0)	4(0)	2(0)	0	0	7
Isleta	29	Site 29	2(0)						0	2
Isleta	11	North of San Acacia	0	0	3(0)	8(0)	2(0)	0	0	13
<i>Isleta Totals</i>			7	4	69	58	16	0	0	154
San Acacia	12	San Acacia Dam	1(0)	0	1(0)	1(0)	0	0	0	3
San Acacia	13	South of San Acacia	0	4(0)	1(0)	115(0)	1(0)	0	0	121
San Acacia	30	Site 30	0						0	0
San Acacia	14	Socorro	1(0)	0	4(0)	8(0)	5(0)	0	0	18
San Acacia	53	Site 53				3(0)				3
San Acacia	15	North of San Antonio	0	0	11(0)	0	1(0)	0	0	12
San Acacia	16	San Antonio	0	0	2(0)	0	27(0)	0	0	29
San Acacia	17	South of San Antonio	1(0)	4(0)	2(0)	1(0)	21(0)	0	0	29
San Acacia	18	San Marcial	0	0	43(0)	0	0	0	0	43
San Acacia	19	South of San Marcial 1	0	0	6(0)	91(0)	0	0	0	97
San Acacia	20	South of San Marcial 2	0	1(0)	0	0	6(0)	0	0	7
<i>San Acacia Totals</i>			3	9	70	219	61	0	0	362
Monthly Totals			19	15	173	342	87	0	0	636




Figure 4. Rio Grande Silvery Minnow densities based on all sites, by age-class and month, during 2021. Marked and unmarked individuals were included.

Table 4. Ichthyofaunal summary based on all sites, by species, during August 2021. Marked and unmarked Rio Grande Silvery Minnow were included. Dashes (-) indicate species that were absent during sampling.

Family	Common Name	Residence Status ¹	Total Number of Individuals	Percent (%) of Total	Frequency of Occurrence ²	% Frequency of Occurrence ²
Clupeidae	Gizzard Shad	N	-	-	-	-
Clupeidae	Threadfin Shad	I	-	-	-	-
Cyprinidae	Central Stoneroller	I	-	-	-	-
Cyprinidae	Goldfish	I	-	-	-	-
Cyprinidae	Red Shiner	N	2,605	62.58	19	95.00
Cyprinidae	Common Carp	I	24	0.58	6	30.00
Cyprinidae	Rio Grande Chub	N	-	-	-	-
Cyprinidae	Rio Grande Silvery Minnow	N	87	2.09	14	70.00
Cyprinidae	Golden Shiner	I	-	-	-	-
Cyprinidae	Fathead Minnow	N	58	1.39	11	55.00
Cyprinidae	Bullhead Minnow	I	-	-	-	-
Cyprinidae	Flathead Chub	N	230	5.52	15	75.00
Cyprinidae	Longnose Dace	N	96	2.31	5	25.00
Catostomidae	River Carpsucker	N	38	0.91	8	40.00
Catostomidae	White Sucker	I	12	0.29	4	20.00
Catostomidae	Smallmouth Buffalo	N	-	-	-	-
Ictaluridae	Black Bullhead	I	-	-	-	-
Ictaluridae	Yellow Bullhead	I	26	0.62	5	25.00
Ictaluridae	Blue Catfish	N	-	-	-	-
Ictaluridae	Channel Catfish	I	429	10.31	12	60.00
Ictaluridae	Flathead Catfish	N	-	-	-	-
Loricariidae	Vermiculated Sailfin Catfish	I	-	-	-	-
Salmonidae	Rainbow Trout	I	-	-	-	-
Salmonidae	Brown Trout	I	-	-	-	-
Poeciliidae	Western Mosquitofish	I	557	13.38	19	95.00
Moronidae	White Bass	I	-	-	-	-
Moronidae	Striped Bass	I	-	-	-	-
Centrarchidae	Green Sunfish	I	-	-	-	-
Centrarchidae	Bluegill	I	-	-	-	-
Centrarchidae	Longear Sunfish	I	-	-	-	-
Centrarchidae	Smallmouth Bass	I	-	-	-	-
Centrarchidae	Largemouth Bass	I	-	-	-	-
Centrarchidae	White Crappie	I	-	-	-	-
Centrarchidae	Black Crappie	I	-	-	-	-
Percidae	Yellow Perch	I	-	-	-	-
Percidae	Bigscale Logperch	I	1	0.02	1	5.00
Percidae	Walleye	I	-	-	-	-
Sciaenidae	Freshwater Drum	N	-	-	-	-
Monthly Total			4,163	100.00		

¹ = N (native); I (introduced)

² = Frequency and % frequency of occurrence were based on standard sites.




Figure 5. Fish densities based on all sites, by reach and focal taxa, during August 2021. Marked and unmarked Rio Grande Silvery Minnow were included.

Table 5. Ichthyofaunal summary based on all sites, by species and month, during 2021. Marked and unmarked Rio Grande Silvery Minnow were included.

Family	Common Name	Apr	May	Jun	Jul	Aug	Sep	Oct	Total
Clupeidae	Gizzard Shad	0	0	2	51	0	0	0	53
Clupeidae	Threadfin Shad	0	0	0	0	0	0	0	0
Cyprinidae	Central Stoneroller	0	0	0	0	0	0	0	0
Cyprinidae	Goldfish	0	0	0	0	0	0	0	0
Cyprinidae	Red Shiner	12,968	8,655	8,342	11,642	2,605	0	0	44,212
Cyprinidae	Common Carp	12	1	52	305	24	0	0	394
Cyprinidae	Rio Grande Chub	0	0	0	0	0	0	0	0
Cyprinidae	Rio Grande Silvery Minnow	19	15	173	342	87	0	0	636
Cyprinidae	Golden Shiner	0	0	0	0	0	0	0	0
Cyprinidae	Fathead Minnow	140	49	38	100	58	0	0	385
Cyprinidae	Bullhead Minnow	1	0	1	0	0	0	0	2
Cyprinidae	Flathead Chub	271	108	114	194	230	0	0	917
Cyprinidae	Longnose Dace	20	41	80	212	96	0	0	449
Catostomidae	River Carpsucker	24	12	55	353	38	0	0	482
Catostomidae	White Sucker	91	261	69	60	12	0	0	493
Catostomidae	Smallmouth Buffalo	0	0	1	2	0	0	0	3
Ictaluridae	Black Bullhead	0	0	0	1	0	0	0	1
Ictaluridae	Yellow Bullhead	1	1	1	29	26	0	0	58
Ictaluridae	Blue Catfish	0	1	8	12	0	0	0	21
Ictaluridae	Channel Catfish	102	34	19	173	429	0	0	757
Ictaluridae	Flathead Catfish	1	0	0	0	0	0	0	1
Loricariidae	Vermiculated Sailfin Catfish	0	0	0	0	0	0	0	0
Salmonidae	Rainbow Trout	0	0	0	0	0	0	0	0
Salmonidae	Brown Trout	0	0	0	0	0	0	0	0
Poeciliidae	Western Mosquitofish	409	131	174	877	557	0	0	2,148
Moronidae	White Bass	0	0	0	0	0	0	0	0
Moronidae	Striped Bass	0	0	0	0	0	0	0	0
Centrarchidae	Green Sunfish	0	0	0	1	0	0	0	1
Centrarchidae	Bluegill	0	0	0	0	0	0	0	0
Centrarchidae	Longear Sunfish	0	0	0	0	0	0	0	0
Centrarchidae	Smallmouth Bass	0	0	0	1	0	0	0	1
Centrarchidae	Largemouth Bass	0	0	0	1	0	0	0	1
Centrarchidae	White Crappie	0	0	1	2	0	0	0	3
Centrarchidae	Black Crappie	0	0	0	0	0	0	0	0
Percidae	Yellow Perch	0	0	0	0	0	0	0	0
Percidae	Bigscale Logperch	0	0	0	1	1	0	0	2
Percidae	Walleye	0	0	0	0	0	0	0	0
Sciaenidae	Freshwater Drum	0	0	0	2	0	0	0	2
Monthly Totals		14,059	9,309	9,130	14,361	4,163	0	0	51,022

APPENDIX A (Sampling Sites)

Middle Rio Grande Fish Sampling Sites

Table A1. Sampling reaches and standard sites for population monitoring of Rio Grande Silvery Minnow in the Middle Rio Grande.

Reach and Site	Locality
Angostura Reach	
1	New Mexico, Sandoval County, Rio Grande, just downstream of Angostura Diversion Dam, Algodones. River Mile: 209.9; UTM Easting: 363665; UTM Northing: 3916331; Zone: 13; Datum: NAD83
2	New Mexico, Sandoval County, Rio Grande, at US HWY 550 bridge crossing, Bernalillo. River Mile: 203.9; UTM Easting: 358457; UTM Northing: 3909887; Zone: 13; Datum: NAD83
3	New Mexico, Sandoval County, Rio Grande, ca. 4.0 mi downstream of US HWY 550 bridge crossing, Rio Rancho. River Mile: 199.9; UTM Easting: 354728; UTM Northing: 3905587; Zone: 13; Datum: NAD83
4	New Mexico, Bernalillo County, Rio Grande, at Central Ave. bridge crossing (US HWY 66), Albuquerque. River Mile: 183.4; UTM Easting: 346719; UTM Northing: 3884331; Zone: 13; Datum: NAD83
5	New Mexico, Bernalillo County, Rio Grande, at Rio Bravo Blvd. bridge crossing (NM State HWY 500), Albuquerque. River Mile: 178.4; UTM Easting: 347468; UTM Northing: 3877400; Zone: 13; Datum: NAD83
Isleta Reach	
6	New Mexico, Valencia County, Rio Grande, just upstream of NM State HWY 6 bridge crossing, Los Lunas. River Mile: 161.7; UTM Easting: 343149; UTM Northing: 3853187; Zone: 13; Datum: NAD83
7	New Mexico, Valencia County, Rio Grande, ca. 1.0 mi upstream of NM State HWY 309 bridge crossing, Belen. River Mile: 150.8; UTM Easting: 340105; UTM Northing: 3837722; Zone: 13; Datum: NAD83
8	New Mexico, Valencia County, Rio Grande, ca. 2.2 mi upstream of NM State HWY 346 bridge crossing, Jarales. River Mile: 143.2; UTM Easting: 338020; UTM Northing: 3827545; Zone: 13; Datum: NAD83
9	New Mexico, Socorro County, Rio Grande, at US HWY 60 bridge crossing, Bernardo. River Mile: 130.6; UTM Easting: 334578; UTM Northing: 3809921; Zone: 13; Datum: NAD83
10	New Mexico, Socorro County, Rio Grande, ca. 3.7 mi downstream of US HWY 60 bridge crossing, Bernardo. River Mile: 126.8; UTM Easting: 330946; UTM Northing: 3805307; Zone: 13; Datum: NAD83
11	New Mexico, Socorro County, Rio Grande, ca. 1.2 mi upstream of San Acacia Diversion Dam, San Acacia. River Mile: 117.3; UTM Easting: 328152; UTM Northing: 3792564; Zone: 13; Datum: NAD83

Table A1. Sampling reaches and standard sites for population monitoring of Rio Grande Silvery Minnow in the Middle Rio Grande (continued).

Reach and Site	Locality
San Acacia Reach	
12 New Mexico, Socorro County, Rio Grande, just downstream of San Acacia Diversion Dam, San Acacia. River Mile: 115.6; UTM Easting: 325960; UTM Northing: 3792183; Zone: 13; Datum: NAD83	
13	New Mexico, Socorro County, Rio Grande, ca. 1.5 mi downstream of San Acacia Diversion Dam, San Acacia. River Mile: 114.1; UTM Easting: 325390; UTM Northing: 3790397; Zone: 13; Datum: NAD83
14	New Mexico, Socorro County, Rio Grande, ca. 0.5 mi upstream of Socorro Low Flow Conveyance Channel bridge crossing, Socorro. River Mile: 99.6; UTM Easting: 327231; UTM Northing: 3771432; Zone: 13; Datum: NAD83
15	New Mexico, Socorro County, Rio Grande, ca. 4.5 mi upstream of US HWY 380 bridge crossing, San Antonio. River Mile: 92.0; UTM Easting: 328151; UTM Northing: 3761487; Zone: 13; Datum: NAD83
16	New Mexico, Socorro County, Rio Grande, at US HWY 380 bridge crossing, San Antonio. River Mile: 87.8; UTM Easting: 328907; UTM Northing: 3754926; Zone: 13; Datum: NAD83
17	New Mexico, Socorro County, Rio Grande, east of Bosque del Apache NWR headquarters, San Antonio. River Mile: 79.0; UTM Easting: 327219; UTM Northing: 3740906; Zone: 13; Datum: NAD83
18	New Mexico, Socorro County, Rio Grande, at San Marcial Railroad bridge crossing, San Marcial. River Mile: 68.3; UTM Easting: 315091; UTM Northing: 3728487; Zone: 13; Datum: NAD83
19	New Mexico, Socorro County, Rio Grande, ca. 8.0 mi downstream of San Marcial Railroad bridge crossing, San Marcial. River Mile: 60.1; UTM Easting: 309441; UTM Northing: 3718309; Zone: 13; Datum: NAD83
20	New Mexico, Socorro County, Rio Grande, ca. 10.0 mi downstream of San Marcial Railroad bridge crossing, San Marcial. River Mile: 58.5; UTM Easting: 307767; UTM Northing: 3716360; Zone: 13; Datum: NAD83

Table A2. Sampling reaches and additional sites for population monitoring of Rio Grande Silvery Minnow in the Middle Rio Grande.

Reach and Site	Locality
Angostura Reach	
21	New Mexico, Sandoval County, Rio Grande, ca. 4.4 miles upstream of Alameda Blvd. (NM State Hwy. 528) bridge crossing, Corrales. River Mile: 196.6; UTM Easting: 355531; UTM Northing: 3900626; Zone: 13; Datum: NAD83
22	New Mexico, Sandoval County, Rio Grande, ca. 1.1 miles upstream of Alameda Blvd. (NM State Hwy. 528) bridge crossing, Corrales. River Mile: 193.1; UTM Easting: 351562; UTM Northing: 3897190; Zone: 13; Datum: NAD83
23	New Mexico, Bernalillo County, Rio Grande, ca. 1.0 miles downstream of Paseo del Norte Blvd. (NM State Hwy. 423) bridge crossing Albuquerque. River Mile: 190.0; UTM Easting: 349214; UTM Northing: 3893063; Zone: 13; Datum: NAD83
24	New Mexico, Bernalillo County, Rio Grande, ca. 1.1 miles upstream of I-40 bridge crossing, Albuquerque. River Mile: 186.1; UTM Easting: 346011; UTM Northing: 3887973; Zone: 13; Datum: NAD83
25	New Mexico, Bernalillo County, Rio Grande, ca. 1.5 miles upstream of I-25 bridge crossing, Isleta. River Mile: 174.0; UTM Easting: 345900; UTM Northing: 3870990; Zone: 13; Datum: NAD83
Isleta Reach	
26	New Mexico, Valencia County, Rio Grande, ca. 4.1 miles upstream of NM State Hwy. 6 bridge crossing, Los Lunas. River Mile: 165.2; UTM Easting: 342799; UTM Northing: 3858637; Zone: 13; Datum: NAD83
27	New Mexico, Valencia County, Rio Grande, ca. 6.2 miles upstream of NM State Hwy. 309 bridge crossing, Belen. River Mile: 156.0; UTM Easting: 340647; UTM Northing: 3845146; Zone: 13; Datum: NAD83
28	New Mexico, Socorro County, Rio Grande, ca. 6.3 miles upstream of U.S. Hwy. 60 bridge crossing, Bernardo. River Mile: 137.1; UTM Easting: 335554; UTM Northing: 3819543; Zone: 13; Datum: NAD83
29	New Mexico, Socorro County, Rio Grande, ca. 1.5 miles upstream of confluence with the Rio Salado, San Acacia. River Mile: 120.1; UTM Easting: 330498; UTM Northing: 3795053; Zone: 13; Datum: NAD83
San Acacia Reach	
30	New Mexico, Socorro County, Rio Grande, ca. 2.6 miles upstream of Pueblitos Rd. bridge crossing, Escondida. River Mile: 107.1; UTM Easting: 326303; UTM Northing: 3781123; Zone: 13; Datum: NAD83

Table A3. Sampling reaches and replacement sites for population monitoring of Rio Grande Silvery Minnow in the Middle Rio Grande.

Reach and Site	Locality
Isleta Reach	
44	New Mexico, Valencia County, Rio Grande, ca. 1.0 mi upstream of NM State HWY 309 bridge crossing, Belen. River Mile: 150.5; UTM Easting: 340084; UTM Northing: 3837308; Zone: 13; Datum: NAD83
San Acacia Reach	
51	New Mexico, Socorro County, Rio Grande, ca. 5.0 mi downstream of San Acacia Diversion Dam, San Acacia. River Mile: 110.8; UTM Easting: 325855; UTM Northing: 3786216; Zone: 13; Datum: NAD83
52	New Mexico, Socorro County, Rio Grande, ca. 2.2 mi. downstream of Pueblitos Rd. bridge crossing, Escondida. River Mile: 101.7; UTM Easting: 327091; UTM Northing: 3773950; Zone: 13; Datum: NAD83
53	New Mexico, Socorro County, Rio Grande, ca. 3.1 mi downstream of the Socorro Low Flow Conveyance Channel bridge crossing, Socorro. River Mile: 96.0; UTM Easting: 327933; UTM Northing: 3766570; Zone: 13; Datum: NAD83
54	New Mexico, Socorro County, Rio Grande, ca. 4.7 mi. downstream of Socorro LFCC bridge crossing, Socorro. River Mile: 94.2; UTM Easting: 327288; UTM Northing: 3764453; Zone: 13; Datum: NAD83
56	New Mexico, Socorro County, Rio Grande, ca. 2.1 miles upstream of San Antonio bridge crossing, San Antonio. River Mile: 89.3; UTM Easting: 329188; UTM Northing: 3758027; Zone: 13; Datum: NAD83
58	New Mexico, Socorro County, Rio Grande, ca. 1.8 mi. upstream of San Marcial Railroad bridge crossing, San Marcial. River Mile: 70.1; UTM Easting: 318083; UTM Northing: 3728535; Zone: 13; Datum: NAD83
59	New Mexico, Socorro County, Rio Grande, ca. 5.1 mi. downstream of San Marcial Railroad bridge crossing, San Marcial. River Mile: 63.3; UTM Easting: 313269; UTM Northing: 3721434; Zone: 13; Datum: NAD83
60	New Mexico, Socorro County, Rio Grande, ca. 6.4 mi. downstream of San Marcial Railroad bridge crossing, San Marcial. River Mile: 61.8; UTM Easting: 311422; UTM Northing: 3719873; Zone: 13; Datum: NAD83

APPENDIX B (Site-Specific Population Monitoring Data)

Site-specific data, collected in August 2021, as part of the
Rio Grande Silvery Minnow Population Monitoring Program

** Data are provisional and should be verified by direct inspection of field data **

Rio Grande Silvery Minnow Population Monitoring
August 2021

NEW MEXICO: SANDOVAL County, RIO GRANDE Drainage **RKD21-109**
Rio Grande, just downstream of Angostura Diversion Dam, Algodones.
Site Number: 1 River Mile: 209.9 05 August 2021
UTM Easting: 363665 UTM Northing: 3916331 Zone: 13 USGS Quad: San Felipe Pueblo
Collector(s): R.K. Dudley, A.C. Wedemeyer, J.G. Mortensen Effort: 486.1 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	237
76	<i>Pimephales promelas</i>	3
76	<i>Platygobio gracilis</i>	8
76	<i>Rhinichthys cataractae</i>	58
81	<i>Catostomus commersonii</i>	7
93	<i>Ameiurus natalis</i>	3
93	<i>Ictalurus punctatus</i>	6
212	<i>Gambusia affinis</i>	43

NEW MEXICO: SANDOVAL County, RIO GRANDE Drainage **RKD21-110**
Rio Grande, at US HWY 550 bridge crossing, Bernalillo.
Site Number: 2 River Mile: 203.9 05 August 2021
UTM Easting: 358457 UTM Northing: 3909887 Zone: 13 USGS Quad: Bernalillo
Collector(s): R.K. Dudley, A.C. Wedemeyer, J.G. Mortensen Effort: 519.7 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	147
76	<i>Hybognathus amarus*</i>	1
76	<i>Pimephales promelas</i>	3
76	<i>Platygobio gracilis</i>	136
76	<i>Rhinichthys cataractae</i>	32
81	<i>Catostomus commersonii</i>	2
93	<i>Ameiurus natalis</i>	10
93	<i>Ictalurus punctatus</i>	49
212	<i>Gambusia affinis</i>	5

****Hybognathus amarus* (age-classes):**

age-0	1
age-1	
age-2+	

Rio Grande Silvery Minnow Population Monitoring
August 2021

NEW MEXICO: SANDOVAL County, RIO GRANDE Drainage **RKD21-111**
Rio Grande, ca. 4.0 mi downstream of US HWY 550 bridge crossing, Rio Rancho.
Site Number: 3 River Mile: 199.9 05 August 2021
UTM Easting: 354728 UTM Northing: 3905587 Zone: 13 USGS Quad: Bernalillo
Collector(s): R.K. Dudley, A.C. Wedemeyer, J.G. Mortensen Effort: 549.7 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	347
76	<i>Cyprinus carpio</i>	1
76	<i>Platygobio gracilis</i>	17
76	<i>Rhinichthys cataractae</i>	1
81	<i>Catostomus commersonii</i>	2
93	<i>Ameiurus natalis</i>	7
93	<i>Ictalurus punctatus</i>	67
212	<i>Gambusia affinis</i>	17

NEW MEXICO: BERNALILLO County, RIO GRANDE Drainage **RKD21-108**
Rio Grande, at Central Ave. bridge crossing (US HWY 66), Albuquerque.
Site Number: 4 River Mile: 183.4 05 August 2021
UTM Easting: 346719 UTM Northing: 3884331 Zone: 13 USGS Quad: Albuquerque West
Collector(s): R.K. Dudley, A.C. Wedemeyer, J.G. Mortensen Effort: 571.8 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	256
76	<i>Hybognathus amarus*</i>	4
76	<i>Pimephales promelas</i>	4
76	<i>Platygobio gracilis</i>	31
93	<i>Ameiurus natalis</i>	5
93	<i>Ictalurus punctatus</i>	105
212	<i>Gambusia affinis</i>	8

****Hybognathus amarus* (age-classes):**

age-0	4
age-1	
age-2+	

Rio Grande Silvery Minnow Population Monitoring
August 2021

NEW MEXICO: BERNALILLO County, RIO GRANDE Drainage **RKD21-107**
Rio Grande, at Rio Bravo Blvd. bridge crossing (NM State HWY 500), Albuquerque.
Site Number: 5 River Mile: 178.4 05 August 2021
UTM Easting: 347468 UTM Northing: 3877400 Zone: 13 USGS Quad: Albuquerque West
Collector(s): R.K. Dudley, A.C. Wedemeyer, J.G. Mortensen Effort: 511.0 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	62
76	<i>Hybognathus amarus*</i>	5
76	<i>Pimephales promelas</i>	8
76	<i>Platygobio gracilis</i>	3
76	<i>Rhinichthys cataractae</i>	4
81	<i>Carpoides carpio</i>	1
93	<i>Ictalurus punctatus</i>	73
212	<i>Gambusia affinis</i>	67

****Hybognathus amarus* (age-classes):**

age-0	4
age-1	1
age-2+	

NEW MEXICO: VALENCIA County, RIO GRANDE Drainage **RKD21-106**
Rio Grande, just upstream of NM State HWY 6 bridge crossing, Los Lunas.
Site Number: 6 River Mile: 161.7 04 August 2021
UTM Easting: 343149 UTM Northing: 3853187 Zone: 13 USGS Quad: Los Lunas
Collector(s): R.K. Dudley, J.G. Mortensen, A.D. Urioste Effort: 524.6 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	485
76	<i>Hybognathus amarus*</i>	10
76	<i>Pimephales promelas</i>	2
76	<i>Platygobio gracilis</i>	2
81	<i>Carpoides carpio</i>	2
93	<i>Ictalurus punctatus</i>	62
212	<i>Gambusia affinis</i>	27

****Hybognathus amarus* (age-classes):**

age-0	10
age-1	
age-2+	

Rio Grande Silvery Minnow Population Monitoring
August 2021

NEW MEXICO: VALENCIA County, RIO GRANDE Drainage **RKD21-105**
Rio Grande, ca. 1.0 mi upstream of NM State HWY 309 bridge crossing, Belen.
Site Number: 7 River Mile: 150.8 04 August 2021
UTM Easting: 340105 UTM Northing: 3837722 Zone: 13 USGS Quad: Tome
Collector(s): R.K. Dudley, J.G. Mortensen, A.D. Urioste Effort: 481.7 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	254
76	<i>Hybognathus amarus*</i>	1
76	<i>Pimephales promelas</i>	13
76	<i>Platygobio gracilis</i>	1
81	<i>Carpioles carpio</i>	9
93	<i>Ictalurus punctatus</i>	14
212	<i>Gambusia affinis</i>	93

****Hybognathus amarus* (age-classes):**

age-0 1
age-1
age-2+

NEW MEXICO: VALENCIA County, RIO GRANDE Drainage **RKD21-104**
Rio Grande, ca. 2.2 mi upstream of NM State HWY 346 bridge crossing, Jarales.
Site Number: 8 River Mile: 143.2 04 August 2021
UTM Easting: 338020 UTM Northing: 3827545 Zone: 13 USGS Quad: Veguita
Collector(s): R.K. Dudley, J.G. Mortensen, A.D. Urioste Effort: 501.0 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	422
76	<i>Pimephales promelas</i>	18
76	<i>Platygobio gracilis</i>	1
81	<i>Carpioles carpio</i>	12
93	<i>Ictalurus punctatus</i>	11
212	<i>Gambusia affinis</i>	125

Rio Grande Silvery Minnow Population Monitoring
August 2021

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage **RKD21-103**
Rio Grande, at US HWY 60 bridge crossing, Bernardo.
Site Number: 9 River Mile: 130.6 04 August 2021
UTM Easting: 334578 UTM Northing: 3809921 Zone: 13 USGS Quad: Abeytas
Collector(s): R.K. Dudley, J.G. Mortensen, A.D. Urioste Effort: 534.1 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	164
76	<i>Hybognathus amarus*</i>	1
81	<i>Carpioles carpio</i>	9
93	<i>Ameiurus natalis</i>	1
93	<i>Ictalurus punctatus</i>	5
212	<i>Gambusia affinis</i>	62

****Hybognathus amarus* (age-classes):**

age-0 1
age-1
age-2+

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage **RKD21-102**
Rio Grande, ca. 3.7 mi downstream of US HWY 60 bridge crossing, Bernardo.
Site Number: 10 River Mile: 126.8 04 August 2021
UTM Easting: 330946 UTM Northing: 3805307 Zone: 13 USGS Quad: Abeytas
Collector(s): R.K. Dudley, J.G. Mortensen, A.D. Urioste Effort: 494.8 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	118
76	<i>Hybognathus amarus*</i>	2
76	<i>Pimephales promelas</i>	3
76	<i>Platygobio gracilis</i>	1
81	<i>Carpioles carpio</i>	2
93	<i>Ictalurus punctatus</i>	31
212	<i>Gambusia affinis</i>	54

****Hybognathus amarus* (age-classes):**

age-0 2
age-1
age-2+

Rio Grande Silvery Minnow Population Monitoring
August 2021

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage **RKD21-101**
Rio Grande, ca. 1.2 mi upstream of San Acacia Diversion Dam, San Acacia.
Site Number: 11 River Mile: 117.3 03 August 2021
UTM Easting: 328152 UTM Northing: 3792564 Zone: 13 USGS Quad: La Joya
Collector(s): M.A. Farrington, J.G. Mortensen, T.O. Robbins Effort: 534.6 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	1
76	<i>Hybognathus amarus*</i>	2
76	<i>Platygobio gracilis</i>	17
76	<i>Rhinichthys cataractae</i>	1
81	<i>Carpioles carpio</i>	1
212	<i>Gambusia affinis</i>	11

****Hybognathus amarus* (age-classes):**

age-0	2
age-1	
age-2+	

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage **RKD21-100**
Rio Grande, just downstream of San Acacia Diversion Dam, San Acacia.
Site Number: 12 River Mile: 115.6 03 August 2021
UTM Easting: 325960 UTM Northing: 3792183 Zone: 13 USGS Quad: San Acacia
Collector(s): M.A. Farrington, J.G. Mortensen, T.O. Robbins Effort: 484.3 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	7
76	<i>Platygobio gracilis</i>	5
93	<i>Ictalurus punctatus</i>	2
212	<i>Gambusia affinis</i>	1

Rio Grande Silvery Minnow Population Monitoring
August 2021

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage **RKD21-099**
Rio Grande, ca. 1.5 mi downstream of San Acacia Diversion Dam, San Acacia.
Site Number: 13 River Mile: 114.1 03 August 2021
UTM Easting: 325390 UTM Northing: 3790397 Zone: 13 USGS Quad: Lemitar
Collector(s): M.A. Farrington, J.G. Mortensen, T.O. Robbins Effort: 480.0 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	32
76	<i>Cyprinus carpio</i>	1
76	<i>Hybognathus amarus*</i>	1
76	<i>Platygobio gracilis</i>	4
81	<i>Carpoides carpio</i>	2
93	<i>Ictalurus punctatus</i>	4
212	<i>Gambusia affinis</i>	3

****Hybognathus amarus* (age-classes):**

age-0	1
age-1	
age-2+	

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage **RKD21-098**
Rio Grande, ca. 0.5 mi upstream of Socorro Low Flow Conveyance Channel bridge crossing, Socorro.
Site Number: 14 River Mile: 99.6 03 August 2021
UTM Easting: 327231 UTM Northing: 3771432 Zone: 13 USGS Quad: Loma de las Canas
Collector(s): M.A. Farrington, J.G. Mortensen, T.O. Robbins Effort: 540.2 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	14
76	<i>Hybognathus amarus*</i>	5
76	<i>Platygobio gracilis</i>	2
212	<i>Gambusia affinis</i>	1

****Hybognathus amarus* (age-classes):**

age-0	5
age-1	
age-2+	

Rio Grande Silvery Minnow Population Monitoring
August 2021

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage **RKD21-097**
Rio Grande, ca. 4.5 mi upstream of US HWY 380 bridge crossing, San Antonio.
Site Number: 15 River Mile: 92.0
UTM Easting: 328151 UTM Northing: 3761487 Zone: 13 USGS Quad: San Antonio
Collector(s): M.A. Farrington, J.G. Mortensen, T.O. Robbins Effort: 555.8 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	5
76	<i>Hybognathus amarus*</i>	1
76	<i>Platygobio gracilis</i>	1

****Hybognathus amarus* (age-classes):**

age-0 1
age-1
age-2+

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage **RKD21-096**
Rio Grande, at US HWY 380 bridge crossing, San Antonio.
Site Number: 16 River Mile: 87.8
UTM Easting: 328907 UTM Northing: 3754926 Zone: 13 USGS Quad: San Antonio
Collector(s): R.K. Dudley, J.G. Mortensen, T.O. Robbins Effort: 493.8 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	32
76	<i>Hybognathus amarus*</i>	27
76	<i>Pimephales promelas</i>	2
76	<i>Platygobio gracilis</i>	1
212	<i>Gambusia affinis</i>	5

****Hybognathus amarus* (age-classes):**

age-0 27
age-1
age-2+

Rio Grande Silvery Minnow Population Monitoring
August 2021

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage **RKD21-095**
Rio Grande, east of Bosque del Apache NWR headquarters, San Antonio.
Site Number: 17 River Mile: 79.0 02 August 2021
UTM Easting: 327219 UTM Northing: 3740906 Zone: 13 USGS Quad: San Antonio SE
Collector(s): R.K. Dudley, J.G. Mortensen, T.O. Robbins Effort: 505.8 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	3
76	<i>Cyprinus carpio</i>	4
76	<i>Hybognathus amarus*</i>	21
76	<i>Pimephales promelas</i>	1
212	<i>Gambusia affinis</i>	26

****Hybognathus amarus* (age-classes):**
age-0 21
age-1
age-2+

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage **RKD21-094**
Rio Grande, at San Marcial Railroad bridge crossing, San Marcial.
Site Number: 18 River Mile: 68.3 02 August 2021
UTM Easting: 315091 UTM Northing: 3728487 Zone: 13 USGS Quad: San Marcial
Collector(s): R.K. Dudley, J.G. Mortensen, T.O. Robbins Effort: 522.8 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinus carpio</i>	7
76	<i>Pimephales promelas</i>	1
212	<i>Gambusia affinis</i>	1

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage **RKD21-093**
Rio Grande, ca. 8.0 mi downstream of San Marcial Railroad bridge crossing, San Marcial.
Site Number: 19 River Mile: 60.1 02 August 2021
UTM Easting: 309441 UTM Northing: 3718309 Zone: 13 USGS Quad: Paraje Well
Collector(s): R.K. Dudley, J.G. Mortensen, T.O. Robbins Effort: 531.0 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	11
76	<i>Cyprinus carpio</i>	4
212	<i>Gambusia affinis</i>	2

Rio Grande Silvery Minnow Population Monitoring
August 2021

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage **RKD21-092**
Rio Grande, ca. 10.0 mi downstream of San Marcial Railroad bridge crossing, San Marcial.
Site Number: 20 River Mile: 58.5 02 August 2021
UTM Easting: 307767 UTM Northing: 3716360 Zone: 13 USGS Quad: Paraje Well
Collector(s): R.K. Dudley, J.G. Mortensen, T.O. Robbins Effort: 517.1 sq. m

Family	Species	Total
76	<i>Cyprinella lutrensis</i>	8
76	<i>Cyprinus carpio</i>	7
76	<i>Hybognathus amarus*</i>	6
81	<i>Catostomus commersonii</i>	1
212	<i>Gambusia affinis</i>	6
295	<i>Percina macrolepida</i>	1

****Hybognathus amarus* (age-classes):**

age-0 6
age-1
age-2+