

RIO GRANDE SILVERY MINNOW POPULATION MONITORING DURING OCTOBER 2022

A U.S. BUREAU OF RECLAMATION FUNDED RESEARCH PROGRAM





RIO GRANDE SILVERY MINNOW POPULATION MONITORING DURING OCTOBER 2022

A U.S. BUREAU OF RECLAMATION FUNDED RESEARCH PROGRAM

Contract 140R4019P0048:

Requisition 0040578311

U.S. Bureau of Reclamation Albuquerque Area Office 555 Broadway NE, Suite 100 Albuquerque, NM 87102

Submitted to:

U.S. Bureau of Reclamation Albuquerque Area Office 555 Broadway NE, Suite 100 Albuquerque, NM 87102

Robert K. Dudley^{1,2}, Steven P. Platania^{1,2}, and Gary C. White^{1,3}

17 November 2022

¹ American Southwest Ichthyological Researchers (ASIR); 800 Encino Place NE; Albuquerque, NM 87102 &

² Museum of Southwestern Biology (Fishes), UNM; MSC03-2020; Albuquerque, NM 87131

³ Department of Fish, Wildlife, and Conservation Biology, CSU; 10 Wagar; Fort Collins, CO 80523

SUMMARY OF OCTOBER 2022 POPULATION MONITORING

The October 2022 population monitoring efforts were conducted at the 20 standard sites and 10 additional sites. Ten sites were in the Angostura Reach, ten sites were in the Isleta Reach, and ten sites were in the San Acacia Reach. For the 2022 monthly trends, data were based on all sites (i.e., standard, additional, and replacement sites) to maintain consistency across all monthly reports. A list of all collection localities is appended (Appendix A). Adult and juvenile fish were obtained by rapidly drawing a 3.0 m x 1.8 m small-mesh (ca. 5 mm) seine through discrete mesohabitats. Larval fish were collected with a 1.2 m x 1.2 m fine-mesh (ca. 1 mm) seine. All fishes were identified to species and enumerated. We used length-age relationships to assign ages (i.e., age-0, age-1, and age-2+) to all Rio Grande Silvery Minnow collected. Age-0 individuals are only present, however, after annual spring spawning (ca. April–June). Figures illustrating fish densities (i.e., fish per 100 m²) were prepared for the ten focal species to facilitate comparisons across reaches.

Angostura Reach

From 16 September to 15 October, provisional U.S. Geological Survey (USGS) mean daily discharge in the Angostura Reach (Albuquerque: USGS Gage-08330000) averaged 338 ft³/s and ranged from 62 to 691 ft³/s. Water temperatures ranged from 16.9 to 19.4 °C during the Angostura Reach sampling efforts (ca. 0830–1530 h). Secchi disk measurements of water clarity ranged from 2 to 20 cm.

Sampling for fishes in the Angostura Reach during October yielded 1,752 individuals with a cumulative fish density of 34.6 individuals per 100 m^2 sampled. The overall sampling effort in the Angostura Reach covered 5,062.9 m² (surface area) of water. Densities of all fish species combined ranged from 17.5 to 60.6 individuals per 100 m^2 at the different sampling sites. In October, there were 11 fish species collected in the Angostura Reach. Red Shiner was the most abundant taxon (n = 638), followed by Flathead Chub (n = 311), and Western Mosquitofish (n = 284). We collected Rio Grande Silvery Minnow (n = 20) in 14 of the 166 seine hauls that yielded fish, and its overall density was 0.40 (range = 0.00-1.37) individuals per 100 m^2 .

Isleta Reach

Provisional mean daily discharge in the Isleta Reach (Bosque Farms: USGS Gage-08331160), from 16 September to 15 October, averaged 261 ft³/s and ranged from 34 to 583 ft³/s. During the Isleta Reach sampling efforts (ca. 0930–1600 h), water temperatures ranged from 17.5 to 21.6 °C. Secchi disk measurements ranged from 2 to 7 cm during sampling.

Isleta Reach population monitoring efforts produced 2,074 individuals in October with a cumulative fish density of 40.0 individuals per 100 m^2 sampled. The total sampling effort in the Isleta Reach during October covered 5,188.5 m² (surface area) of water. Fish densities (all species combined) at the sampling sites ranged from 4.0 to 89.9 individuals per 100 m^2 sampled. There were 10 fish species collected in the Isleta Reach during October. Red Shiner was the most abundant taxon (n = 1,486), followed by Western Mosquitofish (n = 367), and Channel Catfish (n = 195). We collected Rio Grande Silvery Minnow (n = 2) in 2 of the 148 seine hauls that yielded fish, and its overall density was 0.04 (range = 0.00–0.37) individuals per 100 m^2 .

San Acacia Reach

From 16 September to 15 October, provisional mean daily discharge at San Acacia (USGS Gage-08354900) was generally higher (average = 348; range = 14–1,140 ft 3 /s) than at San Marcial (USGS Gage-08358400) during the same period (average = 232; range = 0–822 ft 3 /s). Water temperatures in October for the San Acacia Reach ranged from 16.5 to 23.9 $^{\circ}$ C (ca. 0930–1600 h). Secchi disk measurements ranged from 0 to 2 cm during sampling.

Population monitoring efforts in the San Acacia Reach during October yielded 143 individuals with a cumulative fish density of 2.7 individuals per 100 m^2 sampled. Sampling in the San Acacia Reach covered an area of 5,383.1 m² of water. Fish densities (all species combined) ranged from 0.0 to 6.2 individuals per 100 m^2 at sites sampled in the San Acacia Reach. In October, there were 7 fish species collected in the San Acacia Reach. Flathead Chub was the most abundant taxon (n = 59), followed by Red Shiner (n = 57), and Channel Catfish (n = 16). We collected Rio Grande Silvery Minnow (n = 5) in 4 of the 55 seine hauls that yielded fish, and its overall density was 0.09 (range = 0.00–0.54) individuals per 100 m^2 .

Standard Sites

During October, sampling covered $10,402.1 \text{ m}^2$ (surface area) of water and yielded 2,221 fish. There were no dry sampling sites. Cumulative fish density during October was 21.4 individuals per 100 m^2 sampled. The three most common species were Red Shiner (n = 1,323), Western Mosquitofish (n = 430), and Channel Catfish (n = 187). The sampling sites yielded a total of 13 fish species.

Rio Grande Silvery Minnow was present in 4 of the 212 seine hauls that yielded fish and at 3 of the 20 sampling sites. Densities of unmarked and marked individuals were 0.08 (n = 8) and 0.00 (n = 0) individuals per 100 m² sampled, respectively. Densities of age-0, age-1, and age-2+ individuals were 0.05 (n = 5), 0.02 (n = 2), and 0.01 (n = 1) individuals per 100 m² sampled, respectively. Based on all October surveys since 1993, the overall density of Rio Grande Silvery Minnow averaged 6.73 (range = 0.00– 37.86) individuals per 100 m² sampled. During October 2022, its overall density was 0.08 (n = 8) individuals per 100 m² sampled.

All Sites

During October, sampling covered $15,634.5 \text{ m}^2$ (surface area) of water and yielded 3,969 fish. There were no dry sampling sites. Cumulative fish density during October was $25.39 \text{ individuals per } 100 \text{ m}^2 \text{ sampled}$. The three most common species were Red Shiner (n = 2,181), Western Mosquitofish (n = 654), and Channel Catfish (n = 476). The sampling sites yielded a total of 13 fish species.

Rio Grande Silvery Minnow was present in 20 of the 369 seine hauls that yielded fish and at 10 of the 30 sampling sites. Densities of unmarked and marked individuals were 0.17 (n = 27) and 0.00 (n = 0) individuals per 100 m² sampled, respectively. Densities of age-0, age-1, and age-2+ individuals were 0.10 (n = 16), 0.06 (n = 10), and 0.01 (n = 1) individuals per 100 m² sampled, respectively. Based on all October surveys since 1993, the overall density of Rio Grande Silvery Minnow averaged 6.73 (range = 0.00–37.86) individuals per 100 m² sampled. During October 2022, its overall density was 0.17 (n = 27) individuals per 100 m² sampled.




Figure 1. Map of the study area, standard sites, and additional sites for the Rio Grande Silvery Minnow population monitoring study. Sampling site descriptions are provided in Appendix A.




Figure 2. Map of the study area, standard sites, and replacement sites for the Rio Grande Silvery Minnow population monitoring study. Sampling site descriptions are provided in Appendix A.




Figure 3. Rio Grande mean-daily discharge, by USGS gaging station, from 1 January 2021 to 15 October 2022. All discharge data are provisional and subject to change.

Table 1. Scientific names, common names, and species codes of fishes collected in the Middle Rio Grande since 1993.

| entific Name | Common Name | Species Code |
|---|--|--------------|
| Order Clupeiformes | | |
| Family Clupeidae | herrings | |
| r anning Graporado | normgo | |
| Dorosoma cepedianum | Gizzard Shad | (DORCEP) |
| Dorosoma petenense | Threadfin Shad | (DORPET) |
| Order Cypriniformes | | |
| Family Cyprinidae | carps and minnows | |
| Campostoma anomalum | Central Stoneroller | (CAMANO) |
| Carassius auratus | Goldfish | (CARAUR) |
| Cyprinella lutrensis | Red Shiner ¹ | (CYPLUT) |
| Cyprinus carpio | | (CYPCAR) |
| Gila pandora | · | (GILPAN) |
| | Rio Grande Silvery Minnow ¹ | (HYBAMA) |
| Notemigonus crysoleucas | | (NOTCRY) |
| Pimephales promelas | | (PIMPRO) |
| Pimephales vigilax | | (PIMVIG) |
| Platygobio gracilis | | (PLAGRA) |
| Rhinichthys cataractae | | (RHICAT) |
| Family Catostomidae | suckers | |
| Carpiodes carpio | River Carpsucker ¹ | (CARCAR) |
| Catostomus commersonii | · | (CATCOM) |
| Ictiobus bubalus | | (ICTBUB) |
| Order Siluriformes | | |
| Family Ictaluridae | North American catfishes | |
| Ameiurus melas | Black Bullhead | (AMEMEL) |
| Ameiurus natalis | Yellow Bullhead | (AMENAT) |
| Ictalurus furcatus | Blue Catfish | (ICTFUR) |
| lctalurus punctatus | | (ICTPUN) |
| Pylodictis olivaris | | (PYLOLI) |
| Family Loricariidae | suckermouth armored catfishes | |
| Pterygoplichthys disjunctivus | | (PTEDIS) |
| Order Salmoniformes | | |
| Family Salmonidae | trouts and salmons | |
| Oncorhynchus mykiss | Rainbow Trout | (ONCMYK) |
| 0110011171101100 11171100 1111111111111 | | |

Table 1. Scientific names, common names, and species codes of fishes collected in the Middle Rio Grande since 1993 (continued).

| entific Name | Common Name | Species Cod |
|--------------------------|-----------------------------------|-------------|
| Order Cyprinodontiformes | | |
| Family Poeciliidae | livebearers | |
| Gambusia affinis | Western Mosquitofish ¹ | (GAMAFF) |
| Order Perciformes | | |
| Family Moronidae | temperate basses | |
| Morone chrysops | White Bass | (MORCHR) |
| Morone saxatilis | Striped Bass | (MORSAX) |
| Family Centrarchidae | sunfishes | |
| Lepomis cyanellus | Green Sunfish | (LEPCYA) |
| Lepomis macrochirus | Bluegill | (LEPMAC) |
| Lepomis megalotis | Longear Sunfish | (LEPMEG) |
| Micropterus dolomieu | Smallmouth Bass | (MICDOL) |
| Micropterus salmoides | Largemouth Bass | (MICSAL) |
| Pomoxis annularis | White Crappie | (POMANN) |
| Pomoxis nigromaculatus | Black Crappie | (POMNIG) |
| Family Percidae | perches and darters | |
| Perca flavescens | Yellow Perch | (PERFLA) |
| Percina macrolepida | Bigscale Logperch | (PERMAC) |
| Sander vitreus | Walleye | (SANVIT) |
| Family Sciaenidae | drums and croakers | |
| Aplodinotus grunniens | Freshwater Drum | (APLGRU) |

¹ = Focal taxa were typically the 10 most abundant species collected during October.

Table 2. Rio Grande Silvery Minnow abundance, by reach, site, and mesohabitat, during October 2022. Marked and unmarked individuals were included. Blank cells indicate site-specific mesohabitats that were unavailable for sampling.

| Reach | Site | Locality | BW | PO | RU | SHPO | SHRU | Total |
|-------------------|------|------------------------|----|-----|----|------|------|-------|
| Angostura | 1 | Angostura Dam | | 0 | 0 | 0 | 0 | 0 |
| Angostura | 2 | Bernalillo | 0 | · · | 0 | 0 | 0 | 0 |
| Angostura | 3 | Rio Rancho | Ü | | 0 | 0 | 0 | 0 |
| Angostura | 21 | Site 21 | | 0 | 1 | 0 | 1 | 2 |
| Angostura | 22 | Site 22 | | · · | 0 | 0 | 1 | 1 |
| Angostura | 23 | Site 23 | | | 0 | 2 | 0 | 2 |
| Angostura | 24 | Site 24 | 0 | 0 | 4 | 3 | 0 | 7 |
| Angostura | 4 | Central Ave. | 2 | 0 | 0 | 0 | 0 | 2 |
| Angostura | 5 | Rio Bravo Blvd. | 4 | 0 | 0 | 0 | 0 | 4 |
| Angostura | 25 | Site 25 | | 0 | 0 | 0 | 2 | 2 |
| Angostura Totals | | | 6 | 0 | 5 | 5 | 4 | 20 |
| Isleta | 26 | Site 26 | | | 0 | 0 | 2 | 2 |
| Isleta | 6 | Los Lunas | 0 | | 0 | 0 | 0 | 0 |
| Isleta | 27 | Site 27 | 0 | 0 | 0 | 0 | 0 | 0 |
| Isleta | 7 | Belen | | | 0 | 0 | 0 | 0 |
| Isleta | 8 | Jarales | | | 0 | 0 | 0 | 0 |
| Isleta | 28 | Site 28 | 0 | | 0 | 0 | 0 | 0 |
| Isleta | 9 | Bernardo | 0 | 0 | 0 | 0 | 0 | 0 |
| Isleta | 10 | La Joya | | 0 | 0 | 0 | 0 | 0 |
| Isleta | 29 | Site 29 | | | 0 | 0 | 0 | 0 |
| Isleta | 11 | North of San Acacia | 0 | | 0 | | 0 | 0 |
| Isleta Totals | | | 0 | 0 | 0 | 0 | 2 | 2 |
| San Acacia | 12 | San Acacia Dam | 0 | 0 | 0 | 0 | 0 | 0 |
| San Acacia | 13 | South of San Acacia | | | 0 | 0 | 0 | 0 |
| San Acacia | 30 | Site 30 | 0 | 0 | 0 | 0 | 3 | 3 |
| San Acacia | 14 | Socorro | 0 | 0 | 0 | 0 | 2 | 2 |
| San Acacia | 15 | North of San Antonio | 0 | 0 | 0 | 0 | 0 | 0 |
| San Acacia | 16 | San Antonio | | | 0 | 0 | 0 | 0 |
| San Acacia | 17 | South of San Antonio | 0 | | 0 | 0 | 0 | 0 |
| San Acacia | 18 | San Marcial | 0 | 0 | 0 | 0 | 0 | 0 |
| San Acacia | 19 | South of San Marcial 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| San Acacia | 20 | South of San Marcial 2 | 0 | | 0 | 0 | 0 | 0 |
| San Acacia Totals | ; | | 0 | 0 | 0 | 0 | 5 | 5 |
| Monthly Totals | | | 6 | 0 | 5 | 5 | 11 | 27 |

Table 3. Rio Grande Silvery Minnow abundance, by reach, site, and month, during 2022. Marked individuals are shown in parentheses, as a subset of the site-specific total. Blank cells indicate months when a site was not visited or will not be visited.

| Reach | Site | Locality | Apr | May | Jun | Jul | Aug | Sep | Oct | Total |
|-------------------|------|------------------------|-------|------|-------|-------|------|------|------|-------|
| Angostura | 1 | Angostura Dam | 0 | 0 | 0 | 0 | 2(0) | 0 | 0 | 2 |
| Angostura | 2 | Bernalillo | 0 | 0 | 0 | 0 | Ô | 5(0) | 0 | 5 |
| Angostura | 3 | Rio Rancho | 0 | 0 | 0 | 0 | 0 | Ó | 0 | 0 |
| Angostura | 21 | Site 21 | 0 | | | | | | 2(0) | 2 |
| Angostura | 22 | Site 22 | 0 | | | | | | 1(0) | 1 |
| Angostura | 23 | Site 23 | 7(3) | | | | | | 2(0) | 9 |
| Angostura | 24 | Site 24 | 1(0) | | | | | | 7(0) | 8 |
| Angostura | 4 | Central Ave. | Ô | 0 | 4(0) | 12(0) | 0 | 0 | 2(0) | 18 |
| Angostura | 5 | Rio Bravo Blvd. | 1(0) | 0 | 66(0) | 6(0) | 1(0) | 2(0) | 4(0) | 80 |
| Angostura | 25 | Site 25 | 0 | | | . , | | | 2(0) | 2 |
| Angostura Totals | | | 9 | 0 | 70 | 18 | 3 | 7 | 20 | 127 |
| Isleta | 26 | Site 26 | 6(1) | | | | | | 2(0) | 8 |
| Isleta | 6 | Los Lunas | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Isleta | 27 | Site 27 | | | | | | | 0 | 0 |
| Isleta | 7 | Belen | 0 | 1(0) | 0 | 0 | 0 | 0 | 0 | 1 |
| Isleta | 8 | Jarales | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Isleta | 28 | Site 28 | 0 | | | | | | 0 | 0 |
| Isleta | 9 | Bernardo | 0 | 0 | 1(1) | 0 | 0 | 0 | 0 | 1 |
| Isleta | 10 | La Joya | 0 | 0 | 0 | 2(1) | 0 | 0 | 0 | 2 |
| Isleta | 29 | Site 29 | 0 | | | | | | 0 | 0 |
| Isleta | 11 | North of San Acacia | 2(0) | 0 | 27(0) | 2(0) | 1(0) | 0 | 0 | 32 |
| Isleta Totals | | | 8 | 1 | 28 | 4 | 1 | 0 | 2 | 44 |
| San Acacia | 12 | San Acacia Dam | 46(5) | 5(3) | 10(0) | 2(0) | 0 | 0 | 0 | 63 |
| San Acacia | 13 | South of San Acacia | 2(1) | 7(2) | 0 | 12(0) | 5(0) | 0 | 0 | 26 |
| San Acacia | 30 | Site 30 | 1(1) | | | | | | 3(0) | 4 |
| San Acacia | 14 | Socorro | 0 | 2(1) | 0 | 0 | 1(0) | 1(0) | 2(0) | 6 |
| San Acacia | 15 | North of San Antonio | 4(0) | 0 | 2(0) | 0 | 1(0) | 1(0) | 0 | 8 |
| San Acacia | 16 | San Antonio | 1(0) | 1(0) | 2(0) | 0 | 1(0) | 0 | 0 | 5 |
| San Acacia | 17 | South of San Antonio | 2(0) | 1(0) | 1(0) | 1(0) | 1(0) | 0 | 0 | 6 |
| San Acacia | 18 | San Marcial | 0 | 1(0) | 1(0) | 1(0) | 0 | 0 | 0 | 3 |
| San Acacia | 19 | South of San Marcial 1 | 0 | 1(0) | 0 | 3(0) | 0 | 0 | 0 | 4 |
| San Acacia | 20 | South of San Marcial 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| San Acacia Totals | | | 56 | 18 | 16 | 19 | 9 | 2 | 5 | 125 |
| Monthly Totals | | | 73 | 19 | 114 | 41 | 13 | 9 | 27 | 296 |




Figure 4. Rio Grande Silvery Minnow densities based on all sites, by age-class and month, during 2022. Marked and unmarked individuals were included.

Table 4. Ichthyofaunal summary based on standard sites, by species, during October 2022. Marked and unmarked Rio Grande Silvery Minnow were included. Dashes (-) indicate species that were absent during sampling.

| Family | Common Name | Residence Status ¹ | Total Number of Individuals | Percent (%) of Total | Frequency of Occurrence ² | % Frequency of Occurrence ² |
|---------------|------------------------------|----------------------------------|-----------------------------|-------------------------|--------------------------------------|---|
| Clupeidae | Gizzard Shad | N | _ | _ | _ | _ |
| Clupeidae | Threadfin Shad | 1 | - | - | - | - |
| Cyprinidae | Central Stoneroller | 1 | - | - | - | - |
| Cyprinidae | Goldfish | I | - | - | - | - |
| Cyprinidae | Red Shiner | N | 1,323 | 59.57 | 15 | 75.00 |
| Cyprinidae | Common Carp | 1 | 10 | 0.45 | 5 | 25.00 |
| Cyprinidae | Rio Grande Chub | N | - | - | - | - |
| Cyprinidae | Rio Grande Silvery Minnow | N | 8 | 0.36 | 3 | 15.00 |
| Cyprinidae | Golden Shiner | I | 1 | 0.05 | 1 | 5.00 |
| Cyprinidae | Fathead Minnow | N | 13 | 0.59 | 4 | 20.00 |
| Cyprinidae | Bullhead Minnow | ı | - | - | - | - |
| Cyprinidae | Flathead Chub | N | 129 | 5.81 | 13 | 65.00 |
| Cyprinidae | Longnose Dace | N | 107 | 4.82 | 3 | 15.00 |
| Catostomidae | River Carpsucker | N | 3 | 0.14 | 3 | 15.00 |
| Catostomidae | White Sucker | i | 1 | 0.05 | 1 | 5.00 |
| Catostomidae | Smallmouth Buffalo | N | - | - | - - | - |
| Ictaluridae | Black Bullhead | 1 | _ | _ | _ | _ |
| Ictaluridae | Yellow Bullhead | i | 8 | 0.36 | 2 | 10.00 |
| Ictaluridae | Blue Catfish | N | - | - | _ | 10.00 |
| Ictaluridae | Channel Catfish | 1 | 187 | 8.42 | 12 | 60.00 |
| Ictaluridae | Flathead Catfish | N | - | - | - | - |
| Loricariidae | Vermiculated Sailfin Catfish | 1 | - | - | - | - |
| Salmonidae | Rainbow Trout | ı | - | - | - | - |
| Salmonidae | Brown Trout | 1 | - | - | - | - |
| Poeciliidae | Western Mosquitofish | 1 | 430 | 19.36 | 12 | 60.00 |
| Moronidae | White Bass | 1 | - | - | - | - |
| Moronidae | Striped Bass | I | - | - | - | - |
| Centrarchidae | Green Sunfish | 1 | - | - | - | - |
| Centrarchidae | Bluegill | N | - | - | - | - |
| Centrarchidae | Longear Sunfish | I | - | - | - | - |
| Centrarchidae | Smallmouth Bass | I | - | - | - | - |
| Centrarchidae | Largemouth Bass | I | 1 | 0.05 | 1 | 5.00 |
| Centrarchidae | White Crappie | I | - | - | - | - |
| Centrarchidae | Black Crappie | I | - | - | - | - |
| Percidae | Yellow Perch | 1 | - | - | - | - |
| Percidae | Bigscale Logperch | I | - | - | - | - |
| Percidae | Walleye | 1 | - | - | - | - |
| Sciaenidae | Freshwater Drum | N | - | - | - | - |
| | | | | | | |

^{1 =} Native (N) or introduced (I) species

² = Based on standard sites




Figure 5. Fish densities based on standard sites, by reach and focal taxa, during October 2022. Marked and unmarked Rio Grande Silvery Minnow were included.

Table 5. Ichthyofaunal summary based on all sites, by species, during October 2022. Marked and unmarked Rio Grande Silvery Minnow were included. Dashes (-) indicate species that were absent during sampling.

| Family | Common Name | Residence Status ¹ | Total Number of Individuals | Percent (%) of Total | Frequency of Occurrence ² | % Frequency of Occurrence ² |
|---------------|------------------------------|----------------------------------|-----------------------------|-------------------------|--------------------------------------|---|
| Clupeidae | Gizzard Shad | N | - | - | - | - |
| Clupeidae | Threadfin Shad | I | - | - | - | - |
| Cyprinidae | Central Stoneroller | 1 | - | - | - | - |
| Cyprinidae | Goldfish | 1 | - | - | - | - |
| Cyprinidae | Red Shiner | N | 2,181 | 54.95 | 25 | 83.33 |
| Cyprinidae | Common Carp | 1 | 15 | 0.38 | 9 | 30.00 |
| Cyprinidae | Rio Grande Chub | N | - | - | - | - |
| Cyprinidae | Rio Grande Silvery Minnow | N | 27 | 0.68 | 10 | 33.33 |
| Cyprinidae | Golden Shiner | 1 | 1 | 0.03 | 1 | 3.33 |
| Cyprinidae | Fathead Minnow | N | 28 | 0.71 | 9 | 30.00 |
| Cyprinidae | Bullhead Minnow | 1 | - | - | - | - |
| Cyprinidae | Flathead Chub | N | 385 | 9.70 | 18 | 60.00 |
| Cyprinidae | Longnose Dace | N | 187 | 4.71 | 6 | 20.00 |
| Catostomidae | River Carpsucker | N | 5 | 0.13 | 5 | 16.67 |
| Catostomidae | White Sucker | I | 1 | 0.03 | 1 | 3.33 |
| Catostomidae | Smallmouth Buffalo | N | - | - | - | - |
| Ictaluridae | Black Bullhead | ı | - | - | - | - |
| Ictaluridae | Yellow Bullhead | I | 8 | 0.20 | 2 | 6.67 |
| Ictaluridae | Blue Catfish | N | - | - | - | - |
| Ictaluridae | Channel Catfish | I | 476 | 11.99 | 22 | 73.33 |
| Ictaluridae | Flathead Catfish | N | - | - | - | - |
| Loricariidae | Vermiculated Sailfin Catfish | 1 | - | - | - | - |
| Salmonidae | Rainbow Trout | 1 | - | - | - | - |
| Salmonidae | Brown Trout | I | - | - | - | - |
| Poeciliidae | Western Mosquitofish | 1 | 654 | 16.48 | 21 | 70.00 |
| Moronidae | White Bass | 1 | - | - | - | - |
| Moronidae | Striped Bass | I | - | - | - | - |
| Centrarchidae | Green Sunfish | 1 | - | - | - | - |
| Centrarchidae | Bluegill | N | - | - | - | - |
| Centrarchidae | Longear Sunfish | 1 | - | - | - | - |
| Centrarchidae | Smallmouth Bass | I | - | - | - | - |
| Centrarchidae | Largemouth Bass | I | 1 | 0.03 | 1 | 3.33 |
| Centrarchidae | White Crappie | 1 | - | - | - | - |
| Centrarchidae | Black Crappie | I | - | - | - | - |
| Percidae | Yellow Perch | 1 | - | - | - | - |
| Percidae | Bigscale Logperch | I | - | - | - | - |
| Percidae | Walleye | 1 | - | - | - | - |
| Sciaenidae | Freshwater Drum | N | - | - | - | - |
| | | | | | | |

^{1 =} Native (N) or introduced (I) species

² = Based on all sites




Figure 6. Fish densities based on all sites, by reach and focal taxa, during October 2022. Marked and unmarked Rio Grande Silvery Minnow were included.

Table 6. Ichthyofaunal summary based on all sites, by species and month, during 2022. Marked and unmarked Rio Grande Silvery Minnow were included.

| Family | Common Name | Apr | May | Jun | Jul | Aug | Sep | Oct | Total |
|----------------|------------------------------|-------|-------|-------|-------|-------|-------|-------|--------|
| Clupeidae | Gizzard Shad | 0 | 2 | 1 | 2 | 0 | 0 | 0 | 5 |
| Clupeidae | Threadfin Shad | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Cyprinidae | Central Stoneroller | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Cyprinidae | Goldfish | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Cyprinidae | Red Shiner | 4,500 | 1,097 | 1,683 | 1,484 | 887 | 876 | 2,181 | 12,708 |
| Cyprinidae | Common Carp | 8 | 3 | 260 | 24 | 6 | 50 | 15 | 366 |
| Cyprinidae | Rio Grande Chub | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Cyprinidae | Rio Grande Silvery Minnow | 73 | 19 | 114 | 41 | 13 | 9 | 27 | 296 |
| Cyprinidae | Golden Shiner | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| Cyprinidae | Fathead Minnow | 28 | 1 | 19 | 16 | 3 | 10 | 28 | 105 |
| Cyprinidae | Bullhead Minnow | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Cyprinidae | Flathead Chub | 168 | 84 | 229 | 324 | 119 | 123 | 385 | 1,432 |
| Cyprinidae | Longnose Dace | 31 | 30 | 109 | 65 | 129 | 49 | 187 | 600 |
| Catostomidae | River Carpsucker | 8 | 2 | 54 | 22 | 0 | 3 | 5 | 94 |
| Catostomidae | White Sucker | 1 | 166 | 168 | 34 | 7 | 1 | 1 | 378 |
| Catostomidae | Smallmouth Buffalo | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| Ictaluridae | Black Bullhead | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 2 |
| Ictaluridae | Yellow Bullhead | 0 | 0 | 1 | 16 | 5 | 10 | 8 | 40 |
| Ictaluridae | Blue Catfish | 0 | 0 | 4 | 3 | 0 | 0 | 0 | 7 |
| Ictaluridae | Channel Catfish | 24 | 17 | 0 | 169 | 505 | 135 | 476 | 1,326 |
| Ictaluridae | Flathead Catfish | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| Loricariidae | Vermiculated Sailfin Catfish | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Salmonidae | Rainbow Trout | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Salmonidae | Brown Trout | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Poeciliidae | Western Mosquitofish | 228 | 10 | 109 | 175 | 127 | 713 | 654 | 2,016 |
| Moronidae | White Bass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Moronidae | Striped Bass | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Centrarchidae | Green Sunfish | 0 | 0 | 4 | 4 | 0 | 0 | 0 | 8 |
| Centrarchidae | Bluegill | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| Centrarchidae | Longear Sunfish | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Centrarchidae | Smallmouth Bass | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| Centrarchidae | Largemouth Bass | 0 | 0 | 1 | 2 | 0 | 1 | 1 | 5 |
| Centrarchidae | White Crappie | 13 | 2 | 2 | 0 | 0 | 0 | 0 | 17 |
| Centrarchidae | Black Crappie | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Percidae | Yellow Perch | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Percidae | Bigscale Logperch | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 4 |
| Percidae | Walleye | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Sciaenidae | Freshwater Drum | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Monthly Totals | | 5,082 | 1,434 | 2,762 | 2,383 | 1,803 | 1,981 | 3,969 | 19,414 |

APPENDIX A (Sampling Sites)

Middle Rio Grande Fish Sampling Sites

Table A1. Sampling reaches and standard sites for population monitoring of Rio Grande Silvery Minnow in the Middle Rio Grande.

Reach and Site

Locality

Angostura Reach

- 1 New Mexico, Sandoval County, Rio Grande, just downstream of Angostura Diversion Dam, Algodones. River Mile: 209.9; UTM Easting: 363665; UTM Northing: 3916331; Zone: 13; Datum: NAD83
- New Mexico, Sandoval County, Rio Grande, at US HWY 550 bridge crossing, Bernalillo. River Mile: 203.9; UTM Easting: 358457; UTM Northing: 3909887; Zone: 13; Datum: NAD83
- 3 New Mexico, Sandoval County, Rio Grande, ca. 4.0 mi downstream of US HWY 550 bridge crossing, Rio Rancho.

River Mile: 199.9; UTM Easting: 354728; UTM Northing: 3905587; Zone: 13; Datum: NAD83

- 4 New Mexico, Bernalillo County, Rio Grande, at Central Ave. bridge crossing (US HWY 66), Albuquerque. River Mile: 183.4; UTM Easting: 346719; UTM Northing: 3884331; Zone: 13; Datum: NAD83
- New Mexico, Bernalillo County, Rio Grande, at Rio Bravo Blvd. bridge crossing (NM State HWY 500), Albuquerque.

River Mile: 178.4; UTM Easting: 347468; UTM Northing: 3877400; Zone: 13; Datum: NAD83

Isleta Reach

- New Mexico, Valencia County, Rio Grande, just upstream of NM State HWY 6 bridge crossing, Los Lunas. River Mile: 161.7; UTM Easting: 343149; UTM Northing: 3853187; Zone: 13; Datum: NAD83
- 7 New Mexico, Valencia County, Rio Grande, ca. 1.0 mi upstream of NM State HWY 309 bridge crossing, Belen.

River Mile: 150.8; UTM Easting: 340105; UTM Northing: 3837722; Zone: 13; Datum: NAD83

8 New Mexico, Valencia County, Rio Grande, ca. 2.2 mi upstream of NM State HWY 346 bridge crossing, Jarales.

River Mile: 143.2; UTM Easting: 338020; UTM Northing: 3827545; Zone: 13; Datum: NAD83

- 9 New Mexico, Socorro County, Rio Grande, at US HWY 60 bridge crossing, Bernardo. River Mile: 130.6; UTM Easting: 334578; UTM Northing: 3809921; Zone: 13; Datum: NAD83
- 10 New Mexico, Socorro County, Rio Grande, ca. 3.7 mi downstream of US HWY 60 bridge crossing, Bernardo.

River Mile: 126.8; UTM Easting: 330946; UTM Northing: 3805307; Zone: 13; Datum: NAD83

11 New Mexico, Socorro County, Rio Grande, ca. 1.2 mi upstream of San Acacia Diversion Dam, San Acacia. River Mile: 117.3; UTM Easting: 328152; UTM Northing: 3792564; Zone: 13; Datum: NAD83

Table A1. Sampling reaches and standard sites for population monitoring of Rio Grande Silvery Minnow in the Middle Rio Grande (continued).

Reach and Site

Locality

San Acacia Reach

- 12 New Mexico, Socorro County, Rio Grande, just downstream of San Acacia Diversion Dam, San Acacia. River Mile: 115.6; UTM Easting: 325960; UTM Northing: 3792182; Zone: 13; Datum: NAD83
- 13 New Mexico, Socorro County, Rio Grande, ca. 1.5 mi downstream of San Acacia Diversion Dam, San Acacia.
 - River Mile: 114.1; UTM Easting: 325390; UTM Northing: 3790397; Zone: 13; Datum: NAD83
- 14 New Mexico, Socorro County, Rio Grande, ca. 0.5 mi upstream of Socorro Low Flow Conveyance Channel bridge crossing, Socorro.
 - River Mile: 99.6; UTM Easting: 327231; UTM Northing: 3771432; Zone: 13; Datum: NAD83
- 15 New Mexico, Socorro County, Rio Grande, ca. 4.5 mi upstream of US HWY 380 bridge crossing, San Antonio.
 - River Mile: 92.0; UTM Easting: 328151; UTM Northing: 3761487; Zone: 13; Datum: NAD83
- 16 New Mexico, Socorro County, Rio Grande, at US HWY 380 bridge crossing, San Antonio. River Mile: 87.8; UTM Easting: 328907; UTM Northing: 3754926; Zone: 13; Datum: NAD83
- 17 New Mexico, Socorro County, Rio Grande, east of Bosque del Apache NWR headquarters, San Antonio. River Mile: 79.0; UTM Easting: 327219; UTM Northing: 3740906; Zone: 13; Datum: NAD83
- 18 New Mexico, Socorro County, Rio Grande, at San Marcial Railroad bridge crossing, San Marcial. River Mile: 68.3; UTM Easting: 315091; UTM Northing: 3728487; Zone: 13; Datum: NAD83
- 19 New Mexico, Socorro County, Rio Grande, ca. 8.0 mi downstream of San Marcial Railroad bridge crossing, San Marcial.
 - River Mile: 60.1; UTM Easting: 309441; UTM Northing: 3718309; Zone: 13; Datum: NAD83
- 20 New Mexico, Socorro County, Rio Grande, ca. 10.0 mi downstream of San Marcial Railroad bridge crossing, San Marcial.
 - River Mile: 58.5; UTM Easting: 307767; UTM Northing: 3716360; Zone: 13; Datum: NAD83

Table A2. Sampling reaches and additional sites for population monitoring of Rio Grande Silvery Minnow in the Middle Rio Grande.

Reach and Site

Locality

Angostura Reach

- 21 New Mexico, Sandoval County, Rio Grande, ca. 4.4 miles upstream of Alameda Blvd. (NM State Hwy. 528) bridge crossing, Corrales.
 - River Mile: 196.6; UTM Easting: 355531; UTM Northing: 3900626; Zone: 13; Datum: NAD83
- 22 New Mexico, Sandoval County, Rio Grande, ca. 1.1 miles upstream of Alameda Blvd. (NM State Hwy. 528) bridge crossing, Corrales.
 - River Mile: 193.1; UTM Easting: 351562; UTM Northing: 3897190; Zone: 13; Datum: NAD83
- 23 New Mexico, Bernalillo County, Rio Grande, ca. 1.0 miles downstream of Paseo del Norte Blvd. (NM State Hwy. 423) bridge crossing Albuquerque.
 - River Mile: 190.0; UTM Easting: 349214; UTM Northing: 3893063; Zone: 13; Datum: NAD83
- 24 New Mexico, Bernalillo County, Rio Grande, ca. 1.1 miles upstream of I-40 bridge crossing, Albuquerque. River Mile: 186.1; UTM Easting: 346011; UTM Northing: 3887973; Zone: 13; Datum: NAD83
- 25 New Mexico, Bernalillo County, Rio Grande, ca. 1.5 miles upstream of I-25 bridge crossing, Isleta. River Mile: 174.0; UTM Easting: 345900; UTM Northing: 3870990; Zone: 13; Datum: NAD83

Isleta Reach

- 26 New Mexico, Valencia County, Rio Grande, ca. 4.1 miles upstream of NM State Hwy. 6 bridge crossing, Los Lunas.
 - River Mile: 165.2; UTM Easting: 342799; UTM Northing: 3858637; Zone: 13; Datum: NAD83
- 27 New Mexico, Valencia County, Rio Grande, ca. 6.2 miles upstream of NM State Hwy. 309 bridge crossing, Belen.
 - River Mile: 156.0; UTM Easting: 340647; UTM Northing: 3845146; Zone: 13; Datum: NAD83
- 28 New Mexico, Socorro County, Rio Grande, ca. 6.3 miles upstream of U.S. Hwy. 60 bridge crossing, Bernardo.
 - River Mile: 137.1; UTM Easting: 335554; UTM Northing: 3819543; Zone: 13; Datum: NAD83
- 29 New Mexico, Socorro County, Rio Grande, ca. 1.5 miles upstream of confluence with the Rio Salado, San
 - River Mile: 120.1; UTM Easting: 330498; UTM Northing: 3795053; Zone: 13; Datum: NAD83

San Acacia Reach

- 30 New Mexico, Socorro County, Rio Grande, ca. 2.6 miles upstream of Pueblitos Rd. bridge crossing, Escondida.
 - River Mile: 107.1; UTM Easting: 326303; UTM Northing: 3781123; Zone: 13; Datum: NAD83

Table A3. Sampling reaches and replacement sites for population monitoring of Rio Grande Silvery Minnow in the Middle Rio Grande.

Reach and Site

Locality

Isleta Reach

44 New Mexico, Valencia County, Rio Grande, ca. 1.0 mi upstream of NM State HWY 309 bridge crossing, Belen.

River Mile: 150.5; UTM Easting: 340084; UTM Northing: 3837308; Zone: 13; Datum: NAD83

San Acacia Reach

51 New Mexico, Socorro County, Rio Grande, ca. 5.0 mi downstream of San Acacia Diversion Dam, San Acacia.

River Mile: 110.8; UTM Easting: 325855; UTM Northing: 3786216; Zone: 13; Datum: NAD83

52 New Mexico, Socorro County, Rio Grande, ca. 2.2 mi. downstream of Pueblitos Rd. bridge crossing, Escondida.

River Mile: 101.7; UTM Easting: 327091; UTM Northing: 3773950; Zone: 13; Datum: NAD83

53 New Mexico, Socorro County, Rio Grande, ca. 3.1 mi downstream of the Socorro Low Flow Conveyance Channel bridge crossing, Socorro.

River Mile: 96.0; UTM Easting: 327933; UTM Northing: 3766570; Zone: 13; Datum: NAD83

54 New Mexico, Socorro County, Rio Grande, ca. 4.7 mi. downstream of Socorro LFCC bridge crossing, Socorro.

River Mile: 94.2; UTM Easting: 327288; UTM Northing: 3764453; Zone: 13; Datum: NAD83

56 New Mexico, Socorro County, Rio Grande, ca. 2.1 miles upstream of San Antonio bridge crossing, San Antonio.

River Mile: 89.3; UTM Easting: 329188; UTM Northing: 3758027; Zone: 13; Datum: NAD83

58 New Mexico, Socorro County, Rio Grande, ca. 1.8 mi. upstream of San Marcial Railroad bridge crossing, San Marcial.

River Mile: 70.1; UTM Easting: 318083; UTM Northing: 3728535; Zone: 13; Datum: NAD83

59 New Mexico, Socorro County, Rio Grande, ca. 5.1 mi. downstream of San Marcial Railroad bridge crossing, San Marcial.

River Mile: 63.3; UTM Easting: 313269; UTM Northing: 3721434; Zone: 13; Datum: NAD83

60 New Mexico, Socorro County, Rio Grande, ca. 6.4 mi. downstream of San Marcial Railroad bridge crossing, San Marcial.

River Mile: 61.8; UTM Easting: 311422; UTM Northing: 3719873; Zone: 13; Datum: NAD83

APPENDIX B (Site-Specific Population Monitoring Data)

Site-specific data, collected in October 2022, as part of the Rio Grande Silvery Minnow Population Monitoring Program (Any blanks in this database output indicate null data)

** Data are provisional and should be verified by direct inspection of field data **

NEW MEXICO: SANDOVAL County, RIO GRANDE Drainage RKD22-148

Rio Grande, just downstream of Angostura Diversion Dam, Algodones.

Site Number: 1 River Mile: 209.9 05 October 2022
UTM Easting: 363665 UTM Northing: 3916331 Zone: 13 USGS Quad: San Felipe Pueblo
Collector(s): R.K. Dudley, M.A. Farrington, S.L. Clark-Barkalow Effort: 457.7 sq. m

| <u>Family</u> | <u>Species</u> | <u>Total</u> |
|---------------|------------------------|--------------|
| 76 | Cyprinella lutrensis | 19 |
| 76 | Platygobio gracilis | 9 |
| 76 | Rhinichthys cataractae | 51 |
| 212 | Gambusia affinis | 48 |

NEW MEXICO: SANDOVAL County, RIO GRANDE Drainage RKD22-149

Rio Grande, at US HWY 550 bridge crossing, Bernalillo.

Site Number: 2 River Mile: 203.9 05 October 2022

UTM Easting: 358457 UTM Northing: 3909887 Zone: 13 USGS Quad: Bernalillo

Collector(s): R.K. Dudley, M.A. Farrington, S.L. Clark-Barkalow Effort: 500.4 sq. m

| Family | <u>Species</u> | <u>Total</u> |
|---------------|------------------------|--------------|
| 76 | Cyprinella lutrensis | 33 |
| 76 | Pimephales promelas | 2 |
| 76 | Platygobio gracilis | 41 |
| 76 | Rhinichthys cataractae | 55 |
| 93 | Ictalurus punctatus | 22 |
| 212 | Gambusia affinis | 72 |

NEW MEXICO: SANDOVAL County, RIO GRANDE Drainage RKD22-150

Rio Grande, ca. 4.0 mi downstream of US HWY 550 bridge crossing, Rio Rancho.

Site Number: 3 River Mile: 199.9 05 October 2022

UTM Easting: 354728 UTM Northing: 3905587 Zone: 13 USGS Quad: Bernalillo

Collector(s): R.K. Dudley, M.A. Farrington, S.L. Clark-Barkalow Effort: 503.0 sq. m

| <u>Family</u> | <u>Species</u> | <u>Total</u> |
|---------------|------------------------|--------------|
| 76 | Cyprinella lutrensis | 21 |
| 76 | Pimephales promelas | 1 |
| 76 | Platygobio gracilis | 4 |
| 81 | Catostomus commersonii | 1 |
| 93 | Ameiurus natalis | 6 |
| 93 | Ictalurus punctatus | 52 |
| 212 | Gambusia affinis | 31 |

NEW MEXICO: Sandoval County, RIO GRANDE Drainage RKD22-160

Rio Grande, ca. 4.5 mi upstream of Alameda Blvd. bridge crossing (NM State HWY 528), Corrales.

Site Number: 21 River Mile: 196.5 07 October 2022 UTM Easting: 355670 UTM Northing: 3900620 Zone: 13 USGS Quad: Alameda

UTM Easting: 355670 UTM Northing: 3900620 Zone: 13 USGS Quad: Alameda Collector(s): R.K. Dudley, A.C. Wedemeyer, E.S. DeArmon Effort: 493.5 sq. m

| Family | <u>Species</u> | <u>Total</u> |
|---------------|------------------------|--------------|
| 76 | Cyprinella lutrensis | 77 |
| 76 | Hybognathus amarus* | 2 |
| 76 | Platygobio gracilis | 81 |
| 76 | Rhinichthys cataractae | 77 |
| 81 | Carpiodes carpio | 1 |
| 93 | Ictalurus punctatus | 39 |
| 212 | Gambusia affinis | 22 |

*Hybognathus amarus (age-classes):

age-0 age-1 2 age-2+

NEW MEXICO: Sandoval County, RIO GRANDE Drainage

RKD22-159

Rio Grande, ca. 1.0 mi upstream of Alameda Blvd. bridge crossing (NM State HWY 528), Corrales.

Site Number: 22 River Mile: 193.0 07 October 2022

UTM Easting: 351565 UTM Northing: 3897088 Zone: 13 USGS Quad: Los Griegos

Collector(s): R.K. Dudley, A.C. Wedemeyer, E.S. DeArmon Effort: 568.1 sq. m

| Family | <u>Species</u> | <u>Total</u> |
|---------------|------------------------|--------------|
| 76 | Cyprinella lutrensis | 25 |
| 76 | Hybognathus amarus* | 1 |
| 76 | Pimephales promelas | 4 |
| 76 | Platygobio gracilis | 80 |
| 76 | Rhinichthys cataractae | 1 |
| 93 | Ictalurus punctatus | 24 |
| 212 | Gambusia affinis | 3 |

*Hybognathus amarus (age-classes):

age-0 age-1

age-2+

NEW MEXICO: Bernalillo County, RIO GRANDE Drainage **RKD22-158**

Rio Grande, ca. 1.2 mi downstream of Paseo del Norte Blvd. bridge crossing (NM State HWY 423), Albuquerque. Site Number: 23 River Mile: 189.9 07 October 2022

UTM Northing: 3893113 UTM Easting: 349121 Zone: 13 USGS Quad: Los Griegos

Effort: 543.5 sq. m Collector(s): R.K. Dudley, A.C. Wedemeyer, E.S. DeArmon

| Family | <u>Species</u> | <u>Total</u> |
|---------------|------------------------|--------------|
| 76 | Cyprinella lutrensis | 26 |
| 76 | Hybognathus amarus* | 2 |
| 76 | Pimephales promelas | 1 |
| 76 | Platygobio gracilis | 80 |
| 76 | Rhinichthys cataractae | 2 |
| 93 | Ictalurus punctatus | 72 |
| 212 | Gambusia affinis | 8 |

*Hybognathus amarus (age-classes):

age-0 1 age-1 1 age-2+

NEW MEXICO: Bernalillo County, RIO GRANDE Drainage

RKD22-157

Rio Grande, ca. 1.1 mi upstream of US Interstate HWY I-40 bridge crossing, Albuquerque.

Site Number: 24 River Mile: 186.1

07 October 2022 UTM Easting: 346011 UTM Northing: 3887973 Zone: 13 USGS Quad: Albuquerque West

Collector(s): R.K. Dudley, A.C. Wedemeyer, E.S. DeArmon Effort: 511.0 sq. m

| <u>Family</u> | <u>Species</u> | <u>Total</u> |
|---------------|----------------------|--------------|
| 76 | Cyprinella lutrensis | 71 |
| 76 | Cyprinus carpio | 1 |
| 76 | Hybognathus amarus* | 7 |
| 76 | Pimephales promelas | 7 |
| 76 | Platygobio gracilis | 10 |
| 93 | Ictalurus punctatus | 10 |
| 212 | Gambusia affinis | 16 |

*Hybognathus amarus (age-classes):

age-0 5 age-1 2 age-2+

NEW MEXICO: BERNALILLO County, RIO GRANDE Drainage RKD22-147

Rio Grande, at Central Ave. bridge crossing (US HWY 66), Albuquerque. Site Number: 4 River Mile: 183.4

Site Number: 4 River Mile: 183.4 05 October 2022
UTM Easting: 346719 UTM Northing: 3884331 Zone: 13 USGS Quad: Albuquerque West
Collector(s): R.K. Dudley, M.A. Farrington, S.L. Clark-Barkalow Effort: 486.5 sq. m

| Family | <u>Species</u> | <u>Total</u> |
|---------------|----------------------|--------------|
| 76 | Cyprinella lutrensis | 148 |
| 76 | Cyprinus carpio | 5 |
| 76 | Hybognathus amarus* | 2 |
| 76 | Pimephales promelas | 7 |
| 76 | Platygobio gracilis | 2 |
| 81 | Carpiodes carpio | 1 |
| 93 | Ameiurus natalis | 2 |
| 93 | Ictalurus punctatus | 17 |
| 212 | Gambusia affinis | 27 |

*Hybognathus amarus (age-classes):

age-0 1 age-1 age-2+ 1

NEW MEXICO: BERNALILLO County, RIO GRANDE Drainage RKD22-146

Rio Grande, at Rio Bravo Blvd. bridge crossing (NM State HWY 500), Albuquerque.

Site Number: 5 River Mile: 178.4 05 October 2022
UTM Easting: 347468 UTM Northing: 3877400 Zone: 13 USGS Quad: Albuquerque West
Collector(s): R.K. Dudley, M.A. Farrington, S.L. Clark-Barkalow Effort: 498.2 sq. m

| <u>Family</u> | <u>Species</u> | <u>Total</u> |
|---------------|------------------------|--------------|
| 76 | Cyprinella lutrensis | 57 |
| 76 | Cyprinus carpio | 2 |
| 76 | Hybognathus amarus* | 4 |
| 76 | Pimephales promelas | 3 |
| 76 | Platygobio gracilis | 4 |
| 76 | Rhinichthys cataractae | 1 |
| 81 | Carpiodes carpio | 1 |
| 93 | Ictalurus punctatus | 13 |
| 212 | Gambusia affinis | 2 |

*Hybognathus amarus (age-classes):

age-0 2 age-1 2 age-2+

NEW MEXICO: Bernalillo County, RIO GRANDE Drainage RKD22-156

Rio Grande, ca. 1.4 mi upstream of US Interstate HWY I-25 bridge crossing, Isleta.

Site Number: 25 River Mile: 174.0 06 October 2022

UTM Easting: 345874 UTM Northing: 3870990 Zone: 13 USGS Quad: Isleta

Collector(s): R.K. Dudley, M.A. Farrington, A.C. Wedemeyer Effort: 501.3 sq. m

| <u>Family</u> | <u>Species</u> | <u>Total</u> |
|---------------|----------------------|--------------|
| 76 | Cyprinella lutrensis | 161 |
| 76 | Cyprinus carpio | 1 |
| 76 | Hybognathus amarus* | 2 |
| 76 | Pimephales promelas | 1 |
| 93 | Ictalurus punctatus | 16 |
| 212 | Gambusia affinis | 55 |

*Hybognathus amarus (age-classes):

age-0 age-1 2 age-2+

NEW MEXICO: Valencia County, RIO GRANDE Drainage RKD22-155

Rio Grande, ca. 4.1 mi upstream of NM State HWY 6 bridge crossing, Los Lunas.

Site Number: 26 River Mile: 165.2 06 October 2022

UTM Easting: 342799 UTM Northing: 3858637 Zone: 13 USGS Quad: Los Lunas

Collector(s): R.K. Dudley, M.A. Farrington, A.C. Wedemeyer Effort: 537.2 sq. m

| <u>Family</u> | <u>Species</u> | <u>Total</u> |
|---------------|----------------------|--------------|
| 76 | Cyprinella lutrensis | 181 |
| 76 | Hybognathus amarus* | 2 |
| 93 | Ictalurus punctatus | 96 |
| 212 | Gambusia affinis | 56 |

*Hybognathus amarus (age-classes):

age-0 1 age-1 1 age-2+

NEW MEXICO: VALENCIA County, RIO GRANDE Drainage RKD22-145

Rio Grande, just upstream of NM State HWY 6 bridge crossing, Los Lunas.

Site Number: 6 River Mile: 161.7 11 October 2022

UTM Easting: 343149 UTM Northing: 3853187 Zone: 13 USGS Quad: Los Lunas

Collector(s): R.K. Dudley, M.A. Farrington, T.D. Damron Effort: 499.1 sq. m

| <u>Family</u> | <u>Species</u> | <u>Total</u> |
|---------------|----------------------|--------------|
| 76 | Cyprinella lutrensis | 193 |
| 93 | Ictalurus punctatus | 30 |
| 212 | Gambusia affinis | 14 |

NEW MEXICO: Valencia County, RIO GRANDE Drainage RKD22-154

Rio Grande, ca. 6.5 mi upstream of NM State HWY 309 bridge crossing, Belen.

Site Number: 27 River Mile: 156.0 06 October 2022

UTM Easting: 340512 UTM Northing: 3845124 Zone: 13 USGS Quad: Tome

Collector(s): R.K. Dudley, M.A. Farrington, A.C. Wedemeyer Effort: 504.5 sq. m

| Family | <u>Species</u> | <u>Total</u> |
|---------------|----------------------|--------------|
| 76 | Cyprinella lutrensis | 40 |
| 76 | Pimephales promelas | 2 |
| 81 | Carpiodes carpio | 1 |
| 93 | Ictalurus punctatus | 3 |
| 212 | Gambusia affinis | 8 |

NEW MEXICO: VALENCIA County, RIO GRANDE Drainage RKD22-144

Rio Grande, ca. 1.0 mi upstream of NM State HWY 309 bridge crossing, Belen.

Site Number: 7 River Mile: 150.8 11 October 2022

UTM Easting: 340105 UTM Northing: 3837722 Zone: 13 USGS Quad: Tome

Collector(s): R.K. Dudley, M.A. Farrington, T.D. Damron Effort: 497.0 sq. m

| <u>Family</u> | <u>Species</u> | <u>Total</u> |
|---------------|----------------------|--------------|
| 76 | Cyprinella lutrensis | 115 |
| 93 | Ictalurus punctatus | 13 |
| 212 | Gambusia affinis | 15 |

NEW MEXICO: VALENCIA County, RIO GRANDE Drainage RKD22-143

Rio Grande, ca. 2.2 mi upstream of NM State HWY 346 bridge crossing, Jarales.

Site Number: 8 River Mile: 143.2 11 October 2022

UTM Easting: 338020 UTM Northing: 3827545 Zone: 13 USGS Quad: Veguita

Collector(s): R.K. Dudley, M.A. Farrington, T.D. Damron Effort: 517.6 sq. m

| Family | <u>Species</u> | <u>Total</u> |
|---------------|----------------------|--------------|
| 76 | Cyprinella lutrensis | 203 |
| 76 | Cyprinus carpio | 1 |
| 93 | Ictalurus punctatus | 10 |
| 212 | Gambusia affinis | 12 |

NEW MEXICO: Socorro County, RIO GRANDE Drainage RKD22-153

Rio Grande, ca. 3.8 mi downstream of NM State HWY 346 bridge crossing, Jarales.

Site Number: 28 River Mile: 137.0 12 October 2022

UTM Easting: 335506 UTM Northing: 3819543 Zone: 13 USGS Quad: Veguita

Collector(s): R.K. Dudley, M.A. Farrington, T.D. Damron Effort: 481.0 sq. m

| Family | <u>Species</u> | <u>Total</u> |
|---------------|----------------------|--------------|
| 76 | Cyprinella lutrensis | 232 |
| 93 | Ictalurus punctatus | 12 |
| 212 | Gambusia affinis | 41 |

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage RKD22-142

Rio Grande, at US HWY 60 bridge crossing, Bernardo.

Site Number: 9 River Mile: 130.6 04 October 2022

UTM Easting: 334578 UTM Northing: 3809921 Zone: 13 USGS Quad: Abeytas

Collector(s): M.A. Farrington, S.L. Clark-Barkalow, A.C. Wedemeyer Effort: 511.9 sq. m

| <u>Species</u> | <u>Total</u> |
|-----------------------|--|
| Cyprinella lutrensis | 324 |
| Cyprinus carpio | 1 |
| Ictalurus punctatus | 9 |
| Gambusia affinis | 125 |
| Micropterus salmoides | 1 |
| | Cyprinella lutrensis Cyprinus carpio Ictalurus punctatus Gambusia affinis |

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage RKD22-141

Rio Grande, ca. 3.7 mi downstream of US HWY 60 bridge crossing, Bernardo.

Site Number: 10 River Mile: 126.8 04 October 2022

UTM Easting: 330946 UTM Northing: 3805307 Zone: 13 USGS Quad: Abeytas

Collector(s): M.A. Farrington, S.L. Clark-Barkalow, A.C. Wedemeyer Effort: 529.4 sq. m

| Family | <u>Species</u> | <u>Total</u> |
|---------------|----------------------|--------------|
| 76 | Cyprinella lutrensis | 153 |
| 76 | Platygobio gracilis | 1 |
| 93 | Ictalurus punctatus | 6 |
| 212 | Gambusia affinis | 80 |

NEW MEXICO: Socorro County, RIO GRANDE Drainage RKD22-152

Rio Grande, ca. 1.4 mi upstream of the Rio Salado confluence, San Acacia.

Site Number: 29 River Mile: 120.0 12 October 2022

UTM Easting: 330550 UTM Northing: 3795050 USGS Quad: La Joya Zone: 13

Collector(s): R.K. Dudley, M.A. Farrington, T.D. Damron Effort: 535.2 sq. m

| Family | <u>Species</u> | <u>Total</u> |
|---------------|----------------------|--------------|
| 76 | Cyprinella lutrensis | 38 |
| 76 | Cyprinus carpio | 2 |
| 93 | Ictalurus punctatus | 16 |
| 212 | Gambusia affinis | 15 |

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage **RKD22-140**

Rio Grande, ca. 1.2 mi upstream of San Acacia Diversion Dam, San Acacia.

Site Number: 11 River Mile: 117.3 11 October 2022

UTM Easting: 328152 UTM Northing: 3792564 USGS Quad: La Joya Zone: 13

Collector(s): R.K. Dudley, M.A. Farrington, T.D. Damron Effort: 575.9 sq. m

| Family | <u>Species</u> | <u>Total</u> |
|---------------|-------------------------|--------------|
| 76 | Cyprinella lutrensis | 7 |
| 76 | Notemigonus crysoleucas | 1 |
| 76 | Platygobio gracilis | 14 |
| 212 | Gambusia affinis | 1 |

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage **RKD22-139**

Rio Grande, just downstream of San Acacia Diversion Dam, San Acacia.

Site Number: 12 River Mile: 115.6 04 October 2022

UTM Easting: 325960 UTM Northing: 3792183 USGS Quad: San Acacia Zone: 13 Effort: 517.5 sq. m

Collector(s): M.A. Farrington, S.L. Clark-Barkalow, A.C. Wedemeyer

| <u>Family</u> | <u>Species</u> | <u>Total</u> |
|---------------|---------------------|--------------|
| 76 | Platygobio gracilis | 19 |
| 93 | Ictalurus punctatus | 4 |

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage **RKD22-138**

Rio Grande, ca. 1.5 mi downstream of San Acacia Diversion Dam, San Acacia.

Site Number: 13 11 October 2022 River Mile: 114.1

UTM Northing: 3790397 UTM Easting: 325390 Zone: 13 USGS Quad: Lemitar

Collector(s): R.K. Dudley, M.A. Farrington, T.D. Damron Effort: 569.8 sq. m

| <u>Family</u> | <u>Species</u> | <u>Total</u> |
|---------------|---------------------|--------------|
| 76 | Platygobio gracilis | 20 |
| 93 | Ictalurus punctatus | 10 |

Effort: 557.4 sq. m

Rio Grande Silvery Minnow Population Monitoring October 2022

NEW MEXICO: Socorro County, RIO GRANDE Drainage RKD22-151

Rio Grande, ca. 2.1 mi upstream of Pueblitos Rd. bridge crossing, Lemitar.

Site Number: 30 River Mile: 106.3 11 October 2022

UTM Easting: 326666 UTM Northing: 3780246 Zone: 13 USGS Quad: Lemitar

Collector(s): R.K. Dudley, M.A. Farrington, T.D. Damron

| Family | <u>Species</u> | <u>Total</u> |
|---------------|----------------------|--------------|
| 76 | Cyprinella lutrensis | 7 |
| 76 | Cyprinus carpio | 1 |
| 76 | Hybognathus amarus* | 3 |
| 76 | Platygobio gracilis | 5 |
| 93 | Ictalurus punctatus | 1 |

*Hybognathus amarus (age-classes):

age-0 3 age-1 age-2+

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage RKD22-137
Rio Grande, ca. 0.5 mi upstream of Socorro Low Flow Conveyance Channel bridge crossing, Socorro.
Site Number: 14 River Mile: 99.6 04 October 2022
UTM Easting: 327231 UTM Northing: 3771432 Zone: 13 USGS Quad: Loma de las Canas

Collector(s): M.A. Farrington, S.L. Clark-Barkalow, A.C. Wedemeyer Effort: 530.4 sq. m

Family Species Total

76 Cyprinella lutrensis 23

76Cyprinella lutrensis2376Hybognathus amarus*276Platygobio gracilis8

*Hybognathus amarus (age-classes):

age-0 2 age-1 age-2+

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage RKD22-136

Rio Grande, ca. $4.5\,\mathrm{mi}$ upstream of US HWY $380\,\mathrm{bridge}$ crossing, San Antonio.

Site Number: 15 River Mile: 92.0 04 October 2022 UTM Easting: 328151 UTM Northing: 3761487 Zone: 13 USGS Quad: San Antonio

Collector(s): M.A. Farrington, S.L. Clark-Barkalow, A.C. Wedemeyer Effort: 510.6 sq. m

| Family | Species Species | <u>Total</u> |
|---------------|----------------------|--------------|
| 76 | Cyprinella lutrensis | 24 |
| 76 | Cyprinus carpio | 1 |
| 76 | Platygobio gracilis | 1 |

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage **RKD22-135**

Rio Grande, at US HWY 380 bridge crossing, San Antonio.

Site Number: 16 River Mile: 87.8 03 October 2022 UTM Easting: 328907 UTM Northing: 3754926 USGS Quad: San Antonio Zone: 13 Effort: 559.1 sq. m

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, A.C. Wedemeyer

| Family | <u>Species</u> | <u>Total</u> |
|---------------|----------------------|--------------|
| 76 | Cyprinella lutrensis | 2 |
| 76 | Platygobio gracilis | 4 |
| 81 | Carpiodes carpio | 1 |
| 93 | Ictalurus punctatus | 1 |

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage **RKD22-134**

Rio Grande, east of Bosque del Apache NWR headquarters, San Antonio.

Site Number: 17 River Mile: 79.0 03 October 2022 UTM Northing: 3740906 UTM Easting: 327219 USGS Quad: San Antonio SE Zone: 13 Collector(s): R.K. Dudley, S.L. Clark-Barkalow, A.C. Wedemeyer Effort: 523.5 sq. m

| <u>Family</u> | <u>Species</u> | <u>Total</u> |
|---------------|----------------------|--------------|
| 76 | Cyprinella lutrensis | 1 |
| 76 | Platygobio gracilis | 2 |
| 212 | Gambusia affinis | 3 |

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage **RKD22-133**

Rio Grande, at San Marcial Railroad bridge crossing, San Marcial.

River Mile: 68.3 Site Number: 18 03 October 2022 UTM Easting: 315091 UTM Northing: 3728487 USGS Quad: San Marcial Zone: 13 Collector(s): R.K. Dudley, S.L. Clark-Barkalow, A.C. Wedemeyer Effort: 528.6 sq. m

Family **Species Total**

No Fish Collected

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage RKD22-132

Rio Grande, ca. 8.0 mi downstream of San Marcial Railroad bridge crossing, San Marcial.

Site Number: 19 River Mile: 60.1 03 October 2022 UTM Easting: 309441 UTM Northina: 3718309 Zone: 13 USGS Quad: Paraie Well

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, A.C. Wedemeyer Effort: 522.2 sq. m

Family Species Total

No Fish Collected

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage Rio Grande, ca. 10.0 mi downstream of San Marcial Railroad bridge crossing, San Marcial. **RKD22-131**

River Mile: 58.5 Site Number: 20 03 October 2022 USGS Quad: Paraje Well UTM Easting: 307767 UTM Northing: 3716360 Zone: 13

Collector(s): R.K. Dudley, S.L. Clark-Barkalow, A.C. Wedemeyer Effort: 564.2 sq. m

Family Species Total

No Fish Collected