



RIO GRANDE SILVERY MINNOW POPULATION MONITORING DURING MAY 2022

**A U.S. BUREAU OF RECLAMATION FUNDED
RESEARCH PROGRAM**



24 June 2022

RIO GRANDE SILVERY MINNOW POPULATION MONITORING DURING MAY 2022

***A U.S. BUREAU OF RECLAMATION FUNDED
RESEARCH PROGRAM***

Contract 140R4019P0048:

Requisition 0040524614

U.S. Bureau of Reclamation
Albuquerque Area Office
555 Broadway NE, Suite 100
Albuquerque, NM 87102

Submitted to:

U.S. Bureau of Reclamation
Albuquerque Area Office
555 Broadway NE, Suite 100
Albuquerque, NM 87102

Robert K. Dudley^{1,2}, Steven P. Platania^{1,2}, and Gary C. White^{1,3}

¹American Southwest Ichthyological Researchers (ASIR); 800 Encino Place NE; Albuquerque, NM 87102

&

²Museum of Southwestern Biology (Fishes), UNM; MSC03-2020; Albuquerque, NM 87131

&

³Department of Fish, Wildlife, and Conservation Biology, CSU; 10 Wagar; Fort Collins, CO 80523

24 June 2022

SUMMARY OF MAY 2022 POPULATION MONITORING

The May 2022 population monitoring efforts were conducted at the 20 standard sites. Five sites were in the Angostura Reach, six sites were in the Isleta Reach, and nine sites were in the San Acacia Reach. For the 2022 monthly trends, data were based on all sites (i.e., standard, additional, and replacement sites) to maintain consistency across all monthly reports. A list of all collection localities is appended (Appendix A). Adult and juvenile fish were obtained by rapidly drawing a 3.0 m x 1.8 m small-mesh (ca. 5 mm) seine through discrete mesohabitats. Larval fish were collected with a 1.2 m x 1.2 m fine-mesh (ca. 1 mm) seine. All fishes were identified to species and enumerated. We used length-age relationships to assign ages (i.e., age-0, age-1, and age-2+) to all Rio Grande Silvery Minnow collected. Age-0 individuals are only present, however, after annual spring spawning (ca. April–June). Figures illustrating fish densities (i.e., fish per 100 m²) were prepared for the ten focal species to facilitate comparisons across reaches.

Angostura Reach

From 16 April to 15 May, provisional U.S. Geological Survey (USGS) mean daily discharge in the Angostura Reach (Albuquerque: USGS Gage-08330000) averaged 1,358 ft³/s and ranged from 747 to 1,800 ft³/s. Water temperatures ranged from 14.9 to 16.2 °C during the Angostura Reach sampling efforts (ca. 0830–1530 h). Secchi disk measurements of water clarity ranged from 13 to 18 cm.

Sampling for fishes in the Angostura Reach during May yielded 546 individuals with a cumulative fish density of 24.7 individuals per 100 m² sampled. The overall sampling effort in the Angostura Reach covered 2,211.0 m² (surface area) of water. Densities of all fish species combined ranged from 10.0 to 44.2 individuals per 100 m² at the different sampling sites. In May, there were 6 fish species collected in the Angostura Reach. Red Shiner was the most abundant taxon (n = 291), followed by White Sucker (n = 164), and Flathead Chub (n = 53). We collected Rio Grande Silvery Minnow (n = 0) in 0 of the 61 seine hauls that yielded fish, and its overall density was 0.00 (range = 0.00–0.00) individuals per 100 m².

Isleta Reach

Provisional mean daily discharge in the Isleta Reach (Bosque Farms: USGS Gage-08331160), from 16 April to 15 May, averaged 1,017 ft³/s and ranged from 369 to 1,510 ft³/s. During the Isleta Reach sampling efforts (ca. 0930–1600 h), water temperatures ranged from 15.7 to 19.8 °C. Secchi disk measurements ranged from 7 to 10 cm during sampling.

Isleta Reach population monitoring efforts produced 739 individuals in May with a cumulative fish density of 26.8 individuals per 100 m² sampled. The total sampling effort in the Isleta Reach during May covered 2,758.6 m² (surface area) of water. Fish densities (all species combined) at the sampling sites ranged from 0.2 to 108.3 individuals per 100 m² sampled. There were 9 fish species collected in the Isleta Reach during May. Red Shiner was the most abundant taxon (n = 717), followed by Channel Catfish (n = 10), and Western Mosquitofish (n = 4). We collected Rio Grande Silvery Minnow (n = 1) in 1 of the 62 seine hauls that yielded fish, and its overall density was 0.04 (range = 0.00–0.21) individuals per 100 m².

San Acacia Reach

From 16 April to 15 May, provisional mean daily discharge at San Acacia (USGS Gage-08354900) was generally higher (average = 874; range = 301–1,380 ft³/s) than at San Marcial (USGS Gage-08358400) during the same period (average = 590; range = 99–1,130 ft³/s). Water temperatures in May for the San Acacia Reach ranged from 17.5 to 20.3 °C (ca. 0930–1600 h). Secchi disk measurements ranged from 3 to 6 cm during sampling.

Population monitoring efforts in the San Acacia Reach during May yielded 149 individuals with a cumulative fish density of 3.5 individuals per 100 m² sampled. Sampling in the San Acacia Reach covered an area of 4,278.8 m² of water. Fish densities (all species combined) ranged from 1.0 to 8.9 individuals per 100 m² at sites sampled in the San Acacia Reach. In May, there were 8 fish species collected in the San Acacia Reach. Red Shiner was the most abundant taxon (n = 89), followed by Flathead Chub (n = 29), and Rio Grande Silvery Minnow (n = 18). We collected Rio Grande Silvery Minnow (n = 18) in 12 of the 64 seine hauls that yielded fish, and its overall density was 0.42 (range = 0.00–1.45) individuals per 100 m².

All Sites

During May, sampling covered 9,248.4 m² (surface area) of water and yielded 1,434 fish. There were no dry sampling sites. Cumulative fish density during May was 15.51 individuals per 100 m² sampled. The three most common species were Red Shiner (n = 1,097), White Sucker (n = 166), and Flathead Chub (n = 84). The sampling sites yielded a total of 13 fish species.

Rio Grande Silvery Minnow was present in 13 of the 187 seine hauls that yielded fish and at 8 of the 20 sampling sites. Densities of unmarked and marked individuals were 0.14 (n = 13) and 0.06 (n = 6) individuals per 100 m² sampled, respectively. Densities of age-0, age-1, and age-2+ individuals were 0.00 (n = 0), 0.21 (n = 19), and 0.00 (n = 0) individuals per 100 m² sampled, respectively. Based on all May surveys since 1993, the overall density of Rio Grande Silvery Minnow averaged 5.91 (range = 0.05–86.28) individuals per 100 m² sampled. During May 2022, its overall density was 0.21 (n = 19) individuals per 100 m² sampled.




Figure 1. Map of the study area, standard sites, and additional sites for the Rio Grande Silvery Minnow population monitoring study. Sampling site descriptions are provided in Appendix A.




Figure 2. Map of the study area, standard sites, and replacement sites for the Rio Grande Silvery Minnow population monitoring study. Sampling site descriptions are provided in Appendix A.




Figure 3. Rio Grande mean-daily discharge, by USGS gaging station, from 1 January 2021 to 15 May 2022. All discharge data are provisional and subject to change.

Table 1. Scientific names, common names, and species codes of fishes collected in the Middle Rio Grande since 1993.

Scientific Name	Common Name	Species Code
Order Clupeiformes		
Family Clupeidae		
	herrings	
<i>Dorosoma cepedianum</i>	Gizzard Shad	(DORCEP)
<i>Dorosoma petenense</i>	Threadfin Shad	(DORPET)
Order Cypriniformes		
Family Cyprinidae		
	carps and minnows	
<i>Campostoma anomalum</i>	Central Stoneroller	(CAMANO)
<i>Carassius auratus</i>	Goldfish	(CARAUR)
<i>Cyprinella lutrensis</i>	Red Shiner ¹	(CYPLUT)
<i>Cyprinus carpio</i>	Common Carp ¹	(CYPCAR)
<i>Gila pandora</i>	Rio Grande Chub	(GILPAN)
<i>Hybognathus amarus</i>	Rio Grande Silvery Minnow ¹	(HYBAMA)
<i>Notemigonus crysoleucas</i>	Golden Shiner	(NOTCRY)
<i>Pimephales promelas</i>	Fathead Minnow ¹	(PIMPRO)
<i>Pimephales vigilax</i>	Bullhead Minnow	(PIMVIG)
<i>Platygobio gracilis</i>	Flathead Chub ¹	(PLAGRA)
<i>Rhinichthys cataractae</i>	Longnose Dace ¹	(RHICAT)
Family Catostomidae		
	suckers	
<i>Carpodes carpio</i>	River Carpsucker ¹	(CARCAR)
<i>Catostomus commersonii</i>	White Sucker ¹	(CATCOM)
<i>Ictiobus bubalus</i>	Smallmouth Buffalo	(ICTBUB)
Order Siluriformes		
Family Ictaluridae		
	North American catfishes	
<i>Ameiurus melas</i>	Black Bullhead	(AMEMEL)
<i>Ameiurus natalis</i>	Yellow Bullhead	(AMENAT)
<i>Ictalurus furcatus</i>	Blue Catfish	(ICTFUR)
<i>Ictalurus punctatus</i>	Channel Catfish ¹	(ICTPUN)
<i>Pylodictis olivaris</i>	Flathead Catfish	(PYLOLI)
Family Loricariidae		
	suckermouth armored catfishes	
<i>Pterygoplichthys disjunctivus</i>	Vermiculated Sailfin Catfish	(PTEDIS)
Order Salmoniformes		
Family Salmonidae		
	trouts and salmons	
<i>Oncorhynchus mykiss</i>	Rainbow Trout	(ONCMYK)
<i>Salmo trutta</i>	Brown Trout	(SALTRU)

Table 1. Scientific names, common names, and species codes of fishes collected in the Middle Rio Grande since 1993 (continued).

Scientific Name	Common Name	Species Code
Order Cyprinodontiformes		
Family Poeciliidae		
	livebearers	
<i>Gambusia affinis</i>	Western Mosquitofish ¹	(GAMAFF)
Order Perciformes		
Family Moronidae		
	temperate basses	
<i>Morone chrysops</i>	White Bass	(MORCHR)
<i>Morone saxatilis</i>	Striped Bass	(MORSAX)
Family Centrarchidae		
	sunfishes	
<i>Lepomis cyanellus</i>	Green Sunfish	(LEPCYA)
<i>Lepomis macrochirus</i>	Bluegill	(LEPMAC)
<i>Lepomis megalotis</i>	Longear Sunfish	(LEPMEG)
<i>Micropterus dolomieu</i>	Smallmouth Bass	(MICDOL)
<i>Micropterus salmoides</i>	Largemouth Bass	(MICSAL)
<i>Pomoxis annularis</i>	White Crappie	(POMANN)
<i>Pomoxis nigromaculatus</i>	Black Crappie	(POMNIG)
Family Percidae		
	perches and darters	
<i>Perca flavescens</i>	Yellow Perch	(PERFLA)
<i>Percina macrolepida</i>	Bigscale Logperch	(PERMAC)
<i>Sander vitreus</i>	Walleye	(SANVIT)
Family Sciaenidae		
	drums and croakers	
<i>Aplodinotus grunniens</i>	Freshwater Drum	(APLGRU)

¹ = Focal taxa were typically the 10 most abundant species collected during October.

Table 2. Rio Grande Silvery Minnow abundance, by reach, site, and mesohabitat, during May 2022. Marked and unmarked individuals were included. Blank cells indicate site-specific mesohabitats that were unavailable for sampling.

Reach	Site	Locality	BW	PO	RU	SHPO	SHRU	Total
Angostura	1	Angostura Dam		0	0	0	0	0
Angostura	2	Bernalillo		0	0	0	0	0
Angostura	3	Rio Rancho	0		0	0	0	0
Angostura	4	Central Ave.			0	0	0	0
Angostura	5	Rio Bravo Blvd.			0	0	0	0
<i>Angostura Totals</i>			<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>
Isleta	6	Los Lunas			0	0	0	0
Isleta	7	Belen	0		1	0	0	1
Isleta	8	Jarales			0	0	0	0
Isleta	9	Bernardo		0	0	0	0	0
Isleta	10	La Joya			0	0	0	0
Isleta	11	North of San Acacia			0	0	0	0
<i>Isleta Totals</i>			<i>0</i>	<i>0</i>	<i>1</i>	<i>0</i>	<i>0</i>	<i>1</i>
San Acacia	12	San Acacia Dam		0	0	0	5	5
San Acacia	13	South of San Acacia			0	0	7	7
San Acacia	14	Socorro			0	0	2	2
San Acacia	15	North of San Antonio			0	0	0	0
San Acacia	16	San Antonio			0	0	1	1
San Acacia	17	South of San Antonio		0	0	1	0	1
San Acacia	18	San Marcial		0	0	1	0	1
San Acacia	19	South of San Marcial 1		0	0	1	0	1
San Acacia	20	South of San Marcial 2			0	0	0	0
<i>San Acacia Totals</i>			<i>0</i>	<i>0</i>	<i>0</i>	<i>3</i>	<i>15</i>	<i>18</i>
Monthly Totals			0	0	1	3	15	19

Table 3. Rio Grande Silvery Minnow abundance, by reach, site, and month, during 2022. Marked individuals are shown in parentheses, as a subset of the site-specific total. Blank cells indicate months when a site was not visited or will not be visited.

Reach	Site	Locality	Apr	May	Jun	Jul	Aug	Sep	Oct	Total
Angostura	1	Angostura Dam	0	0	0	0	0	0	0	0
Angostura	2	Bernalillo	0	0	0	0	0	0	0	0
Angostura	3	Rio Rancho	0	0	0	0	0	0	0	0
Angostura	21	Site 21	0						0	0
Angostura	22	Site 22	0						0	0
Angostura	23	Site 23	7(3)						0	7
Angostura	24	Site 24	1(0)						0	1
Angostura	4	Central Ave.	0	0	0	0	0	0	0	0
Angostura	5	Rio Bravo Blvd.	1(0)	0	0	0	0	0	0	1
Angostura	25	Site 25	0						0	0
<i>Angostura Totals</i>			9	0	0	0	0	0	0	9
Isleta	26	Site 26	6(1)						0	6
Isleta	6	Los Lunas	0	0	0	0	0	0	0	0
Isleta	27	Site 27							0	0
Isleta	7	Belen	0	1(0)	0	0	0	0	0	1
Isleta	8	Jarales	0	0	0	0	0	0	0	0
Isleta	28	Site 28	0						0	0
Isleta	9	Bernardo	0	0	0	0	0	0	0	0
Isleta	10	La Joya	0	0	0	0	0	0	0	0
Isleta	29	Site 29	0						0	0
Isleta	11	North of San Acacia	2(0)	0	0	0	0	0	0	2
<i>Isleta Totals</i>			8	1	0	0	0	0	0	9
San Acacia	12	San Acacia Dam	46(5)	5(3)	0	0	0	0	0	51
San Acacia	13	South of San Acacia	2(1)	7(2)	0	0	0	0	0	9
San Acacia	30	Site 30	1(1)						0	1
San Acacia	14	Socorro	0	2(1)	0	0	0	0	0	2
San Acacia	15	North of San Antonio	4(0)	0	0	0	0	0	0	4
San Acacia	16	San Antonio	1(0)	1(0)	0	0	0	0	0	2
San Acacia	17	South of San Antonio	2(0)	1(0)	0	0	0	0	0	3
San Acacia	18	San Marcial	0	1(0)	0	0	0	0	0	1
San Acacia	19	South of San Marcial 1	0	1(0)	0	0	0	0	0	1
San Acacia	20	South of San Marcial 2	0	0	0	0	0	0	0	0
<i>San Acacia Totals</i>			56	18	0	0	0	0	0	74
Monthly Totals			73	19	0	0	0	0	0	92




Figure 4. Rio Grande Silvery Minnow densities based on all sites, by age-class and month, during 2022. Marked and unmarked individuals were included.

Table 4. Ichthyofaunal summary based on all sites, by species, during May 2022. Marked and unmarked Rio Grande Silvery Minnow were included. Dashes (-) indicate species that were absent during sampling.

Family	Common Name	Residence Status ¹	Total Number of Individuals	Percent (%) of Total	Frequency of Occurrence ²	% Frequency of Occurrence ²
Clupeidae	Gizzard Shad	N	2	0.14	1	5.00
Clupeidae	Threadfin Shad	I	-	-	-	-
Cyprinidae	Central Stoneroller	I	-	-	-	-
Cyprinidae	Goldfish	I	-	-	-	-
Cyprinidae	Red Shiner	N	1,097	76.50	18	90.00
Cyprinidae	Common Carp	I	3	0.21	3	15.00
Cyprinidae	Rio Grande Chub	N	-	-	-	-
Cyprinidae	Rio Grande Silvery Minnow	N	19	1.32	8	40.00
Cyprinidae	Golden Shiner	I	-	-	-	-
Cyprinidae	Fathead Minnow	N	1	0.07	1	5.00
Cyprinidae	Bullhead Minnow	I	-	-	-	-
Cyprinidae	Flathead Chub	N	84	5.86	13	65.00
Cyprinidae	Longnose Dace	N	30	2.09	3	15.00
Catostomidae	River Carpsucker	N	2	0.14	2	10.00
Catostomidae	White Sucker	I	166	11.58	4	20.00
Catostomidae	Smallmouth Buffalo	N	1	0.07	1	5.00
Ictaluridae	Black Bullhead	I	-	-	-	-
Ictaluridae	Yellow Bullhead	I	-	-	-	-
Ictaluridae	Blue Catfish	N	-	-	-	-
Ictaluridae	Channel Catfish	I	17	1.19	9	45.00
Ictaluridae	Flathead Catfish	N	-	-	-	-
Loricariidae	Vermiculated Sailfin Catfish	I	-	-	-	-
Salmonidae	Rainbow Trout	I	-	-	-	-
Salmonidae	Brown Trout	I	-	-	-	-
Poeciliidae	Western Mosquitofish	I	10	0.70	5	25.00
Moronidae	White Bass	I	-	-	-	-
Moronidae	Striped Bass	I	-	-	-	-
Centrarchidae	Green Sunfish	I	-	-	-	-
Centrarchidae	Bluegill	N	-	-	-	-
Centrarchidae	Longear Sunfish	I	-	-	-	-
Centrarchidae	Smallmouth Bass	I	-	-	-	-
Centrarchidae	Largemouth Bass	I	-	-	-	-
Centrarchidae	White Crappie	I	2	0.14	2	10.00
Centrarchidae	Black Crappie	I	-	-	-	-
Percidae	Yellow Perch	I	-	-	-	-
Percidae	Bigscale Logperch	I	-	-	-	-
Percidae	Walleye	I	-	-	-	-
Sciaenidae	Freshwater Drum	N	-	-	-	-
Monthly Total			1,434	100.00		

¹ = Native (N) or introduced (I) species

² = Based on all sites




Figure 5. Fish densities based on all sites, by reach and focal taxa, during May 2022. Marked and unmarked Rio Grande Silvery Minnow were included.

Table 5. Ichthyofaunal summary based on all sites, by species and month, during 2022. Marked and unmarked Rio Grande Silvery Minnow were included.

Family	Common Name	Apr	May	Jun	Jul	Aug	Sep	Oct	Total
Clupeidae	Gizzard Shad	0	2	0	0	0	0	0	2
Clupeidae	Threadfin Shad	0	0	0	0	0	0	0	0
Cyprinidae	Central Stoneroller	0	0	0	0	0	0	0	0
Cyprinidae	Goldfish	0	0	0	0	0	0	0	0
Cyprinidae	Red Shiner	4,500	1,097	0	0	0	0	0	5,597
Cyprinidae	Common Carp	8	3	0	0	0	0	0	11
Cyprinidae	Rio Grande Chub	0	0	0	0	0	0	0	0
Cyprinidae	Rio Grande Silvery Minnow	73	19	0	0	0	0	0	92
Cyprinidae	Golden Shiner	0	0	0	0	0	0	0	0
Cyprinidae	Fathead Minnow	28	1	0	0	0	0	0	29
Cyprinidae	Bullhead Minnow	0	0	0	0	0	0	0	0
Cyprinidae	Flathead Chub	168	84	0	0	0	0	0	252
Cyprinidae	Longnose Dace	31	30	0	0	0	0	0	61
Catostomidae	River Carpsucker	8	2	0	0	0	0	0	10
Catostomidae	White Sucker	1	166	0	0	0	0	0	167
Catostomidae	Smallmouth Buffalo	0	1	0	0	0	0	0	1
Ictaluridae	Black Bullhead	0	0	0	0	0	0	0	0
Ictaluridae	Yellow Bullhead	0	0	0	0	0	0	0	0
Ictaluridae	Blue Catfish	0	0	0	0	0	0	0	0
Ictaluridae	Channel Catfish	24	17	0	0	0	0	0	41
Ictaluridae	Flathead Catfish	0	0	0	0	0	0	0	0
Loricariidae	Vermiculated Sailfin Catfish	0	0	0	0	0	0	0	0
Salmonidae	Rainbow Trout	0	0	0	0	0	0	0	0
Salmonidae	Brown Trout	0	0	0	0	0	0	0	0
Poeciliidae	Western Mosquitofish	228	10	0	0	0	0	0	238
Moronidae	White Bass	0	0	0	0	0	0	0	0
Moronidae	Striped Bass	0	0	0	0	0	0	0	0
Centrarchidae	Green Sunfish	0	0	0	0	0	0	0	0
Centrarchidae	Bluegill	0	0	0	0	0	0	0	0
Centrarchidae	Longear Sunfish	0	0	0	0	0	0	0	0
Centrarchidae	Smallmouth Bass	0	0	0	0	0	0	0	0
Centrarchidae	Largemouth Bass	0	0	0	0	0	0	0	0
Centrarchidae	White Crappie	13	2	0	0	0	0	0	15
Centrarchidae	Black Crappie	0	0	0	0	0	0	0	0
Percidae	Yellow Perch	0	0	0	0	0	0	0	0
Percidae	Bigscale Logperch	0	0	0	0	0	0	0	0
Percidae	Walleye	0	0	0	0	0	0	0	0
Sciaenidae	Freshwater Drum	0	0	0	0	0	0	0	0
Monthly Totals		5,082	1,434	0	0	0	0	0	6,516

APPENDIX A (Sampling Sites)

Middle Rio Grande Fish Sampling Sites

Table A1. Sampling reaches and standard sites for population monitoring of Rio Grande Silvery Minnow in the Middle Rio Grande.

Reach and Site	Locality
Angostura Reach	
1	New Mexico, Sandoval County, Rio Grande, just downstream of Angostura Diversion Dam, Algodones. River Mile: 209.9; UTM Easting: 363665; UTM Northing: 3916331; Zone: 13; Datum: NAD83
2	New Mexico, Sandoval County, Rio Grande, at US HWY 550 bridge crossing, Bernalillo. River Mile: 203.9; UTM Easting: 358457; UTM Northing: 3909887; Zone: 13; Datum: NAD83
3	New Mexico, Sandoval County, Rio Grande, ca. 4.0 mi downstream of US HWY 550 bridge crossing, Rio Rancho. River Mile: 199.9; UTM Easting: 354728; UTM Northing: 3905587; Zone: 13; Datum: NAD83
4	New Mexico, Bernalillo County, Rio Grande, at Central Ave. bridge crossing (US HWY 66), Albuquerque. River Mile: 183.4; UTM Easting: 346719; UTM Northing: 3884331; Zone: 13; Datum: NAD83
5	New Mexico, Bernalillo County, Rio Grande, at Rio Bravo Blvd. bridge crossing (NM State HWY 500), Albuquerque. River Mile: 178.4; UTM Easting: 347468; UTM Northing: 3877400; Zone: 13; Datum: NAD83
Isleta Reach	
6	New Mexico, Valencia County, Rio Grande, just upstream of NM State HWY 6 bridge crossing, Los Lunas. River Mile: 161.7; UTM Easting: 343149; UTM Northing: 3853187; Zone: 13; Datum: NAD83
7	New Mexico, Valencia County, Rio Grande, ca. 1.0 mi upstream of NM State HWY 309 bridge crossing, Belen. River Mile: 150.8; UTM Easting: 340105; UTM Northing: 3837722; Zone: 13; Datum: NAD83
8	New Mexico, Valencia County, Rio Grande, ca. 2.2 mi upstream of NM State HWY 346 bridge crossing, Jarales. River Mile: 143.2; UTM Easting: 338020; UTM Northing: 3827545; Zone: 13; Datum: NAD83
9	New Mexico, Socorro County, Rio Grande, at US HWY 60 bridge crossing, Bernardo. River Mile: 130.6; UTM Easting: 334578; UTM Northing: 3809921; Zone: 13; Datum: NAD83
10	New Mexico, Socorro County, Rio Grande, ca. 3.7 mi downstream of US HWY 60 bridge crossing, Bernardo. River Mile: 126.8; UTM Easting: 330946; UTM Northing: 3805307; Zone: 13; Datum: NAD83
11	New Mexico, Socorro County, Rio Grande, ca. 1.2 mi upstream of San Acacia Diversion Dam, San Acacia. River Mile: 117.3; UTM Easting: 328152; UTM Northing: 3792564; Zone: 13; Datum: NAD83

Table A1. Sampling reaches and standard sites for population monitoring of Rio Grande Silvery Minnow in the Middle Rio Grande (continued).

Reach and Site	Locality
San Acacia Reach	
12	New Mexico, Socorro County, Rio Grande, just downstream of San Acacia Diversion Dam, San Acacia. River Mile: 115.6; UTM Easting: 325960; UTM Northing: 3792182; Zone: 13; Datum: NAD83
13	New Mexico, Socorro County, Rio Grande, ca. 1.5 mi downstream of San Acacia Diversion Dam, San Acacia. River Mile: 114.1; UTM Easting: 325390; UTM Northing: 3790397; Zone: 13; Datum: NAD83
14	New Mexico, Socorro County, Rio Grande, ca. 0.5 mi upstream of Socorro Low Flow Conveyance Channel bridge crossing, Socorro. River Mile: 99.6; UTM Easting: 327231; UTM Northing: 3771432; Zone: 13; Datum: NAD83
15	New Mexico, Socorro County, Rio Grande, ca. 4.5 mi upstream of US HWY 380 bridge crossing, San Antonio. River Mile: 92.0; UTM Easting: 328151; UTM Northing: 3761487; Zone: 13; Datum: NAD83
16	New Mexico, Socorro County, Rio Grande, at US HWY 380 bridge crossing, San Antonio. River Mile: 87.8; UTM Easting: 328907; UTM Northing: 3754926; Zone: 13; Datum: NAD83
17	New Mexico, Socorro County, Rio Grande, east of Bosque del Apache NWR headquarters, San Antonio. River Mile: 79.0; UTM Easting: 327219; UTM Northing: 3740906; Zone: 13; Datum: NAD83
18	New Mexico, Socorro County, Rio Grande, at San Marcial Railroad bridge crossing, San Marcial. River Mile: 68.3; UTM Easting: 315091; UTM Northing: 3728487; Zone: 13; Datum: NAD83
19	New Mexico, Socorro County, Rio Grande, ca. 8.0 mi downstream of San Marcial Railroad bridge crossing, San Marcial. River Mile: 60.1; UTM Easting: 309441; UTM Northing: 3718309; Zone: 13; Datum: NAD83
20	New Mexico, Socorro County, Rio Grande, ca. 10.0 mi downstream of San Marcial Railroad bridge crossing, San Marcial. River Mile: 58.5; UTM Easting: 307767; UTM Northing: 3716360; Zone: 13; Datum: NAD83

Table A2. Sampling reaches and additional sites for population monitoring of Rio Grande Silvery Minnow in the Middle Rio Grande.

Reach and Site	Locality
Angostura Reach	
21	New Mexico, Sandoval County, Rio Grande, ca. 4.4 miles upstream of Alameda Blvd. (NM State Hwy. 528) bridge crossing, Corrales. River Mile: 196.6; UTM Easting: 355531; UTM Northing: 3900626; Zone: 13; Datum: NAD83
22	New Mexico, Sandoval County, Rio Grande, ca. 1.1 miles upstream of Alameda Blvd. (NM State Hwy. 528) bridge crossing, Corrales. River Mile: 193.1; UTM Easting: 351562; UTM Northing: 3897190; Zone: 13; Datum: NAD83
23	New Mexico, Bernalillo County, Rio Grande, ca. 1.0 miles downstream of Paseo del Norte Blvd. (NM State Hwy. 423) bridge crossing Albuquerque. River Mile: 190.0; UTM Easting: 349214; UTM Northing: 3893063; Zone: 13; Datum: NAD83
24	New Mexico, Bernalillo County, Rio Grande, ca. 1.1 miles upstream of I-40 bridge crossing, Albuquerque. River Mile: 186.1; UTM Easting: 346011; UTM Northing: 3887973; Zone: 13; Datum: NAD83
25	New Mexico, Bernalillo County, Rio Grande, ca. 1.5 miles upstream of I-25 bridge crossing, Isleta. River Mile: 174.0; UTM Easting: 345900; UTM Northing: 3870990; Zone: 13; Datum: NAD83
Isleta Reach	
26	New Mexico, Valencia County, Rio Grande, ca. 4.1 miles upstream of NM State Hwy. 6 bridge crossing, Los Lunas. River Mile: 165.2; UTM Easting: 342799; UTM Northing: 3858637; Zone: 13; Datum: NAD83
27	New Mexico, Valencia County, Rio Grande, ca. 6.2 miles upstream of NM State Hwy. 309 bridge crossing, Belen. River Mile: 156.0; UTM Easting: 340647; UTM Northing: 3845146; Zone: 13; Datum: NAD83
28	New Mexico, Socorro County, Rio Grande, ca. 6.3 miles upstream of U.S. Hwy. 60 bridge crossing, Bernardo. River Mile: 137.1; UTM Easting: 335554; UTM Northing: 3819543; Zone: 13; Datum: NAD83
29	New Mexico, Socorro County, Rio Grande, ca. 1.5 miles upstream of confluence with the Rio Salado, San Acacia. River Mile: 120.1; UTM Easting: 330498; UTM Northing: 3795053; Zone: 13; Datum: NAD83
San Acacia Reach	
30	New Mexico, Socorro County, Rio Grande, ca. 2.6 miles upstream of Pueblitos Rd. bridge crossing, Escondida. River Mile: 107.1; UTM Easting: 326303; UTM Northing: 3781123; Zone: 13; Datum: NAD83

Table A3. Sampling reaches and replacement sites for population monitoring of Rio Grande Silvery Minnow in the Middle Rio Grande.

Reach and Site	Locality
Isleta Reach	
44	New Mexico, Valencia County, Rio Grande, ca. 1.0 mi upstream of NM State HWY 309 bridge crossing, Belen. River Mile: 150.5; UTM Easting: 340084; UTM Northing: 3837308; Zone: 13; Datum: NAD83
San Acacia Reach	
51	New Mexico, Socorro County, Rio Grande, ca. 5.0 mi downstream of San Acacia Diversion Dam, San Acacia. River Mile: 110.8; UTM Easting: 325855; UTM Northing: 3786216; Zone: 13; Datum: NAD83
52	New Mexico, Socorro County, Rio Grande, ca. 2.2 mi. downstream of Pueblitos Rd. bridge crossing, Escondida. River Mile: 101.7; UTM Easting: 327091; UTM Northing: 3773950; Zone: 13; Datum: NAD83
53	New Mexico, Socorro County, Rio Grande, ca. 3.1 mi downstream of the Socorro Low Flow Conveyance Channel bridge crossing, Socorro. River Mile: 96.0; UTM Easting: 327933; UTM Northing: 3766570; Zone: 13; Datum: NAD83
54	New Mexico, Socorro County, Rio Grande, ca. 4.7 mi. downstream of Socorro LFCC bridge crossing, Socorro. River Mile: 94.2; UTM Easting: 327288; UTM Northing: 3764453; Zone: 13; Datum: NAD83
56	New Mexico, Socorro County, Rio Grande, ca. 2.1 miles upstream of San Antonio bridge crossing, San Antonio. River Mile: 89.3; UTM Easting: 329188; UTM Northing: 3758027; Zone: 13; Datum: NAD83
58	New Mexico, Socorro County, Rio Grande, ca. 1.8 mi. upstream of San Marcial Railroad bridge crossing, San Marcial. River Mile: 70.1; UTM Easting: 318083; UTM Northing: 3728535; Zone: 13; Datum: NAD83
59	New Mexico, Socorro County, Rio Grande, ca. 5.1 mi. downstream of San Marcial Railroad bridge crossing, San Marcial. River Mile: 63.3; UTM Easting: 313269; UTM Northing: 3721434; Zone: 13; Datum: NAD83
60	New Mexico, Socorro County, Rio Grande, ca. 6.4 mi. downstream of San Marcial Railroad bridge crossing, San Marcial. River Mile: 61.8; UTM Easting: 311422; UTM Northing: 3719873; Zone: 13; Datum: NAD83

APPENDIX B (Site-Specific Population Monitoring Data)

Site-specific data, collected in May 2022, as part of the
Rio Grande Silvery Minnow Population Monitoring Program

**** Data are provisional and should be verified by direct inspection of field data ****

Rio Grande Silvery Minnow Population Monitoring May 2022

NEW MEXICO: SANDOVAL County, RIO GRANDE Drainage
Rio Grande, just downstream of Angostura Diversion Dam, Algodones.
Site Number: 1 River Mile: 209.9
UTM Easting: 363665 UTM Northing: 3916331 Zone: 13
Collector(s): R.K. Dudley, M.A. Farrington, A.C. Wedemeyer

RKD22-048

06 May 2022
USGS Quad: San Felipe Pueblo
Effort: 397.4 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	9
76	<i>Platygobio gracilis</i>	20
76	<i>Rhinichthys cataractae</i>	23
81	<i>Catostomus commersonii</i>	55

NEW MEXICO: SANDOVAL County, RIO GRANDE Drainage
Rio Grande, at US HWY 550 bridge crossing, Bernalillo.
Site Number: 2 River Mile: 203.9
UTM Easting: 358457 UTM Northing: 3909887 Zone: 13
Collector(s): R.K. Dudley, M.A. Farrington, A.C. Wedemeyer

RKD22-049

06 May 2022
USGS Quad: Bernalillo
Effort: 446.8 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Platygobio gracilis</i>	16
76	<i>Rhinichthys cataractae</i>	5
81	<i>Catostomus commersonii</i>	25
93	<i>Ictalurus punctatus</i>	1

NEW MEXICO: SANDOVAL County, RIO GRANDE Drainage
Rio Grande, ca. 4.0 mi downstream of US HWY 550 bridge crossing, Rio Rancho.
Site Number: 3 River Mile: 199.9
UTM Easting: 354728 UTM Northing: 3905587 Zone: 13
Collector(s): R.K. Dudley, M.A. Farrington, A.C. Wedemeyer

RKD22-050

06 May 2022
USGS Quad: Bernalillo
Effort: 445.3 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	36
76	<i>Platygobio gracilis</i>	12
76	<i>Rhinichthys cataractae</i>	2
81	<i>Catostomus commersonii</i>	84
93	<i>Ictalurus punctatus</i>	2

**Rio Grande Silvery Minnow Population Monitoring
May 2022**

NEW MEXICO: BERNALILLO County, RIO GRANDE Drainage
Rio Grande, at Central Ave. bridge crossing (US HWY 66), Albuquerque.
Site Number: 4 River Mile: 183.4
UTM Easting: 346719 UTM Northing: 3884331 Zone: 13
Collector(s): R.K. Dudley, M.A. Farrington, A.C. Wedemeyer

RKD22-047

06 May 2022
USGS Quad: Albuquerque West
Effort: 480.1 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	207
76	<i>Platygobio gracilis</i>	3
93	<i>Ictalurus punctatus</i>	2

NEW MEXICO: BERNALILLO County, RIO GRANDE Drainage
Rio Grande, at Rio Bravo Blvd. bridge crossing (NM State HWY 500), Albuquerque.
Site Number: 5 River Mile: 178.4
UTM Easting: 347468 UTM Northing: 3877400 Zone: 13
Collector(s): R.K. Dudley, M.A. Farrington, A.C. Wedemeyer

RKD22-046

06 May 2022
USGS Quad: Albuquerque West
Effort: 441.5 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	39
76	<i>Platygobio gracilis</i>	2
93	<i>Ictalurus punctatus</i>	2
294	<i>Pomoxis annularis</i>	1

NEW MEXICO: VALENCIA County, RIO GRANDE Drainage
Rio Grande, just upstream of NM State HWY 6 bridge crossing, Los Lunas.
Site Number: 6 River Mile: 161.7
UTM Easting: 343149 UTM Northing: 3853187 Zone: 13
Collector(s): R.K. Dudley, M.A. Farrington, A.C. Wedemeyer

RKD22-045

05 May 2022
USGS Quad: Los Lunas
Effort: 425.9 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	89
76	<i>Platygobio gracilis</i>	1
93	<i>Ictalurus punctatus</i>	3
212	<i>Gambusia affinis</i>	1

**Rio Grande Silvery Minnow Population Monitoring
 May 2022**

NEW MEXICO: VALENCIA County, RIO GRANDE Drainage **RKD22-044**
 Rio Grande, ca. 1.0 mi upstream of NM State HWY 309 bridge crossing, Belen.
 Site Number: 7 River Mile: 150.8 05 May 2022
 UTM Easting: 340105 UTM Northing: 3837722 Zone: 13 USGS Quad: Tome
 Collector(s): R.K. Dudley, M.A. Farrington, A.C. Wedemeyer Effort: 465.3 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	45
76	<i>Hybognathus amarus*</i>	1
76	<i>Pimephales promelas</i>	1
81	<i>Catostomus commersonii</i>	2
93	<i>Ictalurus punctatus</i>	2
212	<i>Gambusia affinis</i>	3
294	<i>Pomoxis annularis</i>	1

***Hybognathus amarus (age-classes):**

age-0	
age-1	1
age-2+	

NEW MEXICO: VALENCIA County, RIO GRANDE Drainage **RKD22-043**
 Rio Grande, ca. 2.2 mi upstream of NM State HWY 346 bridge crossing, Jarales.
 Site Number: 8 River Mile: 143.2 05 May 2022
 UTM Easting: 338020 UTM Northing: 3827545 Zone: 13 USGS Quad: Veguita
 Collector(s): R.K. Dudley, M.A. Farrington, A.C. Wedemeyer Effort: 431.4 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	464
76	<i>Cyprinus carpio</i>	1
93	<i>Ictalurus punctatus</i>	2

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage **RKD22-042**
 Rio Grande, at US HWY 60 bridge crossing, Bernardo.
 Site Number: 9 River Mile: 130.6 05 May 2022
 UTM Easting: 334578 UTM Northing: 3809921 Zone: 13 USGS Quad: Abeytas
 Collector(s): R.K. Dudley, M.A. Farrington, A.C. Wedemeyer Effort: 443.6 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	117
93	<i>Ictalurus punctatus</i>	1

**Rio Grande Silvery Minnow Population Monitoring
 May 2022**

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage **RKD22-041**
 Rio Grande, ca. 3.7 mi downstream of US HWY 60 bridge crossing, Bernardo.
 Site Number: 10 River Mile: 126.8 05 May 2022
 UTM Easting: 330946 UTM Northing: 3805307 Zone: 13 USGS Quad: Abeytas
 Collector(s): R.K. Dudley, M.A. Farrington, A.C. Wedemeyer Effort: 473.4 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	2
93	<i>Ictalurus punctatus</i>	2

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage **RKD22-040**
 Rio Grande, ca. 1.2 mi upstream of San Acacia Diversion Dam, San Acacia.
 Site Number: 11 River Mile: 117.3 04 May 2022
 UTM Easting: 328152 UTM Northing: 3792564 Zone: 13 USGS Quad: La Joya
 Collector(s): M.A. Farrington, A.C. Wedemeyer, J.G. Mortensen Effort: 519.1 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Platygobio gracilis</i>	1

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage **RKD22-039**
 Rio Grande, just downstream of San Acacia Diversion Dam, San Acacia.
 Site Number: 12 River Mile: 115.6 04 May 2022
 UTM Easting: 325960 UTM Northing: 3792183 Zone: 13 USGS Quad: San Acacia
 Collector(s): M.A. Farrington, A.C. Wedemeyer, J.G. Mortensen Effort: 455.9 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
69	<i>Dorosoma cepedianum</i>	2
76	<i>Cyprinella lutrensis</i>	8
76	<i>Hybognathus amarus*</i>	5
76	<i>Platygobio gracilis</i>	2
212	<i>Gambusia affinis</i>	2

***Hybognathus amarus (age-classes):**

age-0	
age-1	5
age-2+	

**Rio Grande Silvery Minnow Population Monitoring
May 2022**

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage
Rio Grande, ca. 1.5 mi downstream of San Acacia Diversion Dam, San Acacia.
Site Number: 13 River Mile: 114.1
UTM Easting: 325390 UTM Northing: 3790397 Zone: 13
Collector(s): M.A. Farrington, A.C. Wedemeyer, J.G. Mortensen

RKD22-038
04 May 2022
USGS Quad: Lemitar
Effort: 484.4 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	12
76	<i>Hybognathus amarus*</i>	7
76	<i>Platygobio gracilis</i>	20
81	<i>Ictiobus bubalus</i>	1
212	<i>Gambusia affinis</i>	3

***Hybognathus amarus (age-classes):**

age-0	
age-1	7
age-2+	

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage
Rio Grande, ca. 0.5 mi upstream of Socorro Low Flow Conveyance Channel bridge crossing, Socorro.
Site Number: 14 River Mile: 99.6
UTM Easting: 327231 UTM Northing: 3771432 Zone: 13
Collector(s): M.A. Farrington, A.C. Wedemeyer, J.G. Mortensen

RKD22-037
04 May 2022
USGS Quad: Loma de las Canas
Effort: 522.8 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	12
76	<i>Hybognathus amarus*</i>	2
76	<i>Platygobio gracilis</i>	1
81	<i>Carpiodes carpio</i>	1

***Hybognathus amarus (age-classes):**

age-0	
age-1	2
age-2+	

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage
Rio Grande, ca. 4.5 mi upstream of US HWY 380 bridge crossing, San Antonio.
Site Number: 15 River Mile: 92.0
UTM Easting: 328151 UTM Northing: 3761487 Zone: 13
Collector(s): M.A. Farrington, A.C. Wedemeyer, J.G. Mortensen

RKD22-036
04 May 2022
USGS Quad: San Antonio
Effort: 566.4 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	9
76	<i>Platygobio gracilis</i>	4

**Rio Grande Silvery Minnow Population Monitoring
 May 2022**

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage
 Rio Grande, at US HWY 380 bridge crossing, San Antonio.
 Site Number: 16 River Mile: 87.8
 UTM Easting: 328907 UTM Northing: 3754926 Zone: 13
 Collector(s): R.K. Dudley, M.A. Farrington, A.C. Wedemeyer

RKD22-035

03 May 2022
 USGS Quad: San Antonio
 Effort: 478.4 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	27
76	<i>Hybognathus amarus*</i>	1
76	<i>Platygobio gracilis</i>	1
212	<i>Gambusia affinis</i>	1

***Hybognathus amarus (age-classes):**

age-0	
age-1	1
age-2+	

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage
 Rio Grande, east of Bosque del Apache NWR headquarters, San Antonio.
 Site Number: 17 River Mile: 79.0
 UTM Easting: 327219 UTM Northing: 3740906 Zone: 13
 Collector(s): R.K. Dudley, M.A. Farrington, A.C. Wedemeyer

RKD22-034

03 May 2022
 USGS Quad: San Antonio SE
 Effort: 479.7 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	4
76	<i>Hybognathus amarus*</i>	1

***Hybognathus amarus (age-classes):**

age-0	
age-1	1
age-2+	

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage
 Rio Grande, at San Marcial Railroad bridge crossing, San Marcial.
 Site Number: 18 River Mile: 68.3
 UTM Easting: 315091 UTM Northing: 3728487 Zone: 13
 Collector(s): R.K. Dudley, M.A. Farrington, A.C. Wedemeyer

RKD22-033

03 May 2022
 USGS Quad: San Marcial
 Effort: 430.1 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	8
76	<i>Hybognathus amarus*</i>	1

***Hybognathus amarus (age-classes):**

age-0	
age-1	1
age-2+	

**Rio Grande Silvery Minnow Population Monitoring
May 2022**

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage **RKD22-032**
Rio Grande, ca. 8.0 mi downstream of San Marcial Railroad bridge crossing, San Marcial.
Site Number: 19 River Mile: 60.1 03 May 2022
UTM Easting: 309441 UTM Northing: 3718309 Zone: 13 USGS Quad: Paraje Well
Collector(s): R.K. Dudley, M.A. Farrington, A.C. Wedemeyer Effort: 440.3 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	1
76	<i>Cyprinus carpio</i>	1
76	<i>Hybognathus amarus*</i>	1
76	<i>Platygobio gracilis</i>	1
81	<i>Carpoides carpio</i>	1

***Hybognathus amarus (age-classes):**

age-0	
age-1	1
age-2+	

NEW MEXICO: SOCORRO County, RIO GRANDE Drainage **RKD22-031**
Rio Grande, ca. 10.0 mi downstream of San Marcial Railroad bridge crossing, San Marcial.
Site Number: 20 River Mile: 58.5 03 May 2022
UTM Easting: 307767 UTM Northing: 3716360 Zone: 13 USGS Quad: Paraje Well
Collector(s): R.K. Dudley, M.A. Farrington, A.C. Wedemeyer Effort: 421.0 sq. m

<u>Family</u>	<u>Species</u>	<u>Total</u>
76	<i>Cyprinella lutrensis</i>	8
76	<i>Cyprinus carpio</i>	1