

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 05Apr2025 - 11Apr2025 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	
2025-04-05	0	52	0	229	0	39	0	372	0	474
2025-04-06	0	52	0	229	0	39	0	345	0	473
2025-04-07	0	52	0	229	0	39	0	198	0	473
2025-04-08	0	52	0	229	0	39	0	183	0	472
2025-04-09	0	52	0	229	0	39	0	18	0	470
2025-04-10	0	52	0	229	0	39	0	0	0	469
2025-04-11	0	52	0	230	0	39	0	0	0	467

Pepacton Reservoir (P):	Usable storage 2025-04-12 (0800)	123.64 billion gallons	88.82 %	1271.23 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2025-04-12 (0800)	87.382 billion gallons	93.51 %	1145.95 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2025-04-12 (0800)	30.474 billion gallons	87.87 %	1431.21 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2025-04-12 (0800)	241.496 billion gallons	90.29 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2025-04-05	0	81	354	61	149	481	2544	3670	0.75	0.92
2025-04-06	0	81	355	61	2	308	3904	4710	0.14	1.06
2025-04-07	0	81	354	60	0	468	5606	6570	0.07	1.13
2025-04-08	0	81	355	60	176	599	4789	6060	0.01	1.14
2025-04-09	0	80	354	60	240	639	4266	5640	0.00	1.14
2025-04-10	0	80	354	60	487	571	3657	5210	0.17	1.31
2025-04-11	0	80	354	60	470	611	3434	5010	0.63	1.94

¹ Diversions by New Jersey through the D&R Canal 2025-04-05 through 2025-04-11 averaged 87.25 .

² The average diversion for the 30-day period ending 2025-04-11 is 87.47 MGD ; the maximum is 100.18 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 12Apr2025 - 18Apr2025 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	
2025-04-12	0	52	0	230	0	39	0	0	0	466
2025-04-13	0	52	0	230	0	39	0	0	0	464
2025-04-14	0	52	0	230	0	39	0	0	0	463
2025-04-15	0	52	0	230	0	39	0	314	0	462
2025-04-16	0	52	0	210	0	38	0	367	0	462
2025-04-17	0	47	0	196	0	36	0	402	0	462
2025-04-18	0	48	0	196	0	36	0	235	0	461

Pepacton Reservoir (P):	Usable storage 2025-04-19 (0800)	126.77 billion gallons	91.07 %	1273.02 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2025-04-19 (0800)	88.177 billion gallons	94.36 %	1146.49 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2025-04-19 (0800)	31.431 billion gallons	90.63 %	1433.26 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2025-04-19 (0800)	246.378 billion gallons	92.12 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2025-04-12	0	80	355	61	194	456	4265	5410	0.30	2.24
2025-04-13	0	81	355	60	0	369	7884	8750	0.00	2.24
2025-04-14	0	81	355	60	0	387	7127	8010	0.04	2.28
2025-04-15	0	81	355	61	0	350	6143	6990	0.09	2.37
2025-04-16	0	81	355	61	0	264	5659	6420	0.00	2.37
2025-04-17	0	81	356	59	330	371	4822	6020	0.00	2.37
2025-04-18	0	81	324	56	329	299	4142	5230	0.00	2.37

¹ Diversions by New Jersey through the D&R Canal 2025-04-12 through 2025-04-18 averaged 84.17 .

² The average diversion for the 30-day period ending 2025-04-18 is 85.8 MGD ; the maximum is 100.18 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 19Apr2025 - 25Apr2025 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	Ave Diversion June 1 to date
2025-04-19	0	48	0	196	0	36	0	201	0	460
2025-04-20	0	48	0	196	0	36	0	201	0	459
2025-04-21	0	48	0	196	0	36	0	201	0	459
2025-04-22	0	48	0	196	0	36	0	189	0	458
2025-04-23	0	48	0	195	0	36	0	201	0	457
2025-04-24	0	48	0	196	0	36	0	200	0	456
2025-04-25	0	48	0	196	0	36	0	200	0	456

Pepacton Reservoir (P):	Usable storage 2025-04-26 (0800)	128.92 billion gallons	92.61 %	1274.24 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2025-04-26 (0800)	88.207 billion gallons	94.39 %	1146.51 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2025-04-26 (0800)	32.008 billion gallons	92.29 %	1434.48 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2025-04-26 (0800)	249.135 billion gallons	93.15 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2025-04-19	0	73	302	56	0	256	3892	4580	0.14	2.51
2025-04-20	0	74	304	56	1	257	3718	4410	0.00	2.51
2025-04-21	0	74	304	56	1	255	3631	4320	0.02	2.53
2025-04-22	0	74	303	56	329	212	3166	4140	0.00	2.53
2025-04-23	0	74	303	56	326	212	2819	3790	0.00	2.53
2025-04-24	0	74	304	56	147	211	2758	3550	0.00	2.53
2025-04-25	0	74	302	56	6	212	2550	3200	0.60	3.13

¹ Diversions by New Jersey through the D&R Canal 2025-04-19 through 2025-04-25 averaged 89.19 .

² The average diversion for the 30-day period ending 2025-04-25 is 86.12 MGD ; the maximum is 90.48 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.