

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 31May2025 - 06Jun2025 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	
2025-05-31	400	103	106	388	398	78	411	0	0	423
2025-06-01	764	113	455	387	287	82	455	0	0	455
2025-06-02	602	194	573	390	159	96	455	0	0	455
2025-06-03	374	193	571	387	105	96	353	0	0	421
2025-06-04	290	195	499	390	84	97	305	0	0	392
2025-06-05	177	194	408	389	66	97	305	0	0	375
2025-06-06	163	193	398	386	51	96	304	0	0	363

Pepacton Reservoir (P):	Usable storage 2025-06-07 (0800)	139.83 billion gallons	100.45 %	1280.28 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2025-06-07 (0800)	94.854 billion gallons	101.5 %	1150.91 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2025-06-07 (0800)	34.751 billion gallons	100.2 %	1440.12 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2025-06-07 (0800)	269.435 billion gallons	100.74 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2025-05-31	0	159	600	120	367	550	9204	11000	0.34	9.66
2025-06-01	0	159	600	121	1097	1129	19495	22600	0.04	0.04
2025-06-02	0	159	600	127	1645	1296	13973	17800	0.00	0.04
2025-06-03	0	175	598	149	1644	884	10350	13800	0.00	0.04
2025-06-04	0	301	604	149	483	578	8286	10400	0.00	0.04
2025-06-05	0	299	599	150	2	644	7266	8960	0.05	0.09
2025-06-06	0	302	603	150	453	810	6992	9310	0.59	0.68

¹ Diversions by New Jersey through the D&R Canal 2025-05-31 through 2025-06-06 averaged 87.35 .

² The average diversion for the 30-day period ending 2025-06-06 is 87.89 MGD ; the maximum is 96.3 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 07Jun2025 - 13Jun2025 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	
2025-06-07	226	194	607	388	57	97	304	0	0	354
2025-06-08	183	194	1105	389	34	96	380	0	0	358
2025-06-09	107	195	1057	389	63	97	405	0	0	363
2025-06-10	136	193	979	386	86	96	67	0	0	333
2025-06-11	125	194	803	387	31	97	0	166	0	318
2025-06-12	142	194	565	386	13	96	0	201	0	308
2025-06-13	88	195	368	388	2	97	154	299	0	319

Pepacton Reservoir (P):	Usable storage 2025-06-14 (0800)	139.52 billion gallons	100.23 %	1280.11 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2025-06-14 (0800)	94.575 billion gallons	101.21 %	1150.73 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2025-06-14 (0800)	34.697 billion gallons	100.04 %	1440.01 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2025-06-14 (0800)	268.792 billion gallons	100.5 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2025-06-07	0	300	602	149	1150	576	5774	8550	0.32	0.32
2025-06-08	0	299	598	149	924	390	8839	11200	0.34	0.66
2025-06-09	0	300	600	149	1620	639	7892	11200	0.28	0.94
2025-06-10	0	300	601	150	1619	446	8484	11600	0.10	1.04
2025-06-11	0	302	602	149	1619	512	8016	11200	0.00	1.04
2025-06-12	0	299	597	150	1619	683	6612	9960	0.00	1.04
2025-06-13	0	300	598	149	1619	571	5032	8270	0.38	1.42

¹ Diversions by New Jersey through the D&R Canal 2025-06-07 through 2025-06-13 averaged 94.55 .

² The average diversion for the 30-day period ending 2025-06-13 is 89.51 MGD ; the maximum is 95.65 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 14Jun2025 - 20Jun2025 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	
2025-06-14	45	193	243	385	7	96	204	300	0	333
2025-06-15	19	194	156	386	6	96	204	300	0	344
2025-06-16	2	193	69	444	0	97	284	300	111	366
2025-06-17	0	193	8	517	0	96	304	300	0	380
2025-06-18	0	194	0	516	109	96	304	88	0	381
2025-06-19	0	194	0	516	192	96	304	0	0	377
2025-06-20	0	194	0	476	38	96	234	147	112	382

Pepacton Reservoir (P):	Usable storage 2025-06-21 (0800)	138.71 billion gallons	99.65 %	1279.67 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2025-06-21 (0800)	93.095 billion gallons	99.62 %	1149.77 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2025-06-21 (0800)	34.702 billion gallons	100.06 %	1440.02 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2025-06-21 (0800)	266.507 billion gallons	99.64 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2025-06-14	0	300	598	150	783	425	4714	6970	0.07	0.07
2025-06-15	0	302	601	149	578	435	4976	7040	0.00	0.07
2025-06-16	0	299	595	149	805	225	4817	6890	0.31	0.38
2025-06-17	0	299	596	149	1102	237	3976	6360	0.26	0.64
2025-06-18	0	299	686	149	432	271	5373	7210	0.30	0.94
2025-06-19	0	299	799	149	832	485	7245	9810	0.20	1.14
2025-06-20	0	300	799	149	1121	1150	5871	9390	0.00	1.14

¹ Diversions by New Jersey through the D&R Canal 2025-06-14 through 2025-06-20 averaged 90.48 .

² The average diversion for the 30-day period ending 2025-06-20 is 90.74 MGD ; the maximum is 95.65 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.