

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 26Apr2025 - 02May2025 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	Ave Diversion June 1 to date
2025-04-26	0	48	0	196	0	36	0	200	0	455
2025-04-27	0	48	0	196	0	36	0	200	0	454
2025-04-28	0	47	0	167	0	33	0	0	0	453
2025-04-29	0	45	0	167	0	32	0	0	0	451
2025-04-30	0	45	0	167	0	32	0	222	0	451
2025-05-01	0	58	0	167	0	45	0	300	0	450
2025-05-02	0	71	0	210	0	52	0	0	0	449

Pepacton Reservoir (P):	Usable storage 2025-05-03 (0800)	132.59 billion gallons	95.25 %	1276.3 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2025-05-03 (0800)	90.465 billion gallons	96.81 %	1148.03 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2025-05-03 (0800)	33.063 billion gallons	95.33 %	1436.68 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2025-05-03 (0800)	256.118 billion gallons	95.76 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2025-04-26	0	74	303	56	0	217	2780	3430	0.48	3.61
2025-04-27	0	74	303	56	0	414	6133	6980	0.01	3.62
2025-04-28	0	75	304	56	0	217	6199	6850	0.00	3.62
2025-04-29	0	75	303	52	0	214	4867	5510	0.13	3.75
2025-04-30	0	72	258	49	0	214	4236	4830	0.00	3.75
2025-05-01	0	70	259	50	0	213	3999	4590	0.01	0.01
2025-05-02	0	70	259	69	0	229	3563	4190	0.08	0.09

¹ Diversions by New Jersey through the D&R Canal 2025-04-26 through 2025-05-02 averaged 90.58 .

² The average diversion for the 30-day period ending 2025-05-02 is 87.52 MGD ; the maximum is 92.42 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 03May2025 - 09May2025 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	
2025-05-03	0	71	0	210	0	52	0	0	0	447
2025-05-04	0	71	0	210	0	52	0	0	0	446
2025-05-05	0	71	43	211	0	52	0	0	0	445
2025-05-06	0	71	826	196	126	52	0	0	0	444
2025-05-07	0	71	2182	25	565	54	0	0	0	442
2025-05-08	92	79	2297	38	392	71	0	0	0	441
2025-05-09	1829	96	2455	81	1342	71	0	0	0	440

Pepacton Reservoir (P):	Usable storage 2025-05-10 (0800)	142.18 billion gallons	102.14 %	1281.55 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2025-05-10 (0800)	98.554 billion gallons	105.46 %	1153.26 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2025-05-10 (0800)	35.216 billion gallons	101.54 %	1441.05 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2025-05-10 (0800)	275.95 billion gallons	103.17 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2025-05-03	0	90	259	80	0	241	3411	4080	0.38	0.47
2025-05-04	0	110	324	80	0	301	3985	4800	1.32	1.79
2025-05-05	0	110	324	81	0	620	11965	13100	0.47	2.26
2025-05-06	0	110	326	81	747	991	19445	21700	0.93	3.19
2025-05-07	0	110	327	81	1061	1142	34380	37100	0.01	3.20
2025-05-08	0	110	303	84	1175	1267	25461	28400	0.88	4.08
2025-05-09	0	109	39	110	1872	1305	27764	31200	1.01	5.09

¹ Diversions by New Jersey through the D&R Canal 2025-05-03 through 2025-05-09 averaged 92.79 .

² The average diversion for the 30-day period ending 2025-05-09 is 89.16 MGD ; the maximum is 94.36 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 10May2025 - 16May2025 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	
2025-05-10	3031	23	3255	25	837	71	0	0	0	438
2025-05-11	2291	23	2894	25	441	71	0	0	0	437
2025-05-12	1560	23	2237	152	309	71	0	0	0	436
2025-05-13	1082	51	1610	391	301	48	0	0	0	435
2025-05-14	781	193	1193	391	317	0	0	0	0	433
2025-05-15	608	194	913	390	345	13	0	0	0	432
2025-05-16	465	194	700	390	239	71	0	0	0	431

Pepacton Reservoir (P):	Usable storage 2025-05-17 (0800)	140.07 billion gallons	100.63 %	1280.41 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2025-05-17 (0800)	95.258 billion gallons	101.94 %	1151.17 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2025-05-17 (0800)	34.856 billion gallons	100.5 %	1440.33 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2025-05-17 (0800)	270.184 billion gallons	101.02 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2025-05-10	0	122	59	109	3153	1693	41464	46600	0.00	5.09
2025-05-11	0	149	126	109	3380	1712	30924	36400	0.00	5.09
2025-05-12	0	35	38	110	2868	1476	21672	26200	0.00	5.09
2025-05-13	0	35	38	109	1567	1323	17227	20300	0.27	5.36
2025-05-14	0	35	235	75	1179	1017	14958	17500	0.63	5.99
2025-05-15	0	79	605	0	1306	978	15131	18100	0.08	6.07
2025-05-16	0	299	605	20	1621	772	12984	16300	0.24	6.31

¹ Diversions by New Jersey through the D&R Canal 2025-05-10 through 2025-05-16 averaged 81.67 .

² The average diversion for the 30-day period ending 2025-05-16 is 88.64 MGD ; the maximum is 96.3 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 17May2025 - 23May2025 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	
2025-05-17	360	193	536	388	182	71	0	0	0	430
2025-05-18	307	194	415	389	134	71	0	0	0	428
2025-05-19	245	194	329	389	92	71	0	0	0	427
2025-05-20	207	195	247	390	84	71	0	0	0	426
2025-05-21	133	194	189	389	86	75	0	0	0	425
2025-05-22	147	195	167	388	138	78	0	0	0	424
2025-05-23	143	194	154	389	62	78	171	45	115	423

Pepacton Reservoir (P):	Usable storage 2025-05-24 (0800)	139.63 billion gallons	100.31 %	1280.17 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2025-05-24 (0800)	94.188 billion gallons	100.79 %	1150.48 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2025-05-24 (0800)	34.781 billion gallons	100.29 %	1440.18 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2025-05-24 (0800)	268.599 billion gallons	100.43 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2025-05-17	0	300	603	110	1620	990	11677	15300	0.09	6.40
2025-05-18	0	300	603	110	1621	704	9363	12700	0.02	6.42
2025-05-19	0	299	600	110	1620	594	7877	11100	0.00	6.42
2025-05-20	0	299	602	110	1621	723	6586	9940	0.00	6.42
2025-05-21	0	300	601	110	1622	650	5667	8950	0.65	7.07
2025-05-22	0	301	603	116	1618	659	6542	9840	0.25	7.32
2025-05-23	0	299	601	121	1614	472	8093	11200	0.22	7.54

¹ Diversions by New Jersey through the D&R Canal 2025-05-17 through 2025-05-23 averaged 88.82 .

² The average diversion for the 30-day period ending 2025-05-23 is 88.45 MGD ; the maximum is 96.3 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 24May2025 - 30May2025 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	
2025-05-24	80	194	149	387	89	78	304	0	0	423
2025-05-25	52	194	153	388	92	78	304	0	0	423
2025-05-26	27	195	144	389	86	78	305	0	0	422
2025-05-27	0	194	118	388	78	78	305	0	0	422
2025-05-28	0	104	65	388	53	78	431	277	0	423
2025-05-29	0	103	9	388	52	78	323	300	0	423
2025-05-30	0	103	0	388	43	78	305	13	0	423

Pepacton Reservoir (P):	Usable storage 2025-05-31 (0800)	138.91 billion gallons	99.79 %	1279.78 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2025-05-31 (0800)	93.417 billion gallons	99.97 %	1149.98 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2025-05-31 (0800)	34.781 billion gallons	100.29 %	1440.18 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2025-05-31 (0800)	267.108 billion gallons	99.87 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2025-05-24	0	302	601	120	1081	400	7076	9580	0.09	7.63
2025-05-25	0	301	601	120	0	415	7053	8490	0.02	7.65
2025-05-26	0	300	599	121	0	249	6033	7300	0.00	7.65
2025-05-27	0	301	600	121	0	288	5260	6570	0.00	7.65
2025-05-28	0	302	602	121	173	465	4838	6500	0.07	7.72
2025-05-29	0	301	601	121	698	423	3996	6140	0.00	7.72
2025-05-30	0	160	601	120	637	471	3841	5830	1.60	9.32

¹ Diversions by New Jersey through the D&R Canal 2025-05-24 through 2025-05-30 averaged 92.33 .

² The average diversion for the 30-day period ending 2025-05-30 is 89.12 MGD ; the maximum is 96.3 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.