

OST-2017 FFMP Release Summary Decision Day: 12/15/2025

General Release Mass Balance				
Combi	ned Pepacton, Cannonsville, and Neversink (PCN) Storage:	159,319	MG	
	+ PCN Inflow Forecast Accumulated to Jun 1:	245,254	MG	
	- Expected PCN Diverson Accumulated to Jun 1:	63,016	MG	
	-Jun 1 Storage Target:	267,460	MG	
	= Available Release Quantity Accumulated to Jun 1:	74,097	MG	

Available Release Quantity Evenly Distributed to June 1				
	Available Release Quantity Accumulated to Jun 1:	74,097	MG	
	/ Number of Days to Distribute Release Quantity:	168	days	
	Current PCN Release Target:	441	mgd	
	Current PCN Release Target:	682	cfs	

Current Storage Zone for Schedule Selection				
	Usable Storage +			
	Usable Storage	Snow Storage	Zone	
PCN	59.6%	*	L2	
Pepacton	61.7%	*	L2	
Cannonsville	52.2%	*	L2	
Neversink	71%	*	L2	

^{*}Not applicable (snow storage is included in the forecast)

Use Release Target and Storage Zone to Select Release Schedule					
		Storage Zone, Winter (cfs)			
	Pepacton	Cannonsville	Neversink	PCN	
	L2	L2	L2	L2	
Table-4a	50	60	35	145	
Table-4b	55	75	40	170	
Table-4c	60	90	45	195	
Table-4d	65	105	50	220	
Table-4e	70	120	50	240	
Table-4f	75	135	55	265	
Table-4g	80	150	60	290	

Selected Schedule:Table(s) 4g

Comments:



OST-2017 FFMP Discharge Mitigation Decision Day: 12/15/2025


Discharge Mitigation Mass Balance		
Current PCN Usable Storage:	159,319	MG
+ Current PCN Snow Storage:	*	MG
+ PCN Inflow Forecast Accumulated 7 Days:	3,846	MG
- OST-FFMP Minimum Releases Accumulated 7 Days:	1,312	MG
- Expected PCN Diversion Accumulated 7 Days:	2,659	MG
- PCN Conditional Storage Objective:	227,341	MG
= Estimated 7 Day PCN Excess over CSSO:	**	MG

^{*}Not applicable (snow storage is included in the forecast)

<u> </u>			_		
ın	m	m	Δ	nts:	•
LU			_	IILJ.	٠



OST-2017 FFMP Summary Page Decision Day: 12/15/2025



General Releases + Discharge Mitigation Releases (cfs)				
	General Release	Discharge Mitigation Release	Total	
Pepacton	80	0	80	
Cannonsville	150	0	150	
Neversink	60	0	60	
Total	290	0	290	

General Releases are at Table(s) 4g

Comments:

Cumulative Total Discharge Mitigation Releases since 6/1/2025			
	Cumulative Releases (MG)		
Pepacton	0		
Cannonsville	300		
Neversink	0		
Total	300		



OST-2017 FFMP Summary Page Decision Day: 12/15/2025

