

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
 Web address: <http://water.usgs.gov/osw/odrm>
 Summary river data for April 28 - May 4, 2014 (preliminary data-subject to revision)
RESERVOIR OPERATION DATA
 Millions of gallons - 24 hour period, local time

| Date | Discharge to river | | | | | | Diversions to New York City water supply | | | |
|----------|--------------------|------------|--------------|----------|------------|------------|--|--------------|-----------|----------|
| | Pepacton | | Cannonsville | | Neversink | | Pepacton | Cannonsville | Neversink | Average |
| | spill | release | spill | release | spill | release | beginning | beginning | beginning | 1-Jun-13 |
| | begin 1200 | begin 1200 | begin 2400 | end 2400 | begin 1500 | begin 1500 | 800 | 800 | 800 | to date |
| April 28 | 0 | 323 | 0 | 456 | 0 | 49 | 301 | 201 | 0 | 582 |
| 29 | 0 | 323 | 0 | 456 | 0 | 49 | 301 | 51 | 0 | 582 |
| 30 | 0 | 323 | 0 | 456 | 0 | 51 | 25 | 0 | 0 | 580 |
| May 1 | 0 | 292 | 0 | 456 | 0 | 58 | 0 | 0 | 146 | 579 |
| 2 | 0 | 160 | 0 | 456 | 0 | 58 | 0 | 0 | 232 | 578 |
| 3 | 2 | 83 | 0 | 456 | 0 | 58 | 0 | 0 | 208 | 576 |
| 4 | 103 | 65 | 0 | 456 | 0 | 58 | 0 | 0 | 199 | 575 |

| | | | | |
|-----------------------------|---------------------------------------|-------------------------|--------|----------------------|
| Pepacton Reservoir (P): | Average storage May 5, 2014 (0800) | 140.671 billion gallons | 100.3% | 1,280.26 (elev. ft.) |
| | Spillway crest elevation 1,280.00 ft. | 140.190 billion gallons | | |
| Cannonsville Reservoir (C): | Average storage May 5, 2014 (0800) | 95.539 billion gallons | 99.8% | 1,149.89 (elev. ft.) |
| | Spillway crest elevation 1,150.00 ft. | 95.706 billion gallons | | |
| Neversink Reservoir (N): | Average storage May 5, 2014 (0800) | 34.306 billion gallons | 98.2% | 1,438.71 (elev. ft.) |
| | Spillway crest elevation 1,440.00 ft. | 34.941 billion gallons | | |
| Combined contents, PCN: | Average storage May 5, 2014 (0800) | 270.516 billion gallons | 99.9% | |
| | Combined capacity at spillway level. | 270.837 billion gallons | | |
| Lake Wallenpaupack: | Average storage May 4, 2014 (0800) | 27.775 billion gallons | 78.3% | 1,185.9 (elev. ft.) |
| | Spillway crest elevation 1,190.00 ft. | 35.451 billion gallons. | | |

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
 PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
 Discharge in cubic feet per second, local time as routed to Montague

| Date | Releases from NYC Reservoirs | | | | Power releases | | Computed | Total | Precipitation | |
|----------|-------------------------------|----------|--------------|-----------|----------------|---------------|----------------------------|-----------|---------------|-------|
| | Directed release ¹ | Pepacton | Cannonsville | Neversink | Wallen-paupack | Rio Reservoir | Uncon-trolled ² | Discharge | (inches) | |
| | | | | | | | | | Daily | Cumul |
| April 28 | 0 | 571 | 1,078 | 76 | 197 | 124 | 3,534 | 5,580 | 0.00 | 2.41 |
| 29 | 0 | 521 | 769 | 76 | 1,064 | 390 | 3,360 | 6,180 | 0.00 | 2.41 |
| 30 | 0 | 501 | 705 | 76 | 1,422 | 851 | 4,235 | 7,790 | 0.41 | 2.82 |
| May 1 | 0 | 500 | 705 | 76 | 1,426 | 762 | 12,231 | 15,700 | 1.21 | 1.21 |
| 2 | 0 | 500 | 705 | 79 | 1,619 | 674 | 11,923 | 15,500 | 0.00 | 1.21 |
| 3 | 0 | 500 | 705 | 90 | 384 | 319 | 8,402 | 10,400 | 0.01 | 1.22 |
| 4 | 0 | 452 | 705 | 90 | 0 | 230 | 7,083 | 8,560 | 0.07 | 1.29 |

1. Release directed to maintain a flow at Montague of 1,750 cfs.

2. Includes conservation release of 100 cfs from Rio Reservoir.

Diversions by New Jersey through the D&R Canal April 28 - May 4, 2014 is currently unavailable.

The average diversion for the 30-day period ending May 4, 2014 is currently unavailable and the maximum diversion is currently unavailable.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA

Web address: <http://water.usgs.gov/osw/odrr>

Summary river data for May 5 - 11, 2014 (preliminary data-subject to revision)

RESERVOIR OPERATION DATA

Millions of gallons - 24 hour period, local time

| Date | Discharge to river | | | | | | Diversions to New York City water supply | | | |
|-------|---------------------|-----------------------|---------------------|---------------------|---------------------|-----------------------|--|------------------|------------------|---------------------|
| | Pepacton | | Cannonsville | | Neversink | | Pepacton | Cannonsville | Neversink | Average |
| | spill begin 1200 | release begin 1200 | spill begin 1200 | release end 2400 | spill begin 1200 | release begin 1500 | beginning 800 | beginning 800 | beginning 800 | 1-Jun-13 to date |
| May 5 | 216 | 65 | 0 | 391 | 0 | 58 | 251 | 0 | 134 | 575 |
| 6 | 183 | 65 | 5 | 261 | 0 | 58 | 301 | 0 | 148 | 574 |
| 7 | 109 | 65 | 21 | 261 | 0 | 58 | 301 | 0 | 3 | 574 |
| 8 | 80 | 65 | 44 | 261 | 0 | 58 | 301 | 0 | 153 | 573 |
| 9 | 83 | 80 | 92 | 271 | 0 | 65 | 303 | 0 | 148 | 573 |
| 10 | 59 | 96 | 128 | 295 | 0 | 65 | 449 | 0 | 0 | 573 |
| 11 | 25 | 97 | 146 | 309 | 0 | 65 | 448 | 0 | 0 | 572 |

| | | | | |
|-----------------------------|---------------------------------------|-------------------------|--------|----------------------|
| Pepacton Reservoir (P): | Average storage May 12, 2014 (0800) | 140.227 billion gallons | 100.0% | 1,280.02 (elev. ft.) |
| | Spillway crest elevation 1,280.00 ft. | 140.190 billion gallons | | |
| Cannonsville Reservoir (C): | Average storage May 12, 2014 (0800) | 96.462 billion gallons | 100.8% | 1,150.47 (elev. ft.) |
| | Spillway crest elevation 1,150.00 ft. | 95.706 billion gallons | | |
| Neversink Reservoir (N): | Average storage May 12, 2014 (0800) | 34.492 billion gallons | 98.7% | 1,439.09 (elev. ft.) |
| | Spillway crest elevation 1,440.00 ft. | 34.941 billion gallons | | |
| Combined contents, PCN: | Average storage May 12, 2014 (0800) | 271.181 billion gallons | 100.1% | |
| | Combined capacity at spillway level. | 270.837 billion gallons | | |
| Lake Wallenpaupack: | Average storage May 11, 2014 (0800) | 29.071 billion gallons | 82.0% | 1,186.6 (elev. ft.) |
| | Spillway crest elevation 1,190.00 ft. | 35.451 billion gallons | | |

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

| Date | Releases from NYC Reservoirs | | | | Power releases | | Computed | Total | Precipitation | |
|-------|----------------------------------|----------|--------------|-----------|--------------------|------------------|--------------------------------|-----------|---------------|-------|
| | Directed release ¹ | Pepacton | Cannonsville | Neversink | Wallen- paupack | Rio Reservoir | Uncon- trolled ² | Discharge | (inches) | |
| | | | | | | | | | Daily | Cumul |
| May 5 | 0 | 248 | 705 | 90 | 106 | 213 | 6,178 | 7,540 | 0.02 | 1.31 |
| 6 | 0 | 128 | 705 | 90 | 117 | 284 | 5,396 | 6,720 | 0.00 | 1.31 |
| 7 | 0 | 101 | 605 | 90 | 148 | 372 | 4,934 | 6,250 | 0.00 | 1.31 |
| 8 | 0 | 101 | 404 | 90 | 224 | 301 | 4,560 | 5,680 | 0.11 | 1.42 |
| 9 | 0 | 101 | 404 | 90 | 230 | 337 | 4,728 | 5,890 | 0.22 | 1.64 |
| 10 | 0 | 101 | 404 | 90 | 277 | 390 | 5,458 | 6,720 | 0.08 | 1.72 |
| 11 | 0 | 101 | 419 | 101 | 0 | 390 | 5,169 | 6,180 | 0.11 | 1.83 |

1. Release directed to maintain a flow at Montague of 1,750 cfs.

2. Includes conservation release of 100 cfs from Rio Reservoir.

Diversions by New Jersey through the D&R May 5 - 11, 2014 averaged 90.6 mgd

The average diversion for the 30-day period ending May 11, 2014 is currently unavailable and the maximum diversion is currently unavailable

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA

Web address: <http://water.usgs.gov/osw/odrr>

Summary river data for May 12 - 18, 2014 (preliminary data-subject to revision)

RESERVOIR OPERATION DATA

Millions of gallons - 24 hour period, local time

| Date | Discharge to river | | | | | | Diversions to New York City water supply | | | |
|--------|---------------------|-----------------------|---------------------|---------------------|---------------------|-----------------------|--|------------------|------------------|---------------------|
| | Pepacton | | Cannonsville | | Neversink | | Pepacton | Cannonsville | Neversink | Average |
| | spill begin 1200 | release begin 1200 | spill begin 1200 | release end 2400 | spill begin 1200 | release begin 1500 | beginning 800 | beginning 800 | beginning 800 | 1-Jun-13 to date |
| May 12 | 2 | 97 | 139 | 309 | 0 | 65 | 449 | 0 | 152 | 572 |
| 13 | 0 | 93 | 104 | 309 | 0 | 63 | 420 | 0 | 152 | 573 |
| 14 | 0 | 65 | 84 | 281 | 0 | 58 | 449 | 0 | 152 | 573 |
| 15 | 0 | 65 | 50 | 262 | 0 | 58 | 449 | 0 | 149 | 574 |
| 16 | 193 | 65 | 583 | 225 | 57 | 58 | 144 | 0 | 149 | 573 |
| 17 | 1,281 | 82 | 2,025 | 104 | 723 | 62 | 253 | 0 | 0 | 573 |
| 18 | 1,172 | 97 | 1,958 | 278 | 260 | 65 | 487 | 0 | 294 | 573 |

| | | | | |
|-----------------------------|---------------------------------------|-------------------------|--------|----------------------|
| Pepacton Reservoir (P): | Average storage May 19, 2014 (0800) | 141.580 billion gallons | 101.0% | 1,280.75 (elev. ft.) |
| | Spillway crest elevation 1,280.00 ft. | 140.190 billion gallons | | |
| Cannonsville Reservoir (C): | Average storage May 19, 2014 (0800) | 99.440 billion gallons | 103.9% | 1,152.32 (elev. ft.) |
| | Spillway crest elevation 1,150.00 ft. | 95.706 billion gallons | | |
| Neversink Reservoir (N): | Average storage May 19, 2014 (0800) | 35.041 billion gallons | 100.3% | 1,440.20 (elev. ft.) |
| | Spillway crest elevation 1,440.00 ft. | 34.941 billion gallons | | |
| Combined contents, PCN: | Average storage May 19, 2014 (0800) | 276.061 billion gallons | 101.9% | |
| | Combined capacity at spillway level. | 270.837 billion gallons | | |
| Lake Wallenpaupack: | Average storage May 18, 2014 (0800) | 31.485 billion gallons | 88.8% | 1,187.9 (elev. ft.) |
| | Spillway crest elevation 1,190.00 ft. | 35.451 billion gallons | | |

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

| Date | Releases from NYC Reservoirs | | | | Power releases | | Computed | Total | Precipitation | |
|--------|------------------------------|----------|--------------|-----------|--------------------|------------------|--------------------|-----------|---------------|-------|
| | Directed release1 | Pepacton | Cannonsville | Neversink | Wallen- paupack | Rio Reservoir | Uncon- trolled2 | Discharge | (inches) | |
| | | | | | | | | | Daily | Cumul |
| May 12 | 0 | 124 | 456 | 101 | 0 | 390 | 4,949 | 6,020 | 0.00 | 1.83 |
| 13 | 0 | 149 | 478 | 101 | 307 | 195 | 4,280 | 5,510 | 0.00 | 1.83 |
| 14 | 0 | 150 | 478 | 101 | 411 | 71 | 3,979 | 5,190 | 0.04 | 1.87 |
| 15 | 0 | 150 | 478 | 97 | 672 | 106 | 3,627 | 5,130 | 0.03 | 1.90 |
| 16 | 0 | 144 | 435 | 90 | 1,225 | 426 | 4,140 | 6,460 | 0.09 | 1.99 |
| 17 | 0 | 101 | 405 | 90 | 457 | 426 | 34,621 | 36,100 | 2.28 | 4.27 |
| 18 | 0 | 101 | 348 | 90 | 1,190 | 851 | 26,020 | 28,600 | 0.00 | 4.27 |

1. Release directed to maintain a flow at Montague of 1,750 cfs.

2. Includes conservation release of 100 cfs from Rio Reservoir.

Diversions by New Jersey through the D&R May 12 -18, 2014 averaged 71.4 mgd

The average diversion for the 30-day period ending May 18, 2014 is currently unavailable and the maximum diversion is currently unavailable

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA

Web address: <http://water.usgs.gov/osw/odrr>

Summary river data for May 19 -25, 2014 (preliminary data-subject to revision)

RESERVOIR OPERATION DATA

Millions of gallons - 24 hour period, local time

| Date | Discharge to river | | | | | | Diversions to New York City water supply | | | |
|--------|---------------------|-----------------------|---------------------|---------------------|---------------------|-----------------------|--|------------------|------------------|---------------------|
| | Pepacton | | Cannonsville | | Neversink | | Pepacton | Cannonsville | Neversink | Average |
| | spill begin 1200 | release begin 1200 | spill begin 2400 | release end 2400 | spill begin 1500 | release begin 1500 | beginning 800 | beginning 800 | beginning 800 | 1-Jun-13 to date |
| May 19 | 845 | 97 | 1,611 | 149 | 47 | 65 | 472 | 0 | 258 | 574 |
| 20 | 571 | 97 | 1,243 | 309 | 24 | 65 | 499 | 0 | 92 | 574 |
| 21 | 257 | 97 | 912 | 327 | 135 | 65 | 432 | 101 | 0 | 573 |
| 22 | 227 | 97 | 727 | 335 | 231 | 65 | 400 | 0 | 0 | 573 |
| 23 | 192 | 97 | 618 | 338 | 245 | 65 | 400 | 0 | 0 | 573 |
| 24 | 183 | 97 | 480 | 340 | 211 | 65 | 288 | 225 | 0 | 572 |
| 25 | 208 | 97 | 343 | 340 | 185 | 65 | 250 | 302 | 0 | 572 |

| | | | | |
|-----------------------------|---------------------------------------|-------------------------|--------|----------------------|
| Pepacton Reservoir (P): | Average storage May 26, 2014 (0800) | 140.653 billion gallons | 100.3% | 1,280.25 (elev. ft.) |
| | Spillway crest elevation 1,280.00 ft. | 140.190 billion gallons | | |
| Cannonsville Reservoir (C): | Average storage May 26, 2014 (0800) | 96.832 billion gallons | 101.2% | 1,150.70 (elev. ft.) |
| | Spillway crest elevation 1,150.00 ft. | 95.706 billion gallons | | |
| Neversink Reservoir (N): | Average storage May 26, 2014 (0800) | 35.085 billion gallons | 100.4% | 1,440.29 (elev. ft.) |
| | Spillway crest elevation 1,440.00 ft. | 34.941 billion gallons | | |
| Combined contents, PCN: | Average storage May 26, 2014 (0800) | 272.570 billion gallons | 100.6% | |
| | Combined capacity at spillway level. | 270.837 billion gallons | | |
| Lake Wallenpaupack: | Average storage May 25, 2014 (0800) | 30.371 billion gallons | 85.7% | 1,187.3 (elev. ft.) |
| | Spillway crest elevation 1,190.00 ft. | 35.451 billion gallons | | |

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

| Date | Releases from NYC Reservoirs | | | | Power releases | | Computed | Total | Precipitation | |
|--------|------------------------------|----------|--------------|-----------|--------------------|------------------|--------------------|-----------|---------------|-------|
| | Directed release1 | Pepacton | Cannonsville | Neversink | Wallen- paupack | Rio Reservoir | Uncon- trolled2 | Discharge | (inches) | |
| | | | | | | | | | Daily | Cumul |
| May 19 | 0 | 101 | 161 | 96 | 1,464 | 496 | 17,682 | 20,000 | 0.00 | 4.27 |
| 20 | 0 | 127 | 430 | 101 | 1,526 | 674 | 12,542 | 15,400 | 0.02 | 4.29 |
| 21 | 0 | 150 | 231 | 101 | 1,653 | 709 | 10,256 | 13,100 | 0.00 | 4.29 |
| 22 | 0 | 150 | 478 | 101 | 1,417 | 674 | 8,580 | 11,400 | 0.05 | 4.34 |
| 23 | 0 | 150 | 506 | 101 | 1,495 | 621 | 8,527 | 11,400 | 0.26 | 4.60 |
| 24 | 0 | 150 | 518 | 101 | 606 | 160 | 7,235 | 8,770 | 0.03 | 4.63 |
| 25 | 0 | 150 | 523 | 101 | 0 | 89 | 6,597 | 7,460 | 0.08 | 4.71 |

1. Release directed to maintain a flow at Montague of 1,750 cfs.

2. Includes conservation release of 100 cfs from Rio Reservoir.

Diversions by New Jersey through the D&R May 19 -25, 2014 averaged 44.0 mgd

The average diversion for the 30-day period ending May 25, 2014 is currently unavailable and the maximum diversion is currently unavailable