

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA

Web address: <http://water.usgs.gov/osw/odrm>

Summary river data for April 27 – May 3, 2015 (preliminary data-subject to revision) RESERVOIR OPERATION DATA  
Millions of gallons - 24 hour period, local time

| Date     | Discharge to river  |                       |                     |                     | Diversions to New York City water supply |                       |                  |                  |                  | Average<br>1-Jun-14<br>to date |
|----------|---------------------|-----------------------|---------------------|---------------------|--|-----------------------|------------------|------------------|------------------|--------------------------------|
|          | Pepacton            |                       | Cannonsville        |                     | Neversink                                |                       | Pepacton         | Cannonsville     | Neversink        |                                |
|          | spill<br>begin 1200 | release<br>begin 1200 | spill<br>begin 2400 | release<br>end 2400 | spill<br>begin 1500                      | release<br>begin 1500 | beginning<br>800 | beginning<br>800 | beginning<br>800 |                                |
| April 27 | 0                   | 32                    | 81                  | 41                  | 0  | 23                    | 0                | 484              | 0                | 534                            |
| 28       | 0                   | 32                    | 87                  | 48                  | 0  | 23                    | 0                | 485              | 0                | 533                            |
| 29       | 0                   | 32                    | 76                  | 48                  | 0  | 23                    | 0                | 485              | 0                | 533                            |
| 30       | 0                   | 35                    | 55                  | 48                  | 0  | 27                    | 0                | 485              | 0                | 533                            |
| May 1    | 0                   | 48                    | 27                  | 82                  | 0  | 36                    | 0                | 485              | 0                | 531                            |
| 2        | 0                   | 48                    | 5                   | 99                  | 0  | 36                    | 0                | 485              | 0                | 531                            |
| 3        | 0                   | 48                    | 0                   | 97                  | 0  | 36                    | 0                | 484              | 0                | 531                            |

|                             |                                       |                         |       |                      |
|-----------------------------|---------------------------------------|-------------------------|-------|----------------------|
| Pepacton Reservoir (P):     | Average storage May 4, 2015 (0800)    | 136.799 billion gallons | 97.6% | 1,278.15 (elev. ft.) |
|                             | Spillway crest elevation 1,280.00 ft. | 140.190 billion gallons |       |                      |
| Cannonsville Reservoir (C): | Average storage May 4, 2015 (0800)    | 95.417 billion gallons  | 99.7% | 1,149.81 (elev. ft.) |
|                             | Spillway crest elevation 1,150.00 ft. | 95.706 billion gallons  |       |                      |
| Neversink Reservoir (N)     | Average storage May 4, 2015 (0800)    | 33.920 billion gallons  | 97.1% | 1,437.92 (elev. ft.) |
|                             | Spillway crest elevation 1,440.00 ft. | 34.941 billion gallons  |       |                      |
| Combined contents, PCN:     | Average storage May 4, 2015 (0800)    | 266.136 billion gallons | 98.3% |                      |
|                             | Combined capacity at spillway level   | 270.837 billion gallons |       |                      |
| Lake Wallenpaupack:         | Average storage May 3, 2015 (0800)    | 28.886 billion gallons  | 81.5% | 1,186.5 (elev. ft.)  |
|                             | Spillway crest elevation 1,190.00 ft. | 35.451 billion gallons. |       |                      |

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND  
PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montagu

| Date     | Releases from NYC Reservoirs     |          |              |           | Power releases     |                  | Computed                       | Total     | Precipitation |       |
|----------|----------------------------------|----------|--------------|-----------|--------------------|------------------|--------------------------------|-----------|---------------|-------|
|          | Directed<br>release <sup>1</sup> | Pepacton | Cannonsville | Neversink | Wallen-<br>paupack | Rio<br>Reservoir | Uncon-<br>trolled <sup>2</sup> | Discharge | (inches)      |       |
|          |                                  |          |              |           |                    |                  |                                |           | Daily         | Cumul |
| April 27 | 0                                | 50       | 74           | 36        | 65                 | 337              | 5,398                          | 5,960     | 0.00          | 3.37  |
| 28       | 0                                | 50       | 74           | 36        | 350                | 230              | 4,890                          | 5,630     | 0.01          | 3.37  |
| 29       | 0                                | 50       | 63           | 36        | 401                | 284              | 4,396                          | 5,230     | 0.00          | 3.37  |
| 30       | 0                                | 50       | 74           | 36        | 0                  | 284              | 4,046                          | 4,490     | 0.00          | 3.37  |
| May 1    | 0                                | 50       | 74           | 36        | 0                  | 390              | 3,670                          | 4,220     | 0.00          | 0.00  |
| 2        | 0                                | 50       | 74           | 42        | 0                  | 301              | 3,343                          | 3,810     | 0.00          | 0.00  |
| 3        | 0                                | 54       | 127          | 56        | 0                  | 266              | 3,117                          | 3,620     | 0.00          | 0.00  |

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.

2. Includes conservation release of 100 cfs from Rio Reservoir.

Diversion by New Jersey through the D&R Canal April 27 – May 3, 2015 is 92.3 mgd.

The average diversion for the 30-day period ending May 3, 2015 was 92.0 mgd and the maximum diversion was 96 mg on April 12.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA  
 Web address: <http://water.usgs.gov/osw/odrm>  
 Summary river data for May 4-10, 2015 (preliminary data – subject to revision)  
**RESERVOIR OPERATION DATA**  
 Millions of gallons – 24 hour period, local time

| Date  | Discharge to river  |                       |                     |                     |                     |                       | Diversions to New York City water supply |                   |                   |                      |
|-------|---------------------|-----------------------|---------------------|---------------------|---------------------|-----------------------|--|-------------------|-------------------|----------------------|
|       | Pepacton            |                       | Cannonsville        |                     | Neversink           |                       | Pepacton                                 | Cannonsville      | Neversink         | Average              |
|       | Spill<br>Begin 1200 | Release<br>begin 1200 | Spill begin<br>2400 | Release<br>end 2400 | Spill begin<br>1500 | Release<br>begin 1500 | Beginning<br>0800                        | Beginning<br>0800 | Beginning<br>0800 | 1-June-14<br>to date |
| May 4 | 0                   | 48                    | 0                   | 97                  | 0                   | 36                    | 0  | 484               | 0                 | 533                  |
| 5     | 0                   | 48                    | 0                   | 97                  | 0                   | 36                    | 0  | 484               | 0                 | 532                  |
| 6     | 0                   | 49                    | 0                   | 97                  | 0                   | 36                    | 0  | 484               | 0                 | 532                  |
| 7     | 0                   | 49                    | 0                   | 97                  | 0                   | 36                    | 0  | 296               | 0                 | 532                  |
| 8     | 0                   | 48                    | 0                   | 97                  | 0                   | 36                    | 0  | 298               | 0                 | 531                  |
| 9     | 0                   | 48                    | 0                   | 97                  | 0                   | 36                    | 0  | 298               | 0                 | 530                  |
| 10    | 0                   | 48                    | 0                   | 97                  | 0                   | 36                    | 0  | 298               | 0                 | 529                  |

|                             |                                      |                         |       |                     |
|-----------------------------|--------------------------------------|-------------------------|-------|---------------------|
| Pepacton Reservoir (P):     | Average storage May 11, 2015 (0800)  | 137.820 billion gallons | 98.3% | 1,278.71 (elev.ft.) |
|                             | Spillway crest elevation 1,280.00 ft | 140.190 billion gallons |       |                     |
| Cannonsville Reservoir (C): | Average storage May 11, 2015 (0800)  | 93.881 billion gallons  | 98.1% | 1,148.80 (elev.ft.) |
|                             | Spillway crest elevation 1,150.00 ft | 95.706 billion gallons  |       |                     |
| Neversink Reservoir (N):    | Average storage May 11, 2015 (0800)  | 34.281 billion gallons  | 98.1% | 1,438.66 (elev.ft.) |
|                             | Spillway crest elevation 1,440.00 ft | 34.941 billion gallons  |       |                     |
| Combined contents, PCN:     | Average storage May 11, 2015 (0800)  | 265.982 billion gallons | 98.2% |                     |
|                             | Combined capacity at spillway level  | 270.837 billion gallons |       |                     |
| Lake Wallenpaupack:         | Average storage May 10, 2015 (0800)  | 29.628 billion gallons  | 83.6% | 1,186.9 (elev.ft.)  |
|                             | Spillway crest elevation 1,190.00 ft | 35.451 billion gallons  |       |                     |

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND  
 PRECIPITATION IN UPPER DELAWARE RIVER BASIN  
 Discharge in cubic feet per second, local time as routed to Montague

| Date  | Releases from NYC Reservoirs     |          |              |           | Power releases     |                  | Computed                       | Total     | Precipitation |            |
|-------|----------------------------------|----------|--------------|-----------|--------------------|------------------|--------------------------------|-----------|---------------|------------|
|       | Directed<br>release <sup>1</sup> | Pepacton | Cannonsville | Neversink | Wallen-<br>paupack | Rio<br>Reservoir | Uncon-<br>trolled <sup>2</sup> | Discharge | (inches)      |            |
|       |                                  |          |              |           |                    |                  |                                |           | Daily         | Cumulative |
| May 4 | 0                                | 74       | 153          | 56        | 0                  | 213              | 2,844                          | 3,340     | 0.00          | 0.00       |
| 5     | 0                                | 74       | 150          | 56        | 0                  | 248              | 2,512                          | 3,040     | 0.00          | 0.00       |
| 6     | 0                                | 74       | 150          | 56        | 31                 | 89               | 2,330                          | 2,730     | 0.15          | 0.15       |
| 7     | 0                                | 74       | 150          | 56        | 0                  | 0                | 2,330                          | 2,610     | 0.02          | 0.17       |
| 8     | 0                                | 74       | 150          | 56        | 17                 | 89               | 2,204                          | 2,590     | 0.00          | 0.17       |
| 9     | 0                                | 76       | 150          | 56        | 58                 | 89               | 2,061                          | 2,490     | 0.00          | 0.17       |
| 10    | 0                                | 76       | 150          | 56        | 12                 | 0                | 1,896                          | 2,190     | 0.00          | 0.17       |

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.

2. Includes conservation release of 100 cfs from Rio Reservoir.

Diversion by New Jersey through the D&R Canal May 4-10, 2015 is 92.1 mgd

The average diversion for the 30-day period ending May 10, 2015 was 91.7 mgd and the maximum diversion was 96 mg on April 12.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA  
 Web address: <http://water.usgs.gov/osw/odrm>  
 Summary river data for May 11-17, 2015 (preliminary data – subject to revision)  
**RESERVOIR OPERATION DATA**  
 Millions of gallons – 24 hour period, local time

| Date   | Discharge to river  |                       |                     |                     |                     |                       | Diversions to New York City water supply |                   |                   |                      |
|--------|---------------------|-----------------------|---------------------|---------------------|---------------------|-----------------------|--|-------------------|-------------------|----------------------|
|        | Pepacton            |                       | Cannonsville        |                     | Neversink           |                       | Pepacton                                 | Cannonsville      | Neversink         | Average              |
|        | Spill<br>Begin 1200 | Release<br>begin 1200 | Spill begin<br>2400 | Release<br>end 2400 | Spill begin<br>1500 | Release<br>begin 1500 | Beginning<br>0800                        | Beginning<br>0800 | Beginning<br>0800 | 1-June-14<br>to date |
| May 11 | 0                   | 48                    | 0                   | 97                  | 0                   | 36                    | 54                                       | 298               | 0                 | 529                  |
| 12     | 0                   | 49                    | 0                   | 97                  | 0                   | 36                    | 96                                       | 298               | 0                 | 529                  |
| 13     | 0                   | 48                    | 0                   | 105                 | 0                   | 36                    | 0  | 298               | 0                 | 528                  |
| 14     | 0                   | 47                    | 0                   | 99                  | 0                   | 36                    | 255                                      | 298               | 0                 | 528                  |
| 15     | 0                   | 48                    | 0                   | 117                 | 0                   | 36                    | 300                                      | 298               | 0                 | 528                  |
| 16     | 0                   | 49                    | 0                   | 206                 | 0                   | 36                    | 300                                      | 298               | 0                 | 528                  |
| 17     | 0                   | 49                    | 0                   | 217                 | 0                   | 36                    | 300                                      | 298               | 0                 | 529                  |

|                             |  |  |       |                     |
|-----------------------------|--|--|-------|---------------------|
| Pepacton Reservoir (P):     | Available storage May 18, 2015 (0800)<br>Spillway crest elevation 1,280.00 ft. | 137.401 billion gallons<br>140.190 billion gallons | 98.0% | 1,278.48 (elev.ft.) |
| Cannonsville Reservoir (C): | Available storage May 18, 2015 (0800)<br>Spillway crest elevation 1,150.00 ft. | 92.299 billion gallons<br>95.706 billion gallons   | 96.4% | 1,147.76 (elev.ft.) |
| Neversink Reservoir (N):    | Available storage May 18, 2015 (0800)<br>Spillway crest elevation 1,440.00 ft. | 34.473 billion gallons<br>34.941 billion gallons   | 98.7% | 1,439.05 (elev.ft.) |
| Combined contents, PCN:     | Available storage May 18, 2015 (0800)<br>Combined capacity at spillway level   | 264.173 billion gallons<br>270.837 billion gallons | 97.5% |                     |
| Lake Wallenpaupack:         | Available storage May 17, 2015 (0800)<br>Spillway crest elevation 1,190.00 ft. | 30.000 billion gallons<br>35.451 billion gallons   | 84.6% | 1,187.1 (elev.ft.)  |

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND  
 PRECIPITATION IN UPPER DELAWARE RIVER BASIN  
 Discharge in cubic feet per second, local time as routed to Montague

| Date   | Releases from NYC Reservoirs     |          |              |           | Power releases     |                  | Computed                       | Total     | Precipitation |            |
|--------|----------------------------------|----------|--------------|-----------|--------------------|------------------|--------------------------------|-----------|---------------|------------|
|        | Directed<br>release <sup>1</sup> | Pepacton | Cannonsville | Neversink | Wallen-<br>paupack | Rio<br>Reservoir | Uncon-<br>trolled <sup>2</sup> | Discharge | (inches)      |            |
|        |                                  |          |              |           |                    |                  |                                |           | Daily         | Cumulative |
| May 11 | 0                                | 74       | 150          | 56        | 101                | 0                | 1,869                          | 2,250     | 0.00          | 0.17       |
| 12     | 0                                | 74       | 150          | 56        | 214                | 124              | 1,782                          | 2,400     | 0.02          | 0.19       |
| 13     | 0                                | 74       | 150          | 56        | 156                | 89               | 1,595                          | 2,120     | 0.02          | 0.21       |
| 14     | 0                                | 74       | 150          | 56        | 0                  | 0                | 1,510                          | 1,790     | 0.00          | 0.21       |
| 15     | 294                              | 76       | 162          | 56        | 0                  | 35               | 1,411                          | 1,740     | 0.00          | 0.21       |
| 16     | 0                                | 74       | 153          | 56        | 0                  | 177              | 1,390                          | 1,850     | 0.34          | 0.55       |
| 17     | 310                              | 73       | 181          | 56        | 0                  | 35               | 1,695                          | 2,040     | 0.38          | 0.93       |

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.

2. Includes conservation release of 100 cfs from Rio Reservoir.

Diversions by New Jersey through the D&R Canal May 11-17, 2015 averaged 91.6 mgd

The average diversion for the 30-day period ending May 17, 2015 was 91.1 mgd and the maximum diversion was 94 mg on April 26, 27 & 28 and May 6 & 15.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA  
 Web address: <http://water.usgs.gov/osw/odrm>  
 Summary river data for May 18-24, 2015 (preliminary data – subject to revision)  
**RESERVOIR OPERATION DATA**  
 Millions of gallons – 24 hour period, local time

| Date   | Discharge to river  |                       |                     |                     |                     |                       | Diversions to New York City water supply |                   |                   |                      |
|--------|---------------------|-----------------------|---------------------|---------------------|---------------------|-----------------------|--|-------------------|-------------------|----------------------|
|        | Pepacton            |                       | Cannonsville        |                     | Neversink           |                       | Pepacton                                 | Cannonsville      | Neversink         | Average              |
|        | Spill<br>Begin 1200 | Release<br>begin 1200 | Spill begin<br>2400 | Release<br>end 2400 | Spill begin<br>1500 | Release<br>begin 1500 | Beginning<br>0800                        | Beginning<br>0800 | Beginning<br>0800 | 1-June-14<br>to date |
| May 18 | 0                   | 48                    | 0                   | 125                 | 0                   | 36                    | 300                                      | 298               | 0                 | 529                  |
| 19     | 0                   | 48                    | 0                   | 96                  | 0                   | 36                    | 367                                      | 298               | 0                 | 529                  |
| 20     | 0                   | 50                    | 0                   | 96                  | 0                   | 38                    | 400                                      | 298               | 0                 | 530                  |
| 21     | 0                   | 59                    | 0                   | 119                 | 0                   | 42                    | 401                                      | 236               | 253               | 531                  |
| 22     | 0                   | 59                    | 0                   | 131                 | 0                   | 42                    | 400                                      | 229               | 50                | 531                  |
| 23     | 0                   | 59                    | 0                   | 129                 | 0                   | 42                    | 401                                      | 229               | 0                 | 531                  |
| 24     | 0                   | 58                    | 0                   | 129                 | 0                   | 42                    | 400                                      | 229               | 0                 | 532                  |

|                             |  |  |       |                     |
|-----------------------------|--|--|-------|---------------------|
| Pepacton Reservoir (P):     | Available storage May 25, 2015 (0800)<br>Spillway crest elevation 1,280.00 ft. | 135.239 billion gallons<br>140.190 billion gallons | 96.5% | 1,277.29 (elev.ft.) |
| Cannonsville Reservoir (C): | Available storage May 25, 2015 (0800)<br>Spillway crest elevation 1,150.00 ft. | 90.762 billion gallons<br>95.706 billion gallons   | 94.8% | 1,146.75 (elev.ft.) |
| Neversink Reservoir (N):    | Available storage May 25, 2015 (0800)<br>Spillway crest elevation 1,440.00 ft. | 34.238 billion gallons<br>34.941 billion gallons   | 98.0% | 1,438.57 (elev.ft.) |
| Combined contents, PCN:     | Available storage May 25, 2015 (0800)<br>Combined capacity at spillway level   | 260.239 billion gallons<br>270.837 billion gallons | 96.1% |                     |
| Lake Wallenpaupack:         | Available storage May 24, 2015 (0800)<br>Spillway crest elevation 1,190.00 ft. | 29.257 billion gallons<br>35.451 billion gallons   | 82.5% | 1,186.7 (elev.ft.)  |

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND  
 PRECIPITATION IN UPPER DELAWARE RIVER BASIN  
 Discharge in cubic feet per second, local time as routed to Montague

| Date   | Releases from NYC Reservoirs     |          |              |           | Power releases     |                  | Computed                       | Total     | Precipitation |            |
|--------|----------------------------------|----------|--------------|-----------|--------------------|------------------|--------------------------------|-----------|---------------|------------|
|        | Directed<br>release <sup>1</sup> | Pepacton | Cannonsville | Neversink | Wallen-<br>paupack | Rio<br>Reservoir | Uncon-<br>trolled <sup>2</sup> | Discharge | (inches)      |            |
|        |                                  |          |              |           |                    |                  |                                |           | Daily         | Cumulative |
| May 18 | 449                              | 74       | 319          | 56        | 70                 | 53               | 2,488                          | 3,060     | 0.01          | 0.94       |
| 19     | 468                              | 76       | 336          | 56        | 263                | 18               | 2,141                          | 2,890     | 0.35          | 1.29       |
| 20     | 0                                | 76       | 193          | 56        | 292                | 0                | 2,223                          | 2,840     | 0.01          | 1.30       |
| 21     | 0                                | 74       | 149          | 56        | 275                | 89               | 2,127                          | 2,770     | 0.00          | 1.30       |
| 22     | 0                                | 74       | 149          | 59        | 398                | 89               | 1,791                          | 2,560     | 0.00          | 1.30       |
| 23     | 0                                | 77       | 184          | 65        | 288                | 89               | 1,687                          | 2,390     | 0.00          | 1.30       |
| 24     | 0                                | 91       | 203          | 65        | 0                  | 0                | 1,511                          | 1,870     | 0.00          | 1.30       |

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.

2. Includes conservation release of 100 cfs from Rio Reservoir.

Diversions by New Jersey through the D&R Canal May 18-24, 2015 averaged 91.5 mgd

The average diversion for the 30-day period ending May 24, 2015 was 92.1 mgd and the maximum diversion was 94 mg on April 26, 27 & 28 and May 6 & 15.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA  
 Web address: <http://water.usgs.gov/osw/odrm>  
 Summary river data for May 25-31, 2015 (preliminary data – subject to revision)  
**RESERVOIR OPERATION DATA**  
 Millions of gallons – 24 hour period, local time

| Date   | Discharge to river  |                       |                     |                     |                     |                       | Diversions to New York City water supply |                   |                   |                      |
|--------|---------------------|-----------------------|---------------------|---------------------|---------------------|-----------------------|--|-------------------|-------------------|----------------------|
|        | Pepacton            |                       | Cannonsville        |                     | Neversink           |                       | Pepacton                                 | Cannonsville      | Neversink         | Average              |
|        | Spill<br>Begin 1200 | Release<br>begin 1200 | Spill begin<br>2400 | Release<br>end 2400 | Spill begin<br>1500 | Release<br>begin 1500 | Beginning<br>0800                        | Beginning<br>0800 | Beginning<br>0800 | 1-June-14<br>to date |
| May 25 | 0                   | 58                    | 0                   | 128                 | 0                   | 42                    | 400                                      | 229               | 4                 | 532                  |
| 26     | 0                   | 58                    | 0                   | 128                 | 0                   | 42                    | 400                                      | 29                | 300               | 532                  |
| 27     | 0                   | 59                    | 0                   | 128                 | 0                   | 42                    | 400                                      | 0                 | 298               | 533                  |
| 28     | 0                   | 58                    | 0                   | 128                 | 0                   | 42                    | 399                                      | 0                 | 298               | 533                  |
| 29     | 0                   | 58                    | 0                   | 128                 | 0                   | 42                    | 399                                      | 178               | 297               | 534                  |
| 30     | 0                   | 58                    | 0                   | 127                 | 0                   | 42                    | 399                                      | 227               | 0                 | 535                  |
| 31     | 0                   | 59                    | 0                   | 128                 | 0                   | 44                    | 399                                      | 50                | 0                 | 534                  |

|                             |  |  |       |                     |
|-----------------------------|--|--|-------|---------------------|
| Pepacton Reservoir (P):     | Available storage June 1, 2015 (0800)<br>Spillway crest elevation 1,280.00 ft. | 133.186 billion gallons<br>140.190 billion gallons | 95.0% | 1,276.15 (elev.ft.) |
| Cannonsville Reservoir (C): | Available storage June 1, 2015 (0800)<br>Spillway crest elevation 1,150.00 ft. | 89.925 billion gallons<br>95.706 billion gallons   | 94.0% | 1,146.20 (elev.ft.) |
| Neversink Reservoir (N):    | Available storage June 1, 2015 (0800)<br>Spillway crest elevation 1,440.00 ft. | 33.630 billion gallons<br>34.941 billion gallons   | 96.2% | 1,437.32 (elev.ft.) |
| Combined contents, PCN:     | Available storage June 1, 2015 (0800)<br>Combined capacity at spillway level   | 256.741 billion gallons<br>270.837 billion gallons | 94.8% |                     |
| Lake Wallenpaupack:         | Available storage May 31, 2015 (0800)<br>Spillway crest elevation 1,190.00 ft. | 28.514 billion gallons<br>35.451 billion gallons   | 80.4% | 1,186.3 (elev.ft.)  |

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND  
 PRECIPITATION IN UPPER DELAWARE RIVER BASIN  
 Discharge in cubic feet per second, local time as routed to Montague

| Date   | Releases from NYC Reservoirs     |          |              |           | Power releases     |                  | Computed                       | Total     | Precipitation |            |
|--------|----------------------------------|----------|--------------|-----------|--------------------|------------------|--------------------------------|-----------|---------------|------------|
|        | Directed<br>release <sup>1</sup> | Pepacton | Cannonsville | Neversink | Wallen-<br>paupack | Rio<br>Reservoir | Uncon-<br>trolled <sup>2</sup> | Discharge | (inches)      |            |
|        |                                  |          |              |           |                    |                  |                                |           | Daily         | Cumulative |
| May 25 | 0                                | 91       | 200          | 65        | 137                | 0                | 1,297                          | 1,790     | 0.00          | 1.30       |
| 26     | 18                               | 91       | 200          | 65        | 156                | 0                | 1,428                          | 1,940     | 0.00          | 1.30       |
| 27     | 13                               | 90       | 198          | 65        | 219                | 0                | 1,438                          | 2,010     | 0.06          | 1.36       |
| 28     | 0                                | 90       | 198          | 65        | 139                | 35               | 1,853                          | 2,380     | 0.52          | 1.88       |
| 29     | 0                                | 90       | 198          | 65        | 177                | 106              | 2,124                          | 2,760     | 0.00          | 1.88       |
| 30     | 163                              | 91       | 198          | 65        | 172                | 46               | 1,938                          | 2,510     | 0.00          | 1.88       |
| 31     | 0                                | 90       | 198          | 65        | 232                | 71               | 1,654                          | 2,310     | 0.18          | 2.06       |

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.

2. Includes conservation release of 100 cfs from Rio Reservoir.

Diversions by New Jersey through the D&R Canal May 25-31, 2015 averaged 88.3 mgd

The average diversion for the 30-day period ending May 31, 2015 was 91.0 mgd and the maximum diversion was 94 mg on May 6 & 15.