

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for December 31st – January 6th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-22 to date
Dec 31	0	65	0	115	0	71	74	0	185	580
Jan 1	0	65	0	115	0	71	99	0	270	579
2	0	191	0	116	0	71	150	0	270	579
3	0	194	0	116	0	71	150	0	270	578
4	0	194	0	114	0	71	0	0	257	576
5	0	194	0	114	0	71	0	0	256	575
6	0	194	0	114	0	71	0	0	256	573

Pepacton Reservoir (P):	Available storage January 7, 2023 (0800) Spillway crest elevation 1,280.00 ft.	124.080 billion gallons 139.320 billion gallons	89.1%	1,271.48 (elev.ft.)
Cannonsville Reservoir (C):	Available storage January 7, 2023 (0800) Spillway crest elevation 1,150.00 ft.	74.310 billion gallons 93.448 billion gallons	79.5%	1,136.68 (elev.ft.)
Neversink Reservoir (N):	Available storage January 7, 2023 (0800) Spillway crest elevation 1,440.00 ft.	32.008 billion gallons 34.682 billion gallons	92.3%	1,434.48 (elev.ft.)
Combined contents, PCN:	Available storage January 7, 2023 (0800) Combined capacity at spillway level	230.398 billion gallons 267.460 billion gallons	86.1%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Dec 31	0	101	177	110	588	362	5,103	6,440	<u>0.14</u>	<u>5.38</u>
Jan 1	0	101	177	110	588	519	6,236	7,730	0.00	0.00
2	0	101	178	110	588	402	8,412	9,790	0.01	0.01
3	0	101	178	110	588	654	8,309	9,940	0.56	0.57
4	0	296	179	110	588	636	10,691	12,500	0.08	0.65
5	0	300	179	110	588	704	10,719	12,600	0.20	0.85
6	0	300	177	110	587	698	9,028	10,900	0.01	0.86

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.

Diversions by New Jersey through the D&R Canal December 31st – January 6th 2023 averaged 87.5 MGD. THIS IS A 3 DAY AVERAGE AS 4 DAYS OF DATA WERE UNAVAILABLE

The average diversion for the 30-day period ending January 6th 2023 is 84.3

MGD, the maximum is 94 MD. THIS IS A 37 DAY AVERAGE AND MAX AS 4 DAYS OF DATA WERE UNAVAILABLE

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for January 7th – January 13th, 2023 (preliminary data – subject to revision)

RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-22 to date
Jan 7	0	194	0	115	0	71	0	0	256	572
8	0	194	0	114	0	71	0	0	256	571
9	0	194	0	114	0	71	0	0	256	569
10	0	194	0	114	0	71	200	0	11	568
11	0	194	0	113	0	71	200	0	0	566
12	0	194	0	112	0	71	200	0	0	564
13	0	194	0	112	0	71	200	0	0	563

Pepacton Reservoir (P):	Available storage January 14, 2023 (0800) Spillway crest elevation 1,280.00 ft.	126.220 billion gallons 139.320 billion gallons	90.6%	1,272.71 (elev.ft.)
Cannonsville Reservoir (C):	Available storage January 14, 2023 (0800) Spillway crest elevation 1,150.00 ft.	78.704 billion gallons 93.448 billion gallons	84.2%	1,139.88 (elev.ft.)
Neversink Reservoir (N):	Available storage January 14, 2023 (0800) Spillway crest elevation 1,440.00 ft.	32.630 billion gallons 34.682 billion gallons	94.1%	1,435.78 (elev.ft.)
Combined contents, PCN:	Available storage January 14, 2023 (0800) Combined capacity at spillway level	237.554 billion gallons 267.460 billion gallons	88.8%	

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Jan 7	0	300	176	110	588	401	7,495	9,070	0.00	0.86
8	0	300	177	110	587	234	6,552	7,960	0.00	0.86
9	0	300	178	110	588	532	5,793	7,500	0.00	0.86
10	0	300	177	110	588	751	5,124	7,050	0.00	0.86
11	0	300	176	109	588	737	4,649	6,560	0.03	0.89
12	0	300	177	109	588	602	4,284	6,060	0.58	1.47
13	0	300	175	110	588	817	5,161	7,150	0.08	1.55

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.

Diversion by New Jersey through the D&R Canal January 7th – January 13th 2023 averaged 86.0 MGD.

The average diversion for the 30-day period ending January 13th 2023 is 83.8

MGD, the maximum is 94 MD. THIS IS A 27 DAY AVERAGE AND MAX AS 4 DAYS OF DATA WERE UNAVAILABLE

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for January 14th – January 20th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-22 to date
Jan 14	0	194	0	114	0	71	276	0	0	561
15	0	194	0	114	0	71	301	0	0	560
16	0	194	0	114	0	71	300	0	0	559
17	0	194	0	114	0	71	301	0	0	558
18	0	194	0	218	0	71	300	0	0	557
19	0	194	0	386	0	71	300	0	0	556
20	0	194	0	387	0	71	300	0	0	555

Pepacton Reservoir (P):	Available storage January 21, 2023 (0800) Spillway crest elevation 1,280.00 ft.	127.860 billion gallons 139.320 billion gallons	91.8%	1,273.64 (elev.ft.)
Cannonsville Reservoir (C):	Available storage January 21, 2023 (0800) Spillway crest elevation 1,150.00 ft.	82.419 billion gallons 93.448 billion gallons	88.2%	1,142.52 (elev.ft.)
Neversink Reservoir (N):	Available storage January 21, 2023 (0800) Spillway crest elevation 1,440.00 ft.	33.725 billion gallons 34.682 billion gallons	97.2%	1,438.04(elev.ft.)
Combined contents, PCN:	Available storage January 21, 2023 (0800) Combined capacity at spillway level	244.004 billion gallons 267.460 billion gallons	91.2%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Jan 14	0	300	173	110	588	598	7,641	9,410	0.00	1.55
15	0	300	174	110	588	245	6,403	7,820	0.00	1.55
16	0	300	176	110	588	493	5,143	6,810	0.00	1.55
17	0	300	177	110	588	645	4,600	6,420	0.04	1.59
18	0	300	176	110	587	638	4,468	6,280	0.00	1.59
19	0	300	176	110	588	600	4,456	6,230	0.87	2.46
20	0	300	337	110	588	705	8,360	10,400	0.04	2.50

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal January 14th – January 20th 2023 averaged 85.0 MGD.
The average diversion for the 30-day period ending January 20th 2023 is 86.9
MGD, the maximum is 94 MD. THIS IS A 26 DAY AVERAGE AND MAX AS 4 DAYS OF DATA WERE UNAVAILABLE

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for January 21st – January 27th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-22 to date
Jan 21	0	194	0	387	0	71	200	0	0	553
22	0	194	0	388	0	86	200	0	0	552
23	0	194	0	388	0	123	164	0	0	550
24	0	194	0	388	0	123	200	0	0	549
25	0	194	0	388	0	123	200	0	0	547
26	0	194	0	388	0	123	200	0	0	546
27	0	194	0	389	0	123	200	0	0	544

Pepacton Reservoir (P):	Available storage January 28, 2023 (0800) Spillway crest elevation 1,280.00 ft.	130.140 billion gallons 139.320 billion gallons	93.4%	1,274.93 (elev.ft.)
Cannonsville Reservoir (C):	Available storage January 28, 2023 (0800) Spillway crest elevation 1,150.00 ft.	85.236 billion gallons 93.448 billion gallons	91.2%	1,144.48 (elev.ft.)
Neversink Reservoir (N):	Available storage January 28, 2023 (0800) Spillway crest elevation 1,440.00 ft.	34.439 billion gallons 34.682 billion gallons	99.3%	1,439.49(elev.ft.)
Combined contents, PCN:	Available storage January 28, 2023 (0800) Combined capacity at spillway level	249.815 billion gallons 267.460 billion gallons	93.4%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Jan 21	0	300	598	110	588	649	8,255	10,500	0.00	2.50
22	0	300	599	110	588	483	6,851	8,930	0.57	3.07
23	0	300	599	133	587	559	7,142	9,320	0.19	3.26
24	0	300	600	190	589	771	7,501	9,950	0.00	3.26
25	0	300	600	190	588	762	6,340	8,780	0.52	3.78
26	0	300	600	190	587	768	7,215	9,660	0.01	3.79
27	0	300	601	191	588	771	7,649	10,100	0.01	3.80

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal January 21st – January 27th 2023 averaged 81.0 MGD.
The average diversion for the 30-day period ending January 27th 2023 is 85.0
MGD, the maximum is 93 MD. THIS IS A 26 DAY AVERAGE AND MAX AS 4 DAYS OF DATA WERE UNAVAILABLE

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for January 28th – February 3rd, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-22 to date
Jan 28	0	194	0	389	0	123	200	0	0	543
29	0	194	0	389	0	123	200	0	0	541
30	0	194	0	387	0	123	200	0	63	540
31	0	194	0	385	0	123	200	0	96	539
Feb 1	0	194	0	387	0	123	200	0	96	538
2	0	194	0	388	0	123	200	0	95	537
3	0	194	0	388	0	123	409	0	0	537

Pepacton Reservoir (P):	Available storage February 4, 2023 (0800) Spillway crest elevation 1,280.00 ft.	130.640 billion gallons 139.320 billion gallons	93.8%	1,275.21 (elev.ft.)
Cannonsville Reservoir (C):	Available storage February 4, 2023 (0800) Spillway crest elevation 1,150.00 ft.	86.109 billion gallons 93.448 billion gallons	92.1%	1,145.08 (elev.ft.)
Neversink Reservoir (N):	Available storage February 4, 2023 (0800) Spillway crest elevation 1,440.00 ft.	34.196 billion gallons 34.682 billion gallons	98.6%	1,439.00 (elev.ft.)
Combined contents, PCN:	Available storage February 4, 2023 (0800) Combined capacity at spillway level	250.945 billion gallons 267.460 billion gallons	93.8%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Jan 28	0	300	601	191	582	573	6,444	8,690	0.00	3.80
29	0	300	601	191	588	584	5,836	8,100	0.01	3.81
30	0	300	601	191	588	582	5,408	7,670	0.07	3.88
31	0	300	602	191	589	732	5,337	7,750	<u>0.00</u>	<u>3.88</u>
Feb 1	0	300	598	190	588	996	5,018	7,690	0.00	0.00
2	0	300	596	190	589	993	4,392	7,060	0.01	0.01
3	0	300	598	190	589	1,003	3,990	6,670	0.00	0.01

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal January 28th – February 3rd 2023 averaged 77.4 MGD.
The average diversion for the 30-day period ending February 3rd 2023 is 73.7
MGD, the maximum is 81 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for January 4th – February 10th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-22 to date
Feb 4	0	194	0	388	0	123	408	0	0	536
5	0	194	0	387	0	123	350	0	0	536
6	0	194	0	387	0	123	425	129	0	536
7	0	194	0	387	0	123	450	200	0	536
8	0	194	0	387	0	123	450	200	0	537
9	0	194	0	387	0	123	450	200	145	538
10	0	194	0	387	0	123	450	200	110	538

Pepacton Reservoir (P):	Available storage February 11, 2023 (0800)	128.810 billion gallons	92.5%	1,274.18 (elev.ft.)
	Spillway crest elevation 1,280.00 ft.	139.320 billion gallons		
Cannonsville Reservoir (C):	Available storage February 11, 2023 (0800)	85.352 billion gallons	91.3%	1,144.56 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Available storage February 11, 2023 (0800)	33.837 billion gallons	97.5%	1,438.27 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Available storage February 11, 2023 (0800)	247.999 billion gallons	92.7%	
	Combined capacity at spillway level	267.460 billion gallons		

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Feb 4	0	300	600	190	588	981	3,424	6,100	0.00	0.01
5	0	300	600	190	588	1,003	2,893	5,590	0.01	0.02
6	0	300	600	191	588	993	3,322	6,010	0.00	0.02
7	0	300	599	190	588	883	3,285	5,860	0.03	0.05
8	0	300	599	190	589	863	3,204	5,760	0.00	0.05
9	0	300	599	190	589	827	3,079	5,600	0.09	0.14
10	0	300	599	190	589	737	3,075	5,490	0.02	0.16

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal February 4th – February 10th 2023 averaged 88.9 MGD.
The average diversion for the 30-day period ending February 10th 2023 is 85.9 MGD, the maximum is 92 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for February 11th – February 17th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-22 to date
Feb 11	0	194	0	387	0	123	450	200	0	539
12	0	194	0	387	0	123	450	200	0	539
13	0	194	0	387	0	112	450	199	109	540
14	0	194	0	387	0	71	403	280	110	541
15	0	194	0	386	0	71	350	298	110	542
16	0	194	0	386	0	71	327	298	109	543
17	0	194	0	386	0	71	300	298	111	543

Pepacton Reservoir (P):	Available storage February 18, 2023 (0800) Spillway crest elevation 1,280.00 ft.	127.290 billion gallons 139.320 billion gallons	91.4%	1,273.32 (elev.ft.)
Cannonsville Reservoir (C):	Available storage February 18, 2023 (0800) Spillway crest elevation 1,150.00 ft.	84.195 billion gallons 93.448 billion gallons	90.1%	1,143.76 (elev.ft.)
Neversink Reservoir (N):	Available storage February 18, 2023 (0800) Spillway crest elevation 1,440.00 ft.	33.340 billion gallons 34.682 billion gallons	96.1%	1,437.25 (elev.ft.)
Combined contents, PCN:	Available storage February 18, 2023 (0800) Combined capacity at spillway level	244.825 billion gallons 267.460 billion gallons	91.5%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Feb 11	0	300	599	190	590	670	2,951	5,300	0.00	0.16
12	0	300	599	190	220	460	3,112	4,880	0.00	0.16
13	0	300	599	190	227	533	2,851	4,700	0.00	0.16
14	0	300	599	173	385	631	2,652	4,740	0.00	0.16
15	0	300	599	109	377	305	2,720	4,410	0.00	0.16
16	0	300	599	110	471	645	2,576	4,700	0.06	0.22
17	0	300	598	110	455	611	2,677	4,750	0.13	0.35

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal February 11th – February 17th 2023 averaged 89.5 MGD.
The average diversion for the 30-day period ending February 17th 2023 is 87.0
MGD, the maximum is 94 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for February 18th – February 24th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-22 to date
Feb 18	0	194	0	386	0	71	138	299	0	543
19	0	194	0	386	0	71	0	298	0	542
20	0	194	0	386	0	71	0	298	110	542
21	0	194	0	386	0	71	0	298	147	541
22	0	194	0	386	0	71	0	37	183	540
23	0	194	0	386	0	71	0	0	257	539
24	0	194	0	387	0	71	0	2	220	538

Pepacton Reservoir (P):	Available storage February 25, 2023 (0800) Spillway crest elevation 1,280.00 ft.	128.940 billion gallons 139.320 billion gallons	92.5%	1,274.25 (elev.ft.)
Cannonsville Reservoir (C):	Available storage February 25, 2023 (0800) Spillway crest elevation 1,150.00 ft.	84.498 billion gallons 93.448 billion gallons	90.4%	1,143.97 (elev.ft.)
Neversink Reservoir (N):	Available storage February 25, 2023 (0800) Spillway crest elevation 1,440.00 ft.	32.644 billion gallons 34.682 billion gallons	94.1%	1,435.81 (elev.ft.)
Combined contents, PCN:	Available storage February 25, 2023 (0800) Combined capacity at spillway level	246.082 billion gallons 267.460 billion gallons	92.0%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Feb 18	0	300	598	110	457	501	2,635	4,600	0.00	0.35
19	0	300	597	110	371	295	2,717	4,390	0.00	0.35
20	0	300	597	110	378	378	2,617	4,380	0.11	0.46
21	0	300	597	110	380	554	2,529	4,470	0.20	0.66
22	0	300	597	109	338	506	2,729	4,580	0.34	1.00
23	0	300	597	110	262	645	2,856	4,770	0.04	1.04
24	0	300	597	110	286	826	3,312	5,430	0.01	1.05

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal February 18th – February 24th 2023 averaged 88.7 MGD.
The average diversion for the 30-day period ending February 24th 2023 is 87.6
MGD, the maximum is 94 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for February 25th – March 3rd, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-22 to date
Feb 25	0	194	0	387	0	71	0	0	0	536
26	0	194	0	387	0	71	0	0	0	534
27	0	194	0	387	0	71	0	0	0	532
28	0	194	0	388	0	71	0	0	0	530
Mar 1	0	194	0	388	0	71	0	0	0	528
2	0	194	0	388	0	71	0	0	0	526
3	0	194	0	388	0	71	0	0	0	524

Pepacton Reservoir (P):	Available storage March 4, 2023 (0800) Spillway crest elevation 1,280.00 ft.	131.230 billion gallons 139.320 billion gallons	94.2%	1,275.54 (elev.ft.)
Cannonsville Reservoir (C):	Available storage March 4, 2023 (0800) Spillway crest elevation 1,150.00 ft.	86.576 billion gallons 93.448 billion gallons	92.6%	1,145.40 (elev.ft.)
Neversink Reservoir (N):	Available storage March 4, 2023 (0800) Spillway crest elevation 1,440.00 ft.	32.865 billion gallons 34.682 billion gallons	94.7%	1,436.27 (elev.ft.)
Combined contents, PCN:	Available storage March 4, 2023 (0800) Combined capacity at spillway level	250.671 billion gallons 267.460 billion gallons	93.7%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Feb 25	0	300	597	110	320	963	3,540	5,830	0.10	1.15
26	0	300	598	109	313	965	2,915	5,200	0.00	1.15
27	0	300	598	110	238	752	3,002	5,000	0.50	1.65
28	0	300	599	110	257	537	3,158	4,960	<u>0.04</u>	<u>1.69</u>
Mar 1	0	300	599	110	255	475	3,101	4,840	0.13	0.13
2	0	300	600	110	246	424	3,080	4,760	0.00	0.13
3	0	300	600	110	290	425	3,886	5,610	1.05	1.18

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal February 25th – March 3rd 2023 averaged 89.0 MGD.
The average diversion for the 30-day period ending March 3rd 2023 is 88.9
MGD, the maximum is 94 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for March 4th – March 10th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-22 to date
Mar 4	0	194	0	389	0	71	0	0	0	522
5	0	194	0	389	0	71	0	0	0	520
6	0	194	0	389	0	71	0	0	0	518
7	0	194	0	389	0	71	0	0	0	517
8	0	194	0	390	0	71	0	0	0	515
9	0	194	0	389	0	71	0	0	0	513
10	0	194	0	390	0	71	0	0	0	511

Pepacton Reservoir (P):	Available storage March 11, 2023 (0800) Spillway crest elevation 1,280.00 ft.	132.770 billion gallons 139.320 billion gallons	95.3%	1,276.40 (elev.ft.)
Cannonsville Reservoir (C):	Available storage March 11, 2023 (0800) Spillway crest elevation 1,150.00 ft.	87.662 billion gallons 93.448 billion gallons	93.8%	1,146.14 (elev.ft.)
Neversink Reservoir (N):	Available storage March 11, 2023 (0800) Spillway crest elevation 1,440.00 ft.	32.972 billion gallons 34.682 billion gallons	95.0%	1,436.49 (elev.ft.)
Combined contents, PCN:	Available storage March 11, 2023 (0800) Combined capacity at spillway level	253.404 billion gallons 267.460 billion gallons	94.7%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Mar 4	0	300	601	110	370	285	4,665	6,330	0.02	1.20
5	0	300	601	110	370	146	5,074	6,600	0.00	1.20
6	0	300	602	110	371	238	5,290	6,910	0.01	1.21
7	0	300	602	110	369	236	5,653	7,270	0.00	1.21
8	0	300	602	109	361	289	5,319	6,980	0.00	1.21
9	0	300	602	110	360	416	4,552	6,340	0.00	1.21
10	0	300	603	110	400	413	4,355	6,180	0.55	1.76

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Divisions by New Jersey through the D&R Canal March 4th – March 10th 2023 averaged 88.0 MGD.
The average diversion for the 30-day period ending March 10th 2023 is 88.7
MGD, the maximum is 94 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for March 11th – March 17th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-22 to date
Mar 11	0	194	0	390	0	71	0	0	0	509
12	0	186	0	373	0	68	0	0	0	508
13	0	194	0	389	0	71	0	0	0	506
14	0	194	0	390	0	71	0	0	0	504
15	0	194	0	390	0	71	0	0	19	502
16	0	194	0	391	0	71	134	0	222	502
17	0	194	0	392	0	71	200	0	202	501

Pepacton Reservoir (P):	Available storage March 18, 2023 (0800) Spillway crest elevation 1,280.00 ft.	133.650 billion gallons 139.320 billion gallons	95.9%	1,276.89 (elev.ft.)
Cannonsville Reservoir (C):	Available storage March 18 2023 (0800) Spillway crest elevation 1,150.00 ft.	88.325 billion gallons 93.448 billion gallons	94.5%	1,146.59 (elev.ft.)
Neversink Reservoir (N):	Available storage March 18, 2023 (0800) Spillway crest elevation 1,440.00 ft.	32.668 billion gallons 34.682 billion gallons	94.2%	1,435.86 (elev.ft.)
Combined contents, PCN:	Available storage March 18, 2023 (0800) Combined capacity at spillway level	254.643 billion gallons 267.460 billion gallons	95.2%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Mar 11	0	300	602	110	549	295	4,404	6,260	0.02	1.78
12	0	300	603	110	590	153	4,515	6,270	0.06	1.84
13	0	300	603	105	590	376	4,306	6,280	0.63	2.47
14	0	288	578	110	590	680	4,853	7,100	0.19	2.66
15	0	299	602	110	590	611	4,788	7,000	0.00	2.66
16	0	300	603	110	590	542	4,286	6,430	0.03	2.69
17	0	300	603	110	590	508	4,449	6,560	0.18	2.87

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal March 11th – March 17th 2023 averaged 92.7 MGD.
The average diversion for the 30-day period ending March 17th 2023 is 89.7
MGD, the maximum is 94 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for March 18th – March 24th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-22 to date
Mar 18	0	194	0	392	0	71	200	0	0	500
19	0	194	0	392	0	71	200	0	0	499
20	0	194	0	392	0	71	200	0	92	499
21	0	194	0	392	0	71	200	7	91	498
22	0	194	0	391	0	71	200	9	91	497
23	0	194	0	391	0	67	200	0	0	496
24	0	194	29	391	0	48	300	0	0	496

Pepacton Reservoir (P):	Available storage March 25, 2023 (0800) Spillway crest elevation 1,280.00 ft.	136.880 billion gallons 139.320 billion gallons	98.2%	1,278.67 (elev.ft.)
Cannonsville Reservoir (C):	Available storage March 25, 2023 (0800) Spillway crest elevation 1,150.00 ft.	94.265 billion gallons 93.448 billion gallons	100.9%	1,150.53 (elev.ft.)
Neversink Reservoir (N):	Available storage March 25, 2023 (0800) Spillway crest elevation 1,440.00 ft.	33.005 billion gallons 34.682 billion gallons	95.1%	1,436.56 (elev.ft.)
Combined contents, PCN:	Available storage March 25, 2023 (0800) Combined capacity at spillway level	264.150 billion gallons 267.460 billion gallons	98.8%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Mar 18	0	300	604	110	590	278	6,549	8,430	0.01	2.88
19	0	300	606	110	590	152	7,612	9,370	0.00	2.88
20	0	300	606	110	524	296	6,565	8,400	0.00	2.88
21	0	300	606	110	521	487	5,326	7,350	0.00	2.88
22	0	300	607	110	0	548	5,605	7,170	0.01	2.89
23	0	300	607	110	0	550	6,533	8,100	0.23	3.12
24	0	300	605	103	162	452	9,777	11,400	0.03	3.15

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Divisions by New Jersey through the D&R Canal March 18th – March 24th 2023 averaged 92.0 MGD.
The average diversion for the 30-day period ending March 24th 2023 is 90.2
MGD, the maximum is 95 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for March 25th – March 31st, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-22 to date
Mar 25	0	194	506	390	0	48	400	0	0	495
26	0	194	1,035	409	0	48	433	0	0	495
27	0	365	1,190	682	0	51	450	0	0	495
28	0	444	1,131	757	0	82	444	0	0	495
29	0	452	885	965	0	123	450	0	0	495
30	0	452	672	967	0	123	450	0	0	495
31	0	453	506	967	0	123	450	0	0	494

Pepacton Reservoir (P):	Available storage April 1, 2023 (0800)	139.240 billion gallons	99.9%	1,279.96 (elev.ft.)
	Spillway crest elevation 1,280.00 ft.	139.320 billion gallons		
Cannonsville Reservoir (C):	Available storage April 1, 2023 (0800)	94.963 billion gallons	101.6%	1,150.98 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Available storage April 1, 2023 (0800)	34.078 billion gallons	98.2%	1,438.76 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Available storage April 1, 2023 (0800)	268.281 billion gallons	100.3%	
	Combined capacity at spillway level	267.460 billion gallons		

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Mar 25	0	300	605	74	413	359	11,148	12,900	0.15	3.30
26	0	300	604	74	395	164	10,862	12,400	0.00	3.30
27	0	300	603	74	330	363	10,630	12,300	0.15	3.45
28	0	300	633	79	393	558	10,937	12,900	0.00	3.45
29	0	564	1,054	127	369	588	9,998	12,700	0.06	3.51
30	0	687	1,171	190	176	620	8,755	11,600	0.00	3.51
31	0	700	1,492	191	199	751	7,367	10,700	0.33	3.84

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal March 25th – March 31st 2023 averaged 94.0 MGD.
The average diversion for the 30-day period ending March 31st 2023 is 91.5
MGD, the maximum is 96 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for April 1st – April 7th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-22 to date
Apr 1	122	452	550	939	0	123	450	0	0	494
2	409	452	807	574	136	123	450	0	0	494
3	480	452	1,003	184	251	123	450	0	0	494
4	424	452	1,085	35	271	123	450	0	0	494
5	173	452	1,069	79	194	123	450	0	113	494
6	217	452	869	484	191	123	450	0	113	494
7	199	452	573	875	125	123	450	0	111	494

Pepacton Reservoir (P):	Available storage April 8, 2023 (0800)	139.720 billion gallons	100.3%	1,280.22 (elev.ft.)
	Spillway crest elevation 1,280.00 ft.	139.320 billion gallons		
Cannonsville Reservoir (C):	Available storage April 8, 2023 (0800)	94.916 billion gallons	101.6%	1,150.95 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Available storage April 8, 2023 (0800)	34.791 billion gallons	100.3%	1,440.20 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Available storage April 8, 2023 (0800)	269.427 billion gallons	100.7%	
	Combined capacity at spillway level	267.460 billion gallons		

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Apr 1	0	700	1,496	190	148	423	6,583	9,540	0.20	0.20
2	0	700	1,496	190	0	157	9,356	11,900	0.00	0.20
3	0	700	1,453	190	0	462	9,195	12,000	0.00	0.20
4	0	700	982	190	160	502	8,067	10,600	0.00	0.20
5	0	700	284	190	63	424	7,728	9,390	0.07	0.27
6	0	699	54	190	68	340	7,588	8,940	0.03	0.30
7	0	699	122	191	0	360	7,598	8,970	0.00	0.30

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal April 1st – April 7th 2023 averaged 94.8 MGD.
The average diversion for the 30-day period ending April 7th 2023 is 93.3
MGD, the maximum is 102 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for April 8th – April 14th, 2023 (preliminary data – subject to revision)

RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-22 to date
Apr 8	98	452	323	963	49	123	450	0	112	495
9	19	452	152	962	19	123	450	0	111	495
10	0	452	45	965	4	123	450	0	149	495
11	0	452	1	966	0	123	447	0	148	496
12	0	452	0	964	0	123	450	0	149	496
13	0	452	0	952	0	123	450	0	149	496
14	0	316	0	591	0	122	450	0	148	496

Pepacton Reservoir (P):	Available storage April 15, 2023 (0800) Spillway crest elevation 1,280.00 ft.	137.460 billion gallons 139.320 billion gallons	98.7%	1,278.99 (elev.ft.)
Cannonsville Reservoir (C):	Available storage April 15, 2023 (0800) Spillway crest elevation 1,150.00 ft.	92.196 billion gallons 93.448 billion gallons	98.7%	1,149.18 (elev.ft.)
Neversink Reservoir (N):	Available storage April 15, 2023 (0800) Spillway crest elevation 1,440.00 ft.	34.157 billion gallons 34.682 billion gallons	98.5%	1,438.92 (elev.ft.)
Combined contents, PCN:	Available storage April 15, 2023 (0800) Combined capacity at spillway level	263.813 billion gallons 267.460 billion gallons	98.6%	

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Apr 8	0	698	748	190	0	287	6,557	8,480	0.00	0.30
9	0	699	1,354	190	0	272	4,855	7,370	0.00	0.30
10	0	699	1,490	190	0	188	3,892	6,460	0.00	0.30
11	0	700	1,489	190	0	148	3,383	5,910	0.00	0.30
12	0	699	1,493	190	0	236	2,972	5,590	0.00	0.30
13	0	699	1,495	189	0	251	2,756	5,390	0.00	0.30
14	0	695	1,484	190	0	352	2,509	5,230	0.00	0.30

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal April 8th – April 14th 2023 averaged 93.7 MGD.
The average diversion for the 30-day period ending April 14th 2023 is 93.5
MGD, the maximum is 102 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for April 15th – April 21th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-22 to date
Apr 15	0	114	0	437	0	95	450	0	149	497
16	0	52	0	437	0	52	450	0	150	497
17	0	52	0	437	0	39	450	0	145	497
18	0	52	0	437	0	39	450	0	0	497
19	0	52	0	437	0	39	450	0	0	497
20	0	52	0	437	0	39	450	3	148	497
21	0	52	0	437	0	39	450	0	141	498

Pepacton Reservoir (P):	Available storage April 22, 2023 (0800) Spillway crest elevation 1,280.00 ft.	136.320 billion gallons 139.320 billion gallons	97.8%	1,278.36 (elev.ft.)
Cannonsville Reservoir (C):	Available storage April 22, 2023 (0800) Spillway crest elevation 1,150.00 ft.	92.151 billion gallons 93.448 billion gallons	98.6%	1,149.15 (elev.ft.)
Neversink Reservoir (N):	Available storage April 22, 2023 (0800) Spillway crest elevation 1,440.00 ft.	34.113 billion gallons 34.682 billion gallons	98.3%	1,438.83 (elev.ft.)
Combined contents, PCN:	Available storage April 22, 2023 (0800) Combined capacity at spillway level	262.584 billion gallons 267.460 billion gallons	98.2%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Apr 15	0	699	1,472	190	0	267	1,883	4,510	0.34	0.64
16	0	489	914	164	0	148	2,425	4,140	0.20	0.84
17	0	177	676	81	0	148	2,689	3,770	0.05	0.89
18	0	80	676	60	0	183	2,821	3,820	0.02	0.91
19	0	80	676	60	0	252	2,621	3,690	0.00	0.91
20	0	80	676	60	0	183	2,390	3,390	0.00	0.91
21	0	80	676	60	0	237	2,227	3,280	0.00	0.91

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal April 15th – April 21th 2023 averaged 92.4 MGD.
The average diversion for the 30-day period ending April 21th 2023 is 93.8
MGD, the maximum is 102 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for April 22nd – April 28th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-22 to date
Apr 22	0	52	0	437	0	39	258	0	148	497
23	0	52	0	437	0	39	0	0	147	496
24	0	52	1	438	0	39	204	0	146	496
25	0	52	41	438	0	100	305	0	147	496
26	9	53	117	439	0	123	305	0	148	496
27	78	134	175	439	0	123	92	0	0	494
28	153	255	199	439	0	123	0	0	0	493

Pepacton Reservoir (P):	Available storage April 29, 2023 (0800) Spillway crest elevation 1,280.00 ft.	139.740 billion gallons 139.320 billion gallons	100.3%	1,280.23 (elev.ft.)
Cannonsville Reservoir (C):	Available storage April 29, 2023 (0800) Spillway crest elevation 1,150.00 ft.	94.358 billion gallons 93.448 billion gallons	101.0%	1,150.59 (elev.ft.)
Neversink Reservoir (N):	Available storage April 29, 2023 (0800) Spillway crest elevation 1,440.00 ft.	34.553 billion gallons 34.682 billion gallons	99.6%	1,439.72 (elev.ft.)
Combined contents, PCN:	Available storage April 29, 2023 (0800) Combined capacity at spillway level	268.651 billion gallons 267.460 billion gallons	100.4%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Apr 22	0	80	676	60	0	287	2,117	3,220	1.40	2.31
23	0	80	676	60	0	225	5,119	6,160	0.05	2.36
24	0	80	676	60	0	166	7,718	8,700	0.01	2.37
25	0	80	677	60	0	268	6,035	7,120	0.00	2.37
26	0	80	678	155	0	276	4,881	6,070	0.25	2.62
27	0	80	678	191	0	263	4,488	5,700	0.02	2.64
28	0	82	679	190	0	266	4,843	6,060	0.40	3.04

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal April 22nd – April 28th 2023 averaged 97.3 MGD.
The average diversion for the 30-day period ending April 28th 2023 is 94.5
MGD, the maximum is 102 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for April 29th – May 5th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-22 to date
Apr 29	133	414	215	439	0	123	0	0	0	492
30	308	452	439	439	185	123	0	0	0	490
May 1	1,110	452	1,757	174	754	123	0	0	0	489
2	1,392	215	2,152	367	405	123	172	0	0	488
3	1,179	68	2,016	213	239	123	302	0	0	487
4	1,042	193	1,677	434	220	123	302	0	0	487
5	864	194	1,350	434	189	123	186	0	0	486

Pepacton Reservoir (P):	Available storage May 6, 2023 (0800) Spillway crest elevation 1,280.00 ft.	140.510 billion gallons 139.320 billion gallons	100.9%	1,280.65 (elev.ft.)
Cannonsville Reservoir (C):	Available storage May 6, 2023 (0800) Spillway crest elevation 1,150.00 ft.	96.275 billion gallons 93.448 billion gallons	103.0%	1,151.82 (elev.ft.)
Neversink Reservoir (N):	Available storage May 6, 2023 (0800) Spillway crest elevation 1,440.00 ft.	34.836 billion gallons 34.682 billion gallons	100.4%	1,440.29 (elev.ft.)
Combined contents, PCN:	Available storage May 6, 2023 (0800) Combined capacity at spillway level	271.621 billion gallons 267.460 billion gallons	101.6%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Apr 29	0	207	679	191	0	403	5,230	6,710	0.53	3.57
30	0	395	679	191	0	329	7,686	9,280	<u>1.71</u>	<u>5.28</u>
May 1	0	640	679	190	0	647	32,743	34,900	0.25	0.25
2	0	699	680	191	405	1,046	32,579	35,600	0.25	0.50
3	0	699	270	190	584	1,016	23,240	26,000	0.20	0.70
4	0	333	316	190	584	774	18,703	20,900	0.11	0.81
5	0	106	567	190	584	773	16,180	18,400	0.13	0.94

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal April 29th – May 5th 2023 averaged 79.7 MGD.
The average diversion for the 30-day period ending May 5th 2023 is 91.1
MGD, the maximum is 101 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for May 6th – May 12th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-22 to date
May 6	711	194	1,073	434	154	123	177	0	0	485
7	602	194	878	358	113	123	177	0	0	484
8	438	194	877	0	88	123	177	0	0	483
9	306	194	832	0	24	123	284	0	112	483
10	153	194	708	143	0	123	417	0	111	483
11	33	194	458	387	0	114	579	268	112	484
12	0	180	242	386	0	65	449	298	112	485

Pepacton Reservoir (P):	Available storage May 13, 2023 (0800) Spillway crest elevation 1,280.00 ft.	139.170 billion gallons 139.320 billion gallons	99.9%	1,279.92 (elev.ft.)
Cannonsville Reservoir (C):	Available storage May 13, 2023 (0800) Spillway crest elevation 1,150.00 ft.	94.234 billion gallons 93.448 billion gallons	100.8%	1,150.51 (elev.ft.)
Neversink Reservoir (N):	Available storage May 13, 2023 (0800) Spillway crest elevation 1,440.00 ft.	34.518 billion gallons 34.682 billion gallons	99.5%	1,439.65 (elev.ft.)
Combined contents, PCN:	Available storage May 13, 2023 (0800) Combined capacity at spillway level	267.922 billion gallons 267.460 billion gallons	100.2%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
May 6	0	298	672	191	583	563	13,293	15,600	0.00	0.94
7	0	300	671	191	584	624	11,130	13,500	0.14	1.08
8	0	300	671	191	583	592	9,363	11,700	0.00	1.08
9	0	300	554	191	583	438	7,895	9,960	0.00	1.08
10	0	300	331	190	584	353	6,902	8,660	0.00	1.08
11	0	300	0	190	583	965	6,301	8,340	0.00	1.08
12	0	300	221	177	584	983	5,485	7,750	0.00	1.08

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Divisions by New Jersey through the D&R Canal May 6th – May 12th 2023 averaged 93.7 MGD.
The average diversion for the 30-day period ending May 12th 2023 is 91.0
MGD, the maximum is 101 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for May 13th – May 19th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-22 to date
May 13	0	94	107	386	0	65	432	297	0	486
14	0	94	25	389	0	65	432	298	0	487
15	0	94	0	367	0	64	315	297	111	487
16	0	80	0	270	0	58	303	298	111	488
17	0	80	0	260	0	58	303	298	0	488
18	0	82	0	257	0	58	303	298	110	489
19	0	81	0	257	0	58	303	298	0	489

Pepacton Reservoir (P):	Available storage May 20, 2023 (0800) Spillway crest elevation 1,280.00 ft.	138.160 billion gallons 139.320 billion gallons	99.2%	1,279.37 (elev.ft.)
Cannonsville Reservoir (C):	Available storage May 20, 2023 (0800) Spillway crest elevation 1,150.00 ft.	91.984 billion gallons 93.448 billion gallons	98.4%	1,149.04 (elev.ft.)
Neversink Reservoir (N):	Available storage May 20, 2023 (0800) Spillway crest elevation 1,440.00 ft.	34.384 billion gallons 34.682 billion gallons	99.1%	1,439.38 (elev.ft.)
Combined contents, PCN:	Available storage May 20, 2023 (0800) Combined capacity at spillway level	264.528 billion gallons 267.460 billion gallons	98.9%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
May 13	0	301	598	100	453	982	4,095	6,530	0.00	1.08
14	0	278	597	100	211	377	3,436	5,000	0.00	1.08
15	0	146	597	100	212	176	3,289	4,520	0.00	1.08
16	0	146	602	99	513	406	2,544	4,310	0.00	1.08
17	0	146	568	90	274	473	2,419	3,970	0.00	1.08
18	0	124	418	90	282	389	2,247	3,550	0.00	1.08
19	0	124	402	90	129	356	2,138	3,240	0.00	1.08

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal May 13th – May 19th 2023 averaged 97.2 MGD.
The average diversion for the 30-day period ending May 19th 2023 is 92.2 MGD, the maximum is 101 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for May 20th – May 26th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-22 to date
May 20	0	81	0	257	0	58	303	298	0	490
21	0	81	0	293	0	58	303	298	0	490
22	0	90	0	292	0	65	303	298	112	491
23	0	90	0	292	0	65	383	298	112	491
24	0	90	0	292	0	65	450	298	111	492
25	0	90	0	292	0	64	450	298	112	493
26	0	90	0	292	0	66	450	298	113	494

Pepacton Reservoir (P):	Available storage May 27, 2023 (0800) Spillway crest elevation 1,280.00 ft.	136.150 billion gallons 139.320 billion gallons	97.7%	1,278.27 (elev.ft.)
Cannonsville Reservoir (C):	Available storage May 27, 2023 (0800) Spillway crest elevation 1,150.00 ft.	89.139 billion gallons 93.448 billion gallons	95.4%	1,147.14 (elev.ft.)
Neversink Reservoir (N):	Available storage May 27, 2023 (0800) Spillway crest elevation 1,440.00 ft.	33.833 billion gallons 34.682 billion gallons	97.5%	1,438.26 (elev.ft.)
Combined contents, PCN:	Available storage May 27, 2023 (0800) Combined capacity at spillway level	259.122 billion gallons 267.460 billion gallons	96.9%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
May 20	0	127	398	90	151	532	2,008	3,310	0.09	1.17
21	0	125	398	90	4	243	2,042	2,900	0.00	1.17
22	0	125	397	90	4	298	1,966	2,880	0.00	1.17
23	0	125	453	100	4	314	1,874	2,870	0.00	1.17
24	0	140	452	100	4	362	1,741	2,800	0.02	1.19
25	0	140	452	100	4	325	1,658	2,680	0.00	1.19
26	0	139	452	99	4	311	1,565	2,570	0.00	1.19

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal May 20th – May 26th 2023 averaged 100.7 MGD.
The average diversion for the 30-day period ending May 26th 2023 is 93.3
MGD, the maximum is 106 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for May 27th – June 2nd, 2023 (preliminary data – subject to revision)

RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-22 to date
May 27	0	90	0	291	0	65	450	297	146	496
28	0	90	0	291	0	65	450	297	142	497
29	0	90	0	291	0	65	430	286	147	498
30	0	90	0	290	0	65	287	271	244	499
31	0	90	0	290	0	65	415	293	254	500
June 1	0	93	0	321	0	71	436	293	0	729
2	0	98	0	322	0	74	308	198	0	618

Pepacton Reservoir (P):	Available storage June 3, 2023 (0800) Spillway crest elevation 1,280.00 ft.	133.560 billion gallons 139.320 billion gallons	95.9%	1,276.84 (elev.ft.)
Cannonsville Reservoir (C):	Available storage June 3, 2023 (0800) Spillway crest elevation 1,150.00 ft.	85.861 billion gallons 93.448 billion gallons	91.9%	1,144.91 (elev.ft.)
Neversink Reservoir (N):	Available storage June 3, 2023 (0800) Spillway crest elevation 1,440.00 ft.	32.759 billion gallons 34.682 billion gallons	94.4%	1,436.05 (elev.ft.)
Combined contents, PCN:	Available storage June 3, 2023 (0800) Combined capacity at spillway level	252.180 billion gallons 267.460 billion gallons	94.3%	

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
May 27	0	139	452	102	4	295	1,469	2,460	0.00	1.19
28	0	139	451	100	4	254	1,392	2,340	0.00	1.19
29	0	139	450	100	4	254	1,333	2,280	0.00	1.19
30	72	139	450	100	181	257	1,233	2,360	0.00	1.19
31	121	139	450	100	88	151	1,183	2,110	<u>0.00</u>	<u>1.19</u>
June 1	157	138	449	100	54	151	918	1,810	0.00	0.00
2	124	139	449	109	143	271	909	2,020	0.33	0.33

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal May 27th – June 2nd 2023 averaged 99.6 MGD.
The average diversion for the 30-day period ending June 2nd 2023 is 97.7
MGD, the maximum is 106 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for June 3rd – June 9th, 2023 (preliminary data – subject to revision)

RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-22 to date
June 3	0	97	0	335	0	74	400	231	0	622
4	0	98	0	322	0	74	400	231	0	624
5	0	97	0	362	0	74	400	231	0	626
6	0	97	0	361	0	74	400	231	0	627
7	0	97	0	341	0	74	400	230	0	627
8	0	97	0	361	0	74	400	230	0	627
9	0	97	0	402	0	74	442	230	0	632

Pepacton Reservoir (P):	Available storage June 10, 2023 (0800) Spillway crest elevation 1,280.00 ft.	130.630 billion gallons 139.320 billion gallons	93.8%	1,275.20 (elev.ft.)
Cannonsville Reservoir (C):	Available storage June 10, 2023 (0800) Spillway crest elevation 1,150.00 ft.	82.319 billion gallons 93.448 billion gallons	88.1%	1,142.45 (elev.ft.)
Neversink Reservoir (N):	Available storage June 10, 2023 (0800) Spillway crest elevation 1,440.00 ft.	32.443 billion gallons 34.682 billion gallons	93.5%	1,435.39 (elev.ft.)
Combined contents, PCN:	Available storage June 10, 2023 (0800) Combined capacity at spillway level	245.392 billion gallons 267.460 billion gallons	91.7%	

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
June 3	369	144	496	114	171	191	874	1,990	0.02	0.35
4	708	151	498	114	4	227	885	1,880	0.00	0.35
5	787	151	518	114	4	154	859	1,800	0.00	0.35
6	743	151	498	114	4	154	789	1,710	0.01	0.36
7	825	151	560	114	4	154	717	1,700	0.00	0.36
8	824	149	559	114	4	154	709	1,690	0.02	0.38
9	793	150	527	114	4	154	710	1,660	0.05	0.43

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal June 3rd – June 9th 2023 averaged 100.0 MGD.
The average diversion for the 30-day period ending June 9th 2023 is 99.0
MGD, the maximum is 106 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for June 10th – June 16th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-22 to date
June 10	0	97	0	415	0	74	450	230	0	637
11	0	97	0	322	0	74	450	230	0	641
12	0	97	0	321	0	74	450	230	0	644
13	0	97	0	322	0	74	450	230	0	647
14	0	97	0	321	0	74	450	230	0	649
15	0	97	0	321	0	74	450	230	0	651
16	0	97	0	323	0	74	450	229	0	653

Pepacton Reservoir (P):	Available storage June 17, 2023 (0800) Spillway crest elevation 1,280.00 ft.	127.810 billion gallons 139.320 billion gallons	91.7%	1,273.61 (elev.ft.)
Cannonsville Reservoir (C):	Available storage June 17, 2023 (0800) Spillway crest elevation 1,150.00 ft.	79.527 billion gallons 93.448 billion gallons	85.1%	1,140.47 (elev.ft.)
Neversink Reservoir (N):	Available storage June 17, 2023 (0800) Spillway crest elevation 1,440.00 ft.	32.237 billion gallons 34.682 billion gallons	92.9%	1,434.96 (elev.ft.)
Combined contents, PCN:	Available storage June 17, 2023 (0800) Combined capacity at spillway level	239.574 billion gallons 267.460 billion gallons	89.6%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
June 10	822	150	559	114	4	154	709	1,690	0.01	0.44
11	887	150	622	114	4	156	684	1,730	0.00	0.44
12	906	150	642	114	4	162	697	1,770	0.96	1.40
13	278	150	499	114	245	154	1,157	2,320	0.01	1.41
14	0	149	496	114	366	153	1,271	2,550	0.38	1.79
15	0	150	498	114	71	152	1,285	2,270	0.00	1.79
16	0	150	497	114	4	151	1,253	2,170	0.32	2.11

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal June 10th – June 16th 2023 averaged 100.6 MGD.
The average diversion for the 30-day period ending June 16th 2023 is 100.2
MGD, the maximum is 106 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for June 17th – June 23rd, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-22 to date
June 17	0	97	0	323	0	74	450	229	0	655
18	0	96	0	322	0	74	450	229	0	656
19	0	96	0	322	0	74	450	229	0	657
20	0	96	0	322	0	74	450	229	0	658
21	0	96	0	321	0	74	450	229	0	659
22	0	97	0	321	0	74	450	229	111	665
23	0	97	0	320	0	74	450	230	110	671

Pepacton Reservoir (P):	Available storage June 24, 2023 (0800) Spillway crest elevation 1,280.00 ft.	124.670 billion gallons 139.320 billion gallons	89.5%	1,271.82 (elev.ft.)
Cannonsville Reservoir (C):	Available storage June 24, 2023 (0800) Spillway crest elevation 1,150.00 ft.	76.506 billion gallons 93.448 billion gallons	81.9%	1,138.29 (elev.ft.)
Neversink Reservoir (N):	Available storage June 24, 2023 (0800) Spillway crest elevation 1,440.00 ft.	31.686 billion gallons 34.682 billion gallons	91.3%	1,433.80 (elev.ft.)
Combined contents, PCN:	Available storage June 24, 2023 (0800) Combined capacity at spillway level	232.862 billion gallons 267.460 billion gallons	87.1%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
June 17	0	150	497	114	88	223	1,118	2,190	0.06	2.17
18	232	150	500	114	4	151	1,021	1,940	0.00	2.17
19	291	149	500	114	4	151	941	1,860	0.01	2.18
20	506	149	498	115	138	150	829	1,880	0.03	2.21
21	531	149	499	114	118	150	750	1,780	0.00	2.21
22	643	149	497	114	121	149	699	1,730	0.01	2.22
23	712	149	497	114	121	149	669	1,700	0.36	2.58

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal June 17th – June 23rd 2023 averaged 97.7 MGD.
The average diversion for the 30-day period ending June 23rd 2023 is 99.7
MGD, the maximum is 106 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for June 24th – June 30th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-22 to date
June 24	0	97	0	320	0	74	450	230	0	671
25	0	97	0	321	0	74	450	230	0	671
26	0	97	0	322	0	74	312	205	0	665
27	0	97	0	322	0	74	300	0	0	652
28	0	97	0	322	0	74	300	155	110	649
29	0	97	0	322	0	74	300	200	111	648
30	0	97	0	322	0	74	350	256	111	650

Pepacton Reservoir (P):	Available storage July 1, 2023 (0800)	123.470 billion gallons	88.6%	1,271.13 (elev.ft.)
	Spillway crest elevation 1,280.00 ft.	139.320 billion gallons		
Cannonsville Reservoir (C):	Available storage July 1, 2023 (0800)	75.302 billion gallons	80.6%	1,137.41 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Available storage July 1, 2023 (0800)	31.187 billion gallons	89.9%	1,432.74(elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Available storage July 1, 2023 (0800)	229.959 billion gallons	86.0%	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
June 24	0	150	496	114	137	150	743	1,790	0.32	2.90
25	0	151	496	114	123	150	957	1,990	0.28	3.18
26	0	150	495	114	174	151	1,776	2,860	1.28	4.46
27	0	150	497	114	262	176	3,211	4,410	0.27	4.73
28	0	150	498		299	265	4,334	5,660	0.03	4.76
29	0	150	499	114	298	211	2,948	4,220	0.00	4.76
30	0	150	498	114	347	200	2,190	3,500	0.00	4.76
				114						

- Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal June 24th – June 30th 2023 averaged 94.7 MGD.
The average diversion for the 30-day period ending June 30th 2023 is 98.3
MGD, the maximum is 103 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for July 1st – July 7th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-22 to date
July 1	0	97	0	322	0	74	350	300	0	650
2	0	97	0	321	0	74	350	299	0	650
3	0	97	0	322	0	74	350	300	110	653
4	0	97	0	322	0	74	350	300	110	656
5	0	97	0	355	0	74	350	300	145	660
6	0	97	0	379	0	74	350	300	146	664
7	0	97	0	323	0	74	0	0	146	650

Pepacton Reservoir (P):	Available storage July 8, 2023 (0800) Spillway crest elevation 1,280.00 ft.	122.620 billion gallons 139.320 billion gallons	88.0%	1,270.64 (elev.ft.)
Cannonsville Reservoir (C):	Available storage July 8, 2023 (0800) Spillway crest elevation 1,150.00 ft.	75.043 billion gallons 93.448 billion gallons	80.3%	1,137.22 (elev.ft.)
Neversink Reservoir (N):	Available storage July 8, 2023 (0800) Spillway crest elevation 1,440.00 ft.	30.664 billion gallons 34.682 billion gallons	88.4%	1,431.62 (elev.ft.)
Combined contents, PCN:	Available storage July 8, 2023 (0800) Combined capacity at spillway level	228.327 billion gallons 267.460 billion gallons	85.4%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
July 1	0	150	499	114	268	218	1,711	2,960	0.25	0.25
2	0	150	498	114	260	333	1,485	2,840	0.61	0.86
3	0	150	498	114	254	150	1,904	3,070	0.73	1.59
4	0	150	497	114	303	317	4,749	6,130	0.21	1.80
5	0	150	498	114	362	394	3,992	5,510	0.00	1.80
6	0	150	498	114	470	529	2,869	4,630	0.04	1.84
7	0	150	550	114	548	253	2,215	3,830	0.38	2.22

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal July 1st – July 7th 2023 averaged 93.6 MGD.
The average diversion for the 30-day period ending July 7th 2023 is 96.9
MGD, the maximum is 103 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for July 8th – July 14th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-22 to date
July 8	0	97	0	322	0	74	0	0	0	633
9	0	97	0	322	0	74	0	0	0	617
10	0	97	0	322	0	74	0	0	0	601
11	0	97	0	322	0	74	0	0	0	587
12	0	97	0	322	0	74	350	228	111	589
13	0	97	0	322	0	74	350	229	111	591
14	0	97	0	322	0	74	309	209	0	590

Pepacton Reservoir (P):	Available storage July 15, 2023 (0800) Spillway crest elevation 1,280.00 ft.	124.900 billion gallons 139.320 billion gallons	89.6%	1,271.95 (elev.ft.)
Cannonsville Reservoir (C):	Available storage July 15, 2023 (0800) Spillway crest elevation 1,150.00 ft.	75.166 billion gallons 93.448 billion gallons	80.4%	1,137.31 (elev.ft.)
Neversink Reservoir (N):	Available storage July 15, 2023 (0800) Spillway crest elevation 1,440.00 ft.	31.781 billion gallons 34.682 billion gallons	91.6%	1,434.00 (elev.ft.)
Combined contents, PCN:	Available storage July 15, 2023 (0800) Combined capacity at spillway level	231.847 billion gallons 267.460 billion gallons	86.7%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
July 8	0	150	587	114	508	206	2,255	3,820	0.07	2.29
9	0	150	499	114	451	165	3,571	4,950	1.54	3.83
10	0	150	498	114	587	216	6,176	7,740	0.01	3.84
11	0	150	498	114	587	991	4,669	7,010	0.00	3.84
12	0	150	498	115	587	959	3,572	5,880	0.15	3.99
13	0	150	498	115	587	674	2,735	4,760	0.91	4.90
14	0	150	498	115	587	321	7,798	9,470	0.42	5.32

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.

Diversions by New Jersey through the D&R Canal July 8th – July 14th 2023 averaged 91.8 MGD. NOTE: this is a 3 day average as 4 days of data are missing
The average diversion for the 26-day period (26 not 30 day avg because 4 days of data are missing) ending July 14th 2023 is 95.2
MGD, the maximum is 102 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for July 15th – July 21st, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-22 to date
July 15	0	97	0	322	0	74	31	202	0	582
16	0	97	0	322	0	74	0	202	0	574
17	0	98	0	322	0	75	226	202	146	574
18	0	98	0	323	0	74	300	0	146	571
19	0	98	0	323	0	74	300	0	143	568
20	0	98	0	323	0	74	280	0	223	567
21	0	98	0	323	0	74	305	0	223	566

Pepacton Reservoir (P):	Available storage July 22, 2023 (0800) Spillway crest elevation 1,280.00 ft.	129.380 billion gallons 139.320 billion gallons	92.9%	1,274.50 (elev.ft.)
Cannonsville Reservoir (C):	Available storage July 22, 2023 (0800) Spillway crest elevation 1,150.00 ft.	76.246 billion gallons 93.448 billion gallons	81.6%	1,138.10 (elev.ft.)
Neversink Reservoir (N):	Available storage July 22, 2023 (0800) Spillway crest elevation 1,440.00 ft.	32.261 billion gallons 34.682 billion gallons	93.0%	1,435.01 (elev.ft.)
Combined contents, PCN:	Available storage July 22, 2023 (0800) Combined capacity at spillway level	237.887 billion gallons 267.460 billion gallons	88.9%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
July 15	0	150	498	115	587	444	7,426	9,220	0.76	6.08
16	0	150	498	115	587	863	9,787	12,000	0.23	6.31
17	0	150	498	115	586	590	9,661	11,600	0.13	6.44
18	0	150	498	115	584	1,119	8,333	10,800	0.03	6.47
19	0	151	498	114	1,284	982	6,142	9,170	0.00	6.47
20	0	151	499	114	1,583	933	4,389	7,670	0.36	6.83
21	0	151	500	114	1,584	635	3,866	6,850	0.01	6.84

- Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal July 15th – July 21st 2023 averaged 90.5 MGD.
The average diversion for the 26-day period (26 not 30 day avg because 4 days of data are missing) ending July 21st 2023 is 93.5 MGD, the maximum is 102 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for July 22nd – July 28th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
July 22	0	98	0	323	0	74	305	0	221	565
23	0	98	0	323	0	74	305	0	223	565
24	0	98	0	323	0	74	341	0	221	565
25	0	97	0	323	0	74	351	0	148	563
26	0	97	0	320	0	74	435	0	148	564
27	0	97	0	321	0	74	306	0	148	562
28	0	131	0	323	0	74	455	0	148	563

Pepacton Reservoir (P):	Available storage July 29, 2023 (0800) Spillway crest elevation 1,280.00 ft.	129.200 billion gallons 139.320 billion gallons	92.7%	1,274.40 (elev.ft.)
Cannonsville Reservoir (C):	Available storage July 29, 2023 (0800) Spillway crest elevation 1,150.00 ft.	76.355 billion gallons 93.448 billion gallons	81.7%	1,138.18 (elev.ft.)
Neversink Reservoir (N):	Available storage July 29, 2023 (0800) Spillway crest elevation 1,440.00 ft.	31.314 billion gallons 34.682 billion gallons	90.3%	1,433.01 (elev.ft.)
Combined contents, PCN:	Available storage July 29, 2023 (0800) Combined capacity at spillway level	236.869 billion gallons 267.460 billion gallons	88.6%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
July 22	0	151	500	114	1,572	716	2,927	5,980	0.00	6.84
23	0	151	500	114	1,585	599	2,360	5,310	0.04	6.88
24	0	151	500	114	1,585	231	1,919	4,500	0.23	7.11
25	0	152	499	114	1,003	216	2,156	4,140	0.41	7.52
26	0	151	499	114	587	437	3,381	5,170	0.01	7.53
27	0	150	499	114	582	620	2,955	4,920	0.58	8.11
28	0	150	495	114	585	611	2,915	4,870	0.03	8.14

- Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Divisions by New Jersey through the D&R Canal July 22nd – July 28th 2023 averaged 91.8 MGD.
The average diversion for the 26-day period (26 not 30 day avg because 4 days of data are missing) ending July 28th 2023 is 92.1 MGD, the maximum is 98 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for July 29th – Aug 4th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
July 29	0	97	0	324	0	74	455	0	148	563
30	0	96	0	323	0	74	455	0	0	562
31	0	97	0	321	0	74	454	0	148	562
Aug 1	0	97	0	326	0	74	455	0	148	563
2	0	97	0	323	0	74	455	0	0	561
3	0	97	0	325	0	74	455	0	148	562
4	0	97	0	324	0	74	397	0	0	559

Pepacton Reservoir (P):	Available storage August 5, 2023 (0800) Spillway crest elevation 1,280.00 ft.	128.720 billion gallons 139.320 billion gallons	92.4%	1,274.13 (elev.ft.)
Cannonsville Reservoir (C):	Available storage August 5, 2023 (0800) Spillway crest elevation 1,150.00 ft.	75.985 billion gallons 93.448 billion gallons	81.3%	1,137.91 (elev.ft.)
Neversink Reservoir (N):	Available storage August 5, 2023 (0800) Spillway crest elevation 1,440.00 ft.	30.748 billion gallons 34.682 billion gallons	88.6%	1,431.80 (elev.ft.)
Combined contents, PCN:	Available storage August 5, 2023 (0800) Combined capacity at spillway level	235.453 billion gallons 267.460 billion gallons	88.0%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
July 29	0	150	497	114	586	417	3,606	5,370	0.46	8.60
30	0	203	500	114	586	250	3,137	4,790	0.00	8.60
31	0	150	501	114	586	157	3,932	5,440	<u>0.01</u>	<u>8.61</u>
Aug 1	0	149	499	114	585	156	2,707	4,210	0.00	0.00
2	0	150	496	114	587	156	2,237	3,740	0.00	0.00
3	0	150	504	114	587	155	1,949	3,460	0.01	0.01
4	0	150	500	114	588	156	1,762	3,270	0.42	0.43

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.

Diversion by New Jersey through the D&R Canal July 29th – August 4th 2023 averaged 92.4 MGD.

The average diversion for the 26-day period (26 not 30 day avg because 4 days of data are missing) ending August 4th 2023 is 91.6 MGD, the maximum is 98 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for August 5th – August 11th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
Aug 5	0	97	0	323	0	74	450	0	0	558
6	0	97	0	326	0	74	450	0	0	556
7	0	97	0	320	0	74	450	0	147	557
8	0	97	0	321	0	74	450	0	147	557
9	0	98	0	324	0	74	450	0	222	559
10	0	98	0	325	0	74	450	0	222	560
11	0	97	0	340	0	74	450	0	220	562

Pepacton Reservoir (P):	Available storage August 12, 2023 (0800) Spillway crest elevation 1,280.00 ft.	130.230 billion gallons 139.320 billion gallons	93.5%	1,274.98 (elev.ft.)
Cannonsville Reservoir (C):	Available storage August 12, 2023 (0800) Spillway crest elevation 1,150.00 ft.	75.930 billion gallons 93.448 billion gallons	81.3%	1,137.87 (elev.ft.)
Neversink Reservoir (N):	Available storage August 12, 2023 (0800) Spillway crest elevation 1,440.00 ft.	30.460 billion gallons 34.682 billion gallons	87.8%	1,431.18 (elev.ft.)
Combined contents, PCN:	Available storage August 12, 2023 (0800) Combined capacity at spillway level	236.620 billion gallons 267.460 billion gallons	88.5%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Aug 5	0	150	502	114	588	158	1,957	3,470	0.00	0.43
6	0	150	501	114	587	156	2,151	3,660	0.67	1.10
7	0	150	500	114	588	165	2,232	3,750	0.87	1.97
8	0	151	504	114	588	177	5,687	7,220	0.06	2.03
9	0	151	495	115	588	162	7,550	9,060	0.01	2.04
10	0	151	496	114	588	471	4,989	6,810	0.09	2.13
11	0	151	501	114	589	573	3,642	5,570	0.00	2.13

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal August 5th – August 11th 2023 averaged 94.0 MGD.
The average diversion for the 30-day period ending August 11th 2023 is 92.1
MGD, the maximum is 100 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for August 12th – August 18th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
Aug 12	0	110	0	357	0	81	391	0	0	560
13	0	110	0	358	0	81	450	0	0	558
14	0	111	0	355	0	81	450	0	0	557
15	0	110	0	357	0	81	450	0	0	555
16	0	112	0	359	0	81	450	0	0	554
17	0	193	0	357	0	81	450	0	0	553
18	0	194	0	357	0	81	450	0	0	551

Pepacton Reservoir (P):	Available storage August 19, 2023 (0800) Spillway crest elevation 1,280.00 ft.	132.770 billion gallons 139.320 billion gallons	95.3%	1,276.40 (elev.ft.)
Cannonsville Reservoir (C):	Available storage August 19, 2023 (0800) Spillway crest elevation 1,150.00 ft.	78.065 billion gallons 93.448 billion gallons	83.5%	1,139.42 (elev.ft.)
Neversink Reservoir (N):	Available storage August 19, 2023 (0800) Spillway crest elevation 1,440.00 ft.	32.342 billion gallons 34.682 billion gallons	93.2%	1,435.18 (elev.ft.)
Combined contents, PCN:	Available storage August 19, 2023 (0800) Combined capacity at spillway level	243.177 billion gallons 267.460 billion gallons	90.9%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Aug 12	0	151	503	115	589	266	3,096	4,720	0.60	2.73
13	0	150	526	125	589	417	3,503	5,310	0.00	2.73
14	0	170	552	125	589	628	4,455	6,520	1.28	4.01
15	0	171	554	125	521	683	5,456	7,510	0.02	4.03
16	0	171	549	125	518	785	12,752	14,900	0.02	4.05
17	0	170	552	125	537	616	7,819	9,820	1.17	5.22
18	0	173	556	125	535	570	9,040	11,000	0.01	5.23

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal August 12th – August 18th 2023 averaged 92.9 MGD.
The average diversion for the 30-day period ending August 18th 2023 is 92.8 MGD, the maximum is 101 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for August 19th – August 25th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
Aug 19	0	194	0	357	0	82	300	0	0	548
20	0	194	0	354	0	97	300	0	0	545
21	0	194	0	357	0	97	413	0	0	543
22	0	194	0	355	0	97	318	0	0	541
23	0	195	0	352	0	97	266	0	0	537
24	0	194	0	355	0	97	201	0	0	533
25	0	193	0	357	0	97	201	0	0	530

Pepacton Reservoir (P):	Available storage August 26, 2023 (0800) Spillway crest elevation 1,280.00 ft.	134.090 billion gallons 139.320 billion gallons	96.2%	1,277.13 (elev.ft.)
Cannonsville Reservoir (C):	Available storage August 26, 2023 (0800) Spillway crest elevation 1,150.00 ft.	79.569 billion gallons 93.448 billion gallons	85.1%	1,140.50 (elev.ft.)
Neversink Reservoir (N):	Available storage August 26, 2023 (0800) Spillway crest elevation 1,440.00 ft.	32.976 billion gallons 34.682 billion gallons	95.1%	1,436.50 (elev.ft.)
Combined contents, PCN:	Available storage August 26, 2023 (0800) Combined capacity at spillway level	246.635 billion gallons 267.460 billion gallons	92.2%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Aug 19	0	299	553	125	543	647	16,733	18,900	0.00	5.23
20	0	299	552	128	590	639	9,193	11,400	0.00	5.23
21	0	300	552	150	590	699	6,218	8,510	0.00	5.23
22	0	301	547	150	590	598	4,735	6,920	0.00	5.23
23	0	301	553	150	590	533	3,754	5,880	0.01	5.24
24	0	301	550	150	590	567	3,113	5,270	1.00	6.24
24	0	301	545	150	591	673	3,479	5,740	0.03	6.27

- Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal August 19th – August 25th 2023 averaged 94.2 MGD.
The average diversion for the 30-day period ending August 25th 2023 is 93.3
MGD, the maximum is 101 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for August 26th – September 1st, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
Aug 26	0	193	0	358	0	97	201	0	0	526
27	0	193	0	356	0	97	201	0	0	522
28	0	194	0	356	0	97	201	0	0	519
29	0	194	0	358	0	97	201	0	0	515
30	0	194	0	359	0	97	201	0	0	512
31	0	194	0	360	0	97	334	0	147	511
Sep 1	0	194	0	310	0	97	455	0	147	512

Pepacton Reservoir (P):	Available storage September 2, 2023 (0800) Spillway crest elevation 1,280.00 ft.	133.190 billion gallons 139.320 billion gallons	95.6%	1,276.63 (elev.ft.)
Cannonsville Reservoir (C):	Available storage September 2, 2023 (0800) Spillway crest elevation 1,150.00 ft.	79.122 billion gallons 93.448 billion gallons	84.7%	1,140.18 (elev.ft.)
Neversink Reservoir (N):	Available storage September 2, 2023 (0800) Spillway crest elevation 1,440.00 ft.	33.710 billion gallons 34.682 billion gallons	97.2%	1,438.01 (elev.ft.)
Combined contents, PCN:	Available storage September 2, 2023 (0800) Combined capacity at spillway level	246.022 billion gallons 267.460 billion gallons	92.0%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Aug 26	0	300	549	150	552	638	6,162	8,350	0.00	6.27
27	0	299	552	150	590	561	4,428	6,580	0.00	6.27
28	0	299	553	150	590	577	3,302	5,470	0.11	6.38
29	0	299	551	150	590	660	2,860	5,110	0.84	7.22
30	0	300	550	150	601	451	4,038	6,090	0.01	7.23
31	0	300	554	150	591	348	8,257	10,200	0.00	7.23
Sep 1	0	300	556	150	591	223	4,790	6,610	0.00	7.23

- Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal August 26th – September 1st 2023 averaged 93.0 MGD.
The average diversion for the 30-day period ending September 1st 2023 is 93.5 MGD, the maximum is 101 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA

Web address: <http://water.usgs.gov/osw/odrm>

Summary river data for September 2nd – September 8th, 2023 (preliminary data – subject to revision)

RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
Sep 2	0	193	0	312	0	97	455	0	0	512
3	0	194	0	310	0	97	456	0	0	511
4	0	193	0	311	0	97	455	0	146	512
5	0	193	0	316	0	97	456	0	222	514
6	0	193	0	326	0	97	455	0	223	515
7	0	193	0	309	0	97	455	0	225	517
8	0	193	0	306	0	97	455	0	222	519

Pepacton Reservoir (P):	Available storage September 9, 2023 (0800) Spillway crest elevation 1,280.00 ft.	130.340 billion gallons 139.320 billion gallons	93.6%	1,275.04 (elev.ft.)
Cannonsville Reservoir (C):	Available storage September 9, 2023 (0800) Spillway crest elevation 1,150.00 ft.	78.149 billion gallons 93.448 billion gallons	83.6%	1,139.48 (elev.ft.)
Neversink Reservoir (N):	Available storage September 9, 2023 (0800) Spillway crest elevation 1,440.00 ft.	32.933 billion gallons 34.682 billion gallons	94.9%	1,436.41 (elev.ft.)
Combined contents, PCN:	Available storage September 9, 2023 (0800) Combined capacity at spillway level	241.422 billion gallons 267.460 billion gallons	90.3%	

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Sep 2	0	299	482	150	591	205	3,298	5,100	0.01	0.01
3	0	299	480	150	591	156	2,745	4,420	0.02	0.03
4	0	299	480	150	591	278	2,441	4,240	0.01	0.04
5	0	299	489	150	592	699	2,060	4,280	0.00	0.04
6	0	299	504	149	592	696	1,853	4,070	0.00	0.04
7	0	298	477	150	592	661	1,719	3,910	0.86	0.90
8	0	299	473	150	592	579	3,246	5,370	0.42	1.32

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.

Diversions by New Jersey through the D&R Canal September 2nd – September 8th 2023 averaged 92.3 MGD.

The average diversion for the 30-day period ending September 8th 2023 is 93.0

MGD, the maximum is 101 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for September 9th – September 15th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
Sep 9	0	194	0	308	0	97	456	0	147	519
10	0	194	0	309	0	97	456	0	146	520
11	0	194	0	309	0	97	456	0	0	520
12	0	194	0	310	0	97	413	0	147	520
13	0	194	0	309	0	97	400	0	148	520
14	0	194	0	308	0	97	400	0	0	519
15	0	194	0	309	0	97	400	0	145	519

Pepacton Reservoir (P):	Available storage September 16, 2023 (0800) Spillway crest elevation 1,280.00 ft.	127.610 billion gallons 139.320 billion gallons	91.6%	1,273.50 (elev.ft.)
Cannonsville Reservoir (C):	Available storage September 16, 2023 (0800) Spillway crest elevation 1,150.00 ft.	77.788 billion gallons 93.448 billion gallons	83.2%	1,139.22 (elev.ft.)
Neversink Reservoir (N):	Available storage September 16, 2023 (0800) Spillway crest elevation 1,440.00 ft.	32.328 billion gallons 34.682 billion gallons	93.2%	1,435.15 (elev.ft.)
Combined contents, PCN:	Available storage September 16, 2023 (0800) Combined capacity at spillway level	237.726 billion gallons 267.460 billion gallons	88.9%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Sep 9	0	298	477	150	592	527	3,925	5,970	0.16	1.48
10	0	299	473	150	592	158	3,468	5,140	0.18	1.66
11	0	300	476	150	593	157	3,114	4,790	0.18	1.84
12	0	300	477	150	593	157	3,043	4,720	0.43	2.27
13	0	300	478	149	593	157	2,842	4,520	0.07	2.34
14	0	300	479	150	593	158	3,171	4,850	0.00	2.34
15	0	299	479	150	593	157	2,612	4,290	0.00	2.34

- Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal September 9th – September 15th 2023 averaged 94.3 MGD.
The average diversion for the 30-day period ending September 15th 2023 is 93.2
MGD, the maximum is 99 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA

Web address: <http://water.usgs.gov/osw/odrm>

Summary river data for September 16th – September 22nd, 2023 (preliminary data – subject to revision)

RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
Sep 16	0	193	0	275	0	81	400	0	150	520
17	0	193	0	274	0	71	400	0	150	520
18	0	193	0	276	0	71	439	0	148	521
19	0	194	0	276	0	72	450	0	149	521
20	0	194	0	277	0	71	450	0	149	522
21	0	194	0	276	0	71	450	0	149	523
22	0	194	0	276	0	72	450	0	224	524

Pepacton Reservoir (P):	Available storage September 23, 2023 (0800) Spillway crest elevation 1,280.00 ft.	124.530 billion gallons 139.320 billion gallons	89.4%	1,271.48 (elev.ft.)
Cannonsville Reservoir (C):	Available storage September 23, 2023 (0800) Spillway crest elevation 1,150.00 ft.	77.346 billion gallons 93.448 billion gallons	82.8%	1,138.90 (elev.ft.)
Neversink Reservoir (N):	Available storage September 23, 2023 (0800) Spillway crest elevation 1,440.00 ft.	31.323 billion gallons 34.682 billion gallons	90.3%	1,433.03 (elev.ft.)
Combined contents, PCN:	Available storage September 23, 2023 (0800) Combined capacity at spillway level	233.199 billion gallons 267.460 billion gallons	87.2%	

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Sep 16	0	299	477	150	369	157	2,188	3,640	0.00	2.34
17	0	299	477	125	222	222	1,905	3,250	0.76	3.10
18	0	299	426	110	222	168	2,015	3,240	0.07	3.17
19	0	300	423	110	290	332	2,446	3,900	0.00	3.17
20	0	300	426	111	289	223	2,183	3,530	0.00	3.17
21	0	300	427	110	291	210	1,963	3,300	0.00	3.17
22	0	300	428	110	298	242	1,761	3,140	0.00	3.17

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.

Diversions by New Jersey through the D&R Canal September 16th – September 22nd 2023 averaged 93.0 MGD.

The average diversion for the 30-day period ending September 22nd 2023 is 93.5

MGD, the maximum is 99 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA

Web address: <http://water.usgs.gov/osw/odrm>

Summary river data for September 23rd – September 29th, 2023 (preliminary data – subject to revision)

RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
Sep 23	0	194	0	272	0	71	450	0	221	525
24	0	193	0	276	0	71	450	0	225	527
25	0	194	0	273	0	71	450	0	151	527
26	0	194	0	272	0	71	450	0	0	527
27	0	95	0	272	0	71	449	0	0	526
28	0	94	0	272	0	71	265	0	0	524
29	0	94	0	275	0	72	308	0	0	522

Pepacton Reservoir (P):	Available storage September 30, 2023 (0800) Spillway crest elevation 1,280.00 ft.	122.640 billion gallons 139.320 billion gallons	88.0%	1,270.65(elev.ft.)
Cannonsville Reservoir (C):	Available storage September 30, 2023 (0800) Spillway crest elevation 1,150.00 ft.	77.429 billion gallons 93.448 billion gallons	82.9%	1,138.96 (elev.ft.)
Neversink Reservoir (N):	Available storage September 30, 2023 (0800) Spillway crest elevation 1,440.00 ft.	31.535 billion gallons 34.682 billion gallons	90.9%	1,433.48 (elev.ft.)
Combined contents, PCN:	Available storage September 30, 2023 (0800) Combined capacity at spillway level	231.604 billion gallons 267.460 billion gallons	86.6%	

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Sep 23	0	300	427	111	347	300	1,535	3,020	0.74	3.91
24	0	299	428	110	222	162	2,259	3,480	2.25	6.16
25	0	300	421	110	219	351	22,099	23,500	0.18	6.34
26	0	299	427	110	417	580	18,467	20,300	0.01	6.35
27	0	300	422	110	590	702	10,176	12,300	0.00	6.35
28	0	300	422	110	591	681	7,006	9,110	0.26	6.61
29	0	146	421	110	590	783	6,439	8,490	0.04	6.65

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.

Diversions by New Jersey through the D&R Canal September 23rd – September 29th 2023 averaged 92.0 MGD.

The average diversion for the 28-day period (as 2 days of data are unavailable) ending September 29th 2023 is 93.0 MGD, the maximum is 100 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for September 30th – October 6th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
Sep 30	0	93	0	272	0	72	308	0	0	520
Oct 1	0	79	0	172	0	71	308	0	0	518
2	0	65	0	114	0	71	308	0	0	517
3	0	65	0	114	0	71	308	0	0	515
4	0	65	0	115	0	71	308	0	0	513
5	0	65	0	116	0	71	252	0	0	511
6	0	65	0	116	0	71	304	0	0	510

Pepacton Reservoir (P):	Available storage October 7, 2023 (0800) Spillway crest elevation 1,280.00 ft.	121.570 billion gallons 139.320 billion gallons	87.3%	1,270.03 (elev.ft.)
Cannonsville Reservoir (C):	Available storage October 7, 2023 (0800) Spillway crest elevation 1,150.00 ft.	77.802 billion gallons 93.448 billion gallons	83.3%	1,139.23 (elev.ft.)
Neversink Reservoir (N):	Available storage October 7, 2023 (0800) Spillway crest elevation 1,440.00 ft.	31.587 billion gallons 34.682 billion gallons	91.0%	1,433.59 (elev.ft.)
Combined contents, PCN:	Available storage October 7, 2023 (0800) Combined capacity at spillway level	230.959 billion gallons 267.460 billion gallons	86.4%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Sep 30	0	145	421	111	589	679	6,716	8,660	<u>0.01</u>	<u>6.66</u>
Oct 1	0	145	425	111	590	480	5,280	7,030	0.00	0.00
2	0	144	421	110	590	684	4,250	6,200	0.00	0.00
3	0	122	266	110	590	539	3,592	5,220	0.00	0.00
4	0	100	176	110	590	536	3,188	4,700	0.00	0.00
5	0	100	177	110	590	346	2,798	4,120	0.02	0.02
6	0	100	178	110	590	292	2,540	3,810	0.69	0.71

- Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal September 30th – October 6th 2023 averaged 82.5 MGD.
The average diversion for the 28-day period (as 2 days of data are unavailable) ending October 6th 2023 is 90.5 MGD, the maximum is 100 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for September 30th – October 6th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
Sep 30	0	93	0	272	0	72	308	0	0	520
Oct 1	0	79	0	172	0	71	308	0	0	518
2	0	65	0	114	0	71	308	0	0	517
3	0	65	0	114	0	71	308	0	0	515
4	0	65	0	115	0	71	308	0	0	513
5	0	65	0	116	0	71	252	0	0	511
6	0	65	0	116	0	71	304	0	0	510

Pepacton Reservoir (P):	Available storage October 7, 2023 (0800) Spillway crest elevation 1,280.00 ft.	121.570 billion gallons 139.320 billion gallons	87.3%	1,270.03 (elev.ft.)
Cannonsville Reservoir (C):	Available storage October 7, 2023 (0800) Spillway crest elevation 1,150.00 ft.	77.802 billion gallons 93.448 billion gallons	83.3%	1,139.23 (elev.ft.)
Neversink Reservoir (N):	Available storage October 7, 2023 (0800) Spillway crest elevation 1,440.00 ft.	31.587 billion gallons 34.682 billion gallons	91.0%	1,433.59 (elev.ft.)
Combined contents, PCN:	Available storage October 7, 2023 (0800) Combined capacity at spillway level	230.959 billion gallons 267.460 billion gallons	86.4%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Sep 30	0	145	421	111	589	679	6,716	8,660	<u>0.01</u>	<u>6.66</u>
Oct 1	0	145	425	111	590	480	5,280	7,030	0.00	0.00
2	0	144	421	110	590	684	4,250	6,200	0.00	0.00
3	0	122	266	110	590	539	3,592	5,220	0.00	0.00
4	0	100	176	110	590	536	3,188	4,700	0.00	0.00
5	0	100	177	110	590	346	2,798	4,120	0.02	0.02
6	0	100	178	110	590	292	2,540	3,810	0.69	0.71

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Divisions by New Jersey through the D&R Canal September 30th – October 6th 2023 averaged 82.5 MGD.
The average diversion for the 28-day period (as 2 days of data are unavailable) ending October 6th 2023 is 90.5 MGD, the maximum is 100 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for October 7th – October 13th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
Oct 7	0	65	0	116	0	71	0	0	0	506
8	0	66	0	116	0	71	0	0	0	502
9	0	194	0	116	0	71	0	0	0	498
10	0	194	0	115	0	71	0	0	0	494
11	0	194	0	114	0	71	0	0	0	491
12	0	194	0	114	0	71	0	0	0	487
13	0	194	0	114	0	71	0	0	0	483

Pepacton Reservoir (P):	Available storage October 14, 2023 (0800) Spillway crest elevation 1,280.00 ft.	126.520 billion gallons 139.320 billion gallons	90.8%	1,272.88 (elev.ft.)
Cannonsville Reservoir (C):	Available storage October 14, 2023 (0800) Spillway crest elevation 1,150.00 ft.	80.214 billion gallons 93.448 billion gallons	85.8%	1,140.96 (elev.ft.)
Neversink Reservoir (N):	Available storage October 14, 2023 (0800) Spillway crest elevation 1,440.00 ft.	32.774 billion gallons 34.682 billion gallons	94.5%	1,436.08 (elev.ft.)
Combined contents, PCN:	Available storage October 14, 2023 (0800) Combined capacity at spillway level	239.508 billion gallons 267.460 billion gallons	89.5%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Oct 7	0	100	179	110	590	159	3,543	4,680	0.39	1.10
8	0	100	179	110	590	164	8,398	9,540	0.03	1.13
9	0	100	179	110	590	372	6,680	8,030	0.00	1.13
10	0	102	179	110	590	635	4,824	6,440	0.01	1.14
11	0	301	180	110	674	497	3,858	5,620	0.00	1.14
12	0	300	179	110	744	397	3,260	4,990	0.00	1.14
13	0	301	177	110	744	307	2,872	4,510	0.02	1.16

- Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Divisions by New Jersey through the D&R Canal October 7th – October 13th 2023 averaged 68.8 MGD.
The average diversion for the 28-day period (as 2 days of data are unavailable) ending October 13th 2023 is 84.2 MGD, the maximum is 100 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for October 14th – October 20th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
Oct 14	0	194	0	114	0	71	0	0	0	480
15	0	194	0	114	0	71	0	0	0	476
16	0	194	0	114	0	71	0	0	0	473
17	0	194	0	114	0	71	0	0	0	469
18	0	193	0	124	0	71	0	0	0	466
19	0	195	0	45	0	70	0	0	0	463
20	0	194	0	140	0	71	0	0	0	459

Pepacton Reservoir (P):	Available storage October 21, 2023 (0800) Spillway crest elevation 1,280.00 ft.	127.370 billion gallons 139.320 billion gallons	91.4%	1,273.36 (elev.ft.)
Cannonsville Reservoir (C):	Available storage October 21, 2023 (0800) Spillway crest elevation 1,150.00 ft.	81.312 billion gallons 93.448 billion gallons	87.0%	1,141.74 (elev.ft.)
Neversink Reservoir (N):	Available storage October 21, 2023 (0800) Spillway crest elevation 1,440.00 ft.	32.870 billion gallons 34.682 billion gallons	94.7%	1,436.28 (elev.ft.)
Combined contents, PCN:	Available storage October 21, 2023 (0800) Combined capacity at spillway level	241.552 billion gallons 267.460 billion gallons	90.3%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Oct 14	0	301	176	110	745	290	2,699	4,320	0.72	1.88
15	0	301	176	110	745	337	3,462	5,130	0.02	1.90
16	0	301	176	110	746	156	3,441	4,930	0.17	2.07
17	0	301	177	110	746	201	3,056	4,590	0.01	2.08
18	0	301	177	110	746	421	2,876	4,630	0.00	2.08
19	0	301	177	110	747	341	2,515	4,190	0.00	2.08
20	0	299	191	109	747	204	2,520	4,070	0.08	2.16

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Divisions by New Jersey through the D&R Canal October 14th – October 20th 2023 averaged 78.3 MGD.
The average diversion for the 28-day period (as 2 days of data are unavailable) ending October 20th 2023 is 80.4 MGD, the maximum is 100 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for October 21st – October 27th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
Oct 21	0	194	0	420	0	71	0	0	0	456
22	0	194	0	420	0	71	0	0	0	453
23	0	195	0	420	0	71	0	0	0	450
24	0	195	0	421	0	71	0	0	0	447
25	0	195	0	421	0	71	0	17	0	444
26	0	195	0	421	0	71	0	0	0	441
27	0	195	0	421	0	71	333	0	0	440

Pepacton Reservoir (P):	Available storage October 28, 2023 (0800) Spillway crest elevation 1,280.00 ft.	127.120 billion gallons 139.320 billion gallons	91.2%	1,273.22 (elev.ft.)
Cannonsville Reservoir (C):	Available storage October 28, 2023 (0800) Spillway crest elevation 1,150.00 ft.	79.779 billion gallons 93.448 billion gallons	85.4%	1,140.65 (elev.ft.)
Neversink Reservoir (N):	Available storage October 28, 2023 (0800) Spillway crest elevation 1,440.00 ft.	32.836 billion gallons 34.682 billion gallons	94.7%	1,436.21 (elev.ft.)
Combined contents, PCN:	Available storage October 28, 2023 (0800) Combined capacity at spillway level	239.735 billion gallons 267.460 billion gallons	89.6%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Oct 21	0	301	70	109	711	151	2,387	3,730	0.06	2.22
22	0	301	216	109	588	151	2,365	3,730	0.02	2.24
23	0	301	650	110	381	219	1,959	3,620	0.00	2.24
24	0	301	649	110	0	435	2,015	3,510	0.00	2.24
25	0	301	650	110	0	150	1,929	3,140	0.00	2.24
26	0	301	651	110	0	204	1,794	3,060	0.00	2.24
27	0	301	651	110	0	203	1,724	2,990	0.00	2.24

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal October 21st – October 27th 2023 averaged 78.2 MGD.
The average diversion for the 28-day period (as 2 days of data are unavailable) ending October 27th 2023 is 78.0 MGD, the maximum is 94 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for October 28th – November 3rd, 2023 (preliminary data – subject to revision)

RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
Oct 28	0	194	0	421	0	71	455	0	0	440
29	0	194	0	420	0	71	455	0	0	440
30	0	194	0	420	0	71	245	0	0	439
31	0	194	0	420	0	71	205	0	0	438
Nov 1	0	194	0	420	0	71	205	0	0	436
2	0	194	0	420	0	71	204	0	0	435
3	0	194	0	420	0	71	205	0	0	433

Pepacton Reservoir (P):	Available storage November 4, 2023 (0800) Spillway crest elevation 1,280.00 ft.	126.710 billion gallons 139.320 billion gallons	90.9%	1,272.99 (elev.ft.)
Cannonsville Reservoir (C):	Available storage November 4, 2023 (0800) Spillway crest elevation 1,150.00 ft.	79.653 billion gallons 93.448 billion gallons	85.2%	1,140.56 (elev.ft.)
Neversink Reservoir (N):	Available storage November 4, 2023 (0800) Spillway crest elevation 1,440.00 ft.	33.189 billion gallons 34.682 billion gallons	95.7%	1,436.94 (elev.ft.)
Combined contents, PCN:	Available storage November 4, 2023 (0800) Combined capacity at spillway level	239.552 billion gallons 267.460 billion gallons	89.6%	

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Oct 28	0	301	651	110	0	272	1,636	2,970	0.02	2.26
29	0	301	651	110	0	145	1,643	2,850	0.97	3.23
30	0	300	651	110	0	153	3,367	4,580	0.31	3.54
31	0	299	650	110	0	279	6,772	8,110	<u>0.01</u>	<u>3.55</u>
Nov 1	0	299	650	110	0	347	5,524	6,930	0.01	0.01
2	0	300	650	110	0	459	4,172	5,690	0.00	0.01
3	0	300	651	110	0	338	3,531	4,930	0.00	0.01

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.

Diversion by New Jersey through the D&R Canal October 28th – November 3rd 2023 averaged 74.2 MGD.

The average diversion for the 30-day period ending November 3rd 2023 is 74.2

MGD, the maximum is 82 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for November 4th – November 10th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
Nov 4	0	194	0	420	0	71	213	0	0	432
5	0	194	0	438	0	71	205	0	0	430
6	0	202	0	420	0	74	205	0	0	429
7	0	194	0	420	0	71	205	0	0	428
8	0	194	0	420	0	71	205	0	0	426
9	0	194	0	419	0	71	205	161	0	426
10	0	194	0	359	0	71	205	200	0	426

Pepacton Reservoir (P):	Available storage November 11, 2023 (0800) Spillway crest elevation 1,280.00 ft.	126.290 billion gallons 139.320 billion gallons	90.9%	1,272.75 (elev.ft.)
Cannonsville Reservoir (C):	Available storage November 11, 2023 (0800) Spillway crest elevation 1,150.00 ft.	78.746 billion gallons 93.448 billion gallons	84.3%	1,139.91 (elev.ft.)
Neversink Reservoir (N):	Available storage November 11, 2023 (0800) Spillway crest elevation 1,440.00 ft.	33.218 billion gallons 34.682 billion gallons	95.8%	1,437.00 (elev.ft.)
Combined contents, PCN:	Available storage November 11, 2023 (0800) Combined capacity at spillway level	278.254 billion gallons 267.460 billion gallons	89.1%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Nov 4	0	300	650	110	0	148	3,262	4,470	0.01	0.02
5	0	300	650	110	0	148	2,992	4,200	0.00	0.02
6	0	299	650	110	0	170	2,881	4,110	0.09	0.11
7	0	300	677	115	0	288	2,590	3,970	0.00	0.11
8	0	312	650	110	0	287	2,490	3,850	0.02	0.13
9	0	299	650	110	0	269	2,272	3,600	0.02	0.15
10	0	299	649	110	199	196	2,267	3,720	0.00	0.15

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal November 4th – November 10th 2023 averaged 71.9 MGD.
The average diversion for the 30-day period ending November 10th 2023 is 75.4 MGD, the maximum is 82 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for November 11th – November 17th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
Nov 11	0	194	0	113	0	71	205	200	0	425
12	0	194	0	113	0	71	205	200	0	425
13	0	194	0	113	0	71	205	33	150	425
14	0	194	0	113	0	71	205	0	150	425
15	0	194	0	113	0	71	205	0	150	424
16	0	194	0	113	0	71	277	0	150	424
17	0	194	0	113	0	71	300	164	150	425

Pepacton Reservoir (P):	Available storage November 18, 2023 (0800) Spillway crest elevation 1,280.00 ft.	124.950 billion gallons 139.320 billion gallons	89.7%	1,271.98 (elev.ft.)
Cannonsville Reservoir (C):	Available storage November 18, 2023 (0800) Spillway crest elevation 1,150.00 ft.	78.927 billion gallons 93.448 billion gallons	84.5%	1,140.04 (elev.ft.)
Neversink Reservoir (N):	Available storage November 18, 2023 (0800) Spillway crest elevation 1,440.00 ft.	32.414 billion gallons 34.682 billion gallons	93.4%	1,435.33 (elev.ft.)
Combined contents, PCN:	Available storage November 18, 2023 (0800) Combined capacity at spillway level	236.291 billion gallons 267.460 billion gallons	88.3%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Nov 11	0	299	649	110	307	144	2,082	3,590	0.00	0.15
12	0	299	555	110	280	145	1,861	3,250	0.00	0.15
13	0	299	174	109	283	147	1,907	2,920	0.01	0.16
14	0	300	174	109	285	200	1,772	2,840	0.00	0.16
15	0	300	174	110	280	201	1,726	2,790	0.00	0.16
16	0	300	174	110	283	196	1,666	2,730	0.00	0.16
17	0	301	174	109	0	145	1,680	2,410	0.11	0.27

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal November 11th – November 17th 2023 averaged 63.6 MGD.
The average diversion for the 30-day period ending November 17th 2023 is 72.5
MGD, the maximum is 82 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for November 18th – November 24th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
Nov 18	0	194	0	113	0	71	300	200	0	426
19	0	194	0	113	0	71	300	200	0	426
20	0	194	0	113	0	71	300	200	149	428
21	0	194	0	113	0	71	300	200	149	429
22	0	194	0	113	0	71	300	285	148	431
23	0	194	0	113	0	71	300	300	149	432
24	0	194	0	113	0	71	300	300	108	434

Pepacton Reservoir (P):	Available storage November 25, 2023 (0800) Spillway crest elevation 1,280.00 ft.	123.630 billion gallons 139.320 billion gallons	88.7%	1,271.22 (elev.ft.)
Cannonsville Reservoir (C):	Available storage November 25, 2023 (0800) Spillway crest elevation 1,150.00 ft.	78.565 billion gallons 93.448 billion gallons	84.1%	1,139.78 (elev.ft.)
Neversink Reservoir (N):	Available storage November 25, 2023 (0800) Spillway crest elevation 1,440.00 ft.	31.795 billion gallons 34.682 billion gallons	91.6%	1,434.03 (elev.ft.)
Combined contents, PCN:	Available storage November 25, 2023 (0800) Combined capacity at spillway level	233.990 billion gallons 267.460 billion gallons	87.5%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Nov 18	0	300	174	110	0	173	1,662	2,420	0.00	0.27
19	0	300	174	110	0	148	1,637	2,370	0.00	0.27
20	155	300	174	110	0	147	1,629	2,360	0.00	0.27
21	0	299	174	110	195	168	1,644	2,590	1.32	1.59
22	0	300	174	110	392	279	2,695	3,950	0.00	1.59
23	0	299	174	110	381	153	4,802	5,920	0.00	1.59
24	0	299	174	110	391	204	3,862	5,040	0.00	1.59

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal November 18th – November 24th 2023 averaged 70.0 MGD.
The average diversion for the 30-day period ending November 24th 2023 is 70.5
MGD, the maximum is 82 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for November 25th – December 1st, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
Nov 25	0	194	0	113	0	71	300	300	0	435
26	0	194	0	112	0	71	300	300	0	436
27	0	193	0	113	0	71	300	300	112	437
28	0	194	0	113	0	71	300	301	111	439
29	0	194	0	113	0	71	299	301	111	440
30	0	194	0	113	0	71	206	301	112	441
Dec 1	0	194	0	113	0	71	207	301	0	442

Pepacton Reservoir (P):	Available storage December 2, 2023 (0800) Spillway crest elevation 1,280.00 ft.	124.290 billion gallons 139.320 billion gallons	89.2%	1,271.60 (elev.ft.)
Cannonsville Reservoir (C):	Available storage December 2, 2023 (0800) Spillway crest elevation 1,150.00 ft.	80.439 billion gallons 93.448 billion gallons	86.1%	1,141.12 (elev.ft.)
Neversink Reservoir (N):	Available storage December 2, 2023 (0800) Spillway crest elevation 1,440.00 ft.	31.890 billion gallons 34.682 billion gallons	91.9%	1,434.23 (elev.ft.)
Combined contents, PCN:	Available storage December 2, 2023 (0800) Combined capacity at spillway level	236.619 billion gallons 267.460 billion gallons	88.5%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Nov 25	0	299	174	110	394	300	2,853	4,130	0.00	1.59
26	0	299	174	110	0	143	2,694	3,420	1.20	2.79
27	0	299	174	110	0	444	6,443	7,470	0.02	2.81
28	0	299	174	110	559	402	9,356	10,900	0.01	2.82
29	0	299	174	110	740	694	6,533	8,550	0.00	2.82
30	0	301	175	110	630	585	5,230	7,030	<u>0.00</u>	<u>2.82</u>
Dec 1	0	299	175	110	515	335	4,576	6,010	0.13	0.13

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal November 25th – December 1st 2023 averaged 74.2 MGD.
The average diversion for the 30-day period ending December 1st 2023 is 87.9
MGD, the maximum is 79 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for December 2nd – December 8th, 2023 (preliminary data – subject to revision)

RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
Dec 2	0	194	0	113	0	71	206	301	0	442
3	0	194	0	123	0	71	205	302	0	442
4	0	194	0	28	0	71	205	300	0	443
5	0	194	0	353	0	71	205	300	0	443
6	0	194	0	387	0	71	205	300	0	443
7	0	194	0	386	0	71	205	301	0	444
8	0	194	0	387	0	71	51	203	0	443

Pepacton Reservoir (P):	Available storage December 9, 2023 (0800) Spillway crest elevation 1,280.00 ft.	125.870 billion gallons 139.320 billion gallons	90.3%	1,272.51 (elev.ft.)
Cannonsville Reservoir (C):	Available storage December 9, 2023 (0800) Spillway crest elevation 1,150.00 ft.	82.177 billion gallons 93.448 billion gallons	87.9%	1,142.35 (elev.ft.)
Neversink Reservoir (N):	Available storage December 9, 2023 (0800) Spillway crest elevation 1,440.00 ft.	32.433 billion gallons 34.682 billion gallons	93.5%	1,435.37 (elev.ft.)
Combined contents, PCN:	Available storage December 9, 2023 (0800) Combined capacity at spillway level	240.480 billion gallons 267.460 billion gallons	89.9%	

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Dec 2	0	300	175	110	528	148	4,270	5,530	0.05	0.18
3	0	300	175	110	313	152	4,411	5,460	0.59	0.77
4	0	301	175	110	300	367	6,798	8,050	0.00	0.77
5	0	301	190	110	517	392	7,360	8,870	0.00	0.77
6	0	300	44	110	502	610	6,274	7,840	0.02	0.79
7	0	301	546	110	522	767	5,234	7,480	0.02	0.81
8	0	300	599	110	576	761	4,844	7,190	0.00	0.81

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.

Diversions by New Jersey through the D&R Canal December 2nd – December 8th 2023 averaged 73.3 MGD.

The average diversion for the 30-day period ending December 8th 2023 is 70.5

MGD, the maximum is 79 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for December 9th – December 15th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
Dec 9	0	194	0	387	0	122	0	202	0	441
10	0	194	0	387	0	123	0	202	0	440
11	0	195	0	388	0	123	0	200	0	439
12	0	194	0	389	0	123	0	200	0	438
13	0	194	0	391	0	123	0	200	149	437
14	0	195	0	388	0	123	0	200	149	437
15	0	194	0	449	0	123	0	200	149	436

Pepacton Reservoir (P):	Available storage December 16, 2023 (0800)	131.320 billion gallons	94.3%	1,275.59 (elev.ft.)
	Spillway crest elevation 1,280.00 ft.	139.320 billion gallons		
Cannonsville Reservoir (C):	Available storage December 16, 2023 (0800)	85.120 billion gallons	91.9%	1,144.40 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Available storage December 16, 2023 (0800)	33.170 billion gallons	95.6%	1,436.90 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Available storage December 16, 2023 (0800)	249.610 billion gallons	93.3%	
	Combined capacity at spillway level	267.460 billion gallons		

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Dec 9	0	301	598	110	742	721	4,288	6,760	0.00	0.81
10	0	301	599	188	742	603	4,007	6,440	1.77	2.58
11	0	301	599	191	742	547	12,021	14,400	0.03	2.61
12	0	301	599	191	742	747	14,120	16,700	0.00	2.61
13	0	301	601	190	745	969	9,894	12,700	0.01	2.62
14	0	301	601	190	744	752	7,811	10,400	0.00	2.62
15	0	300	605	190	524	959	6,671	9,250	0.00	2.62

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.

Diversions by New Jersey through the D&R Canal December 9th – December 15th 2023 (6 day average as 1 day of data is unavailable) averaged 78.2 MGD.

The average diversion for the 29-day period ending (1 day of data is unavailable) December 15th 2023 is 73.0

MGD, the maximum is 85 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for December 16th – December 22nd, 2023 (preliminary data – subject to revision)

RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
Dec 16	0	277	0	681	0	123	0	69	0	435
17	0	289	0	964	0	104	0	0	0	432
18	41	23	2	326	227	90	0	0	0	430
19	1,331	98	1,820	829	743	117	0	0	0	428
20	1,645	86	1,356	968	305	123	285	0	0	427
21	1,271	23	1,206	967	202	123	204	0	0	426
22	809	211	892	966	145	123	202	0	0	425

Pepacton Reservoir (P):	Available storage December 23, 2023 (0800)	140.310 billion gallons	100.7%	1,280.54 (elev.ft.)
	Spillway crest elevation 1,280.00 ft.	139.320 billion gallons		
Cannonsville Reservoir (C):	Available storage December 23, 2023 (0800)	95.508 billion gallons	102.2%	1,151.33 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Available storage December 23, 2023 (0800)	34.806 billion gallons	100.3%	1,440.23 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Available storage December 23, 2023 (0800)	270.624 billion gallons	101.2%	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Dec 16	0	301	600	190	489	956	6,214	8,750	0.00	2.62
17	0	301	695	190	744	955	5,856	8,740	2.70	5.32
18	0	429	1,054	162	743	1,064	34,149	37,700	0.53	5.85
19	0	447	1,491	139	742	2,285	52,497	57,600	0.00	5.85
20	0	35	505	181	741	2,065	27,673	31,200	0.00	5.85
21	0	152	1,282	191	739	1,848	20,587	24,800	0.00	5.85
22	0	132	1,498	190	738	1,626	16,015	20,200	0.00	5.85

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.

Diversions by New Jersey through the D&R Canal December 16th – December 22nd 2023 (5 day average as 2 days of data is unavailable) averaged 84.0 MGD.

The average diversion for the 27-day period ending (3 days of data is unavailable) December 22nd 2023 is 76.9 MGD, the maximum is 86 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for December 23rd – December 29th, 2023 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
Dec 23	461	452	614	965	109	123	202	0	0	424
24	310	452	414	964	90	123	202	0	0	423
25	193	452	262	963	76	123	202	0	0	422
26	83	452	141	967	61	123	352	0	0	422
27	23	452	95	894	84	123	400	0	0	422
28	26	452	262	172	258	123	442	0	0	422
29	0	452	248	929	192	123	450	0	0	422

Pepacton Reservoir (P):	Available storage December 30, 2023 (0800) Spillway crest elevation 1,280.00 ft.	139.040 billion gallons 139.320 billion gallons	99.8%	1,279.85 (elev.ft.)
Cannonsville Reservoir (C):	Available storage December 30, 2023 (0800) Spillway crest elevation 1,150.00 ft.	94.358 billion gallons 93.448 billion gallons	101.0%	1,150.59 (elev.ft.)
Neversink Reservoir (N):	Available storage December 30, 2023 (0800) Spillway crest elevation 1,440.00 ft.	34.821 billion gallons 34.682 billion gallons	100.4%	1,440.26 (elev.ft.)
Combined contents, PCN:	Available storage December 30, 2023 (0800) Combined capacity at spillway level	268.219 billion gallons 267.460 billion gallons	100.3%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Dec 23	0	35	1,496	190	739	1,199	13,140	16,800	0.03	5.88
24	0	326	1,495	190	739	744	10,806	14,300	0.00	5.88
25	0	699	1,493	190	739	717	8,763	12,600	0.00	5.88
26	0	699	1,491	190	739	707	7,573	11,400	0.17	6.05
27	0	699	1,489	190	738	697	6,786	10,600	1.11	7.16
28	0	699	1,496	190	740	748	13,527	17,400	0.07	7.23
29	0	699	1,382	190	740	768	13,720	17,500	0.03	7.26

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Divisions by New Jersey through the D&R Canal December 23rd – December 29th 2023 averaged 70.2 MGD.
The average diversion for the 27-day period ending (3 days of data is unavailable) December 29th 2023 is 75.6 MGD, the maximum is 88 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for December 30th – January 5th, 2024 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
Dec 30	0	452	174	962	117	123	450	0	0	422
31	0	452	84	964	35	123	450	0	111	423
Jan 1	0	453	52	965	5	123	450	0	112	423
2	0	453	10	964	0	123	450	0	224	424
3	0	452	0	965	0	123	450	0	224	426
4	0	452	0	965	0	123	450	0	149	426
5	0	452	0	964	0	123	354	0	149	427

Pepacton Reservoir (P):	Available storage January 6, 2024 (0800) Spillway crest elevation 1,280.00 ft.	136.770 billion gallons 139.320 billion gallons	98.2%	1,278.61 (elev.ft.)
Cannonsville Reservoir (C):	Available storage January 6, 2024 (0800) Spillway crest elevation 1,150.00 ft.	92.227 billion gallons 93.448 billion gallons	98.7%	1,149.20 (elev.ft.)
Neversink Reservoir (N):	Available storage January 6, 2024 (0800) Spillway crest elevation 1,440.00 ft.	33.975 billion gallons 34.682 billion gallons	97.9%	1,438.55(elev.ft.)
Combined contents, PCN:	Available storage January 6, 2024 (0800) Combined capacity at spillway level	262.972 billion gallons 267.460 billion gallons	98.3%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Dec 30	0	700	265	190	740	892	13,213	16,000	0.02	7.28
31	0	700	1,437	190	738	836	10,200	14,100	<u>0.01</u>	<u>7.29</u>
Jan 1	0	700	1,489	190	739	841	8,641	12,600	0.00	0.00
2	0	700	1,491	190	740	717	7,463	11,300	0.00	0.00
3	0	700	1,492	190	1,038	710	5,969	10,100	0.00	0.00
4	0	700	1,492	190	1,241	709	5,198	9,530	0.02	0.02
5	0	700	1,493	190	1,241	707	4,630	8,960	0.00	0.02

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Divisions by New Jersey through the D&R Canal December 30th – January 5th 2024 averaged 81.5 MGD.
The average diversion for the 27-day period ending (3 days of data is unavailable) January 5th 2024 is 77.5 MGD, the maximum is 88 MD.