

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for December 30th – January 5th, 2024 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
Dec 30	0	452	174	962	117	123	450	0	0	422
31	0	452	84	964	35	123	450	0	111	423
Jan 1	0	453	52	965	5	123	450	0	112	423
2	0	453	10	964	0	123	450	0	224	424
3	0	452	0	965	0	123	450	0	224	426
4	0	452	0	965	0	123	450	0	149	426
5	0	452	0	964	0	123	354	0	149	427

Pepacton Reservoir (P):	Available storage January 6, 2024 (0800) Spillway crest elevation 1,280.00 ft.	136.770 billion gallons 139.320 billion gallons	98.2%	1,278.61 (elev.ft.)
Cannonsville Reservoir (C):	Available storage January 6, 2024 (0800) Spillway crest elevation 1,150.00 ft.	92.227 billion gallons 93.448 billion gallons	98.7%	1,149.20 (elev.ft.)
Neversink Reservoir (N):	Available storage January 6, 2024 (0800) Spillway crest elevation 1,440.00 ft.	33.975 billion gallons 34.682 billion gallons	97.9%	1,438.55(elev.ft.)
Combined contents, PCN:	Available storage January 6, 2024 (0800) Combined capacity at spillway level	262.972 billion gallons 267.460 billion gallons	98.3%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Dec 30	0	700	265	190	740	892	13,213	16,000	0.02	7.28
31	0	700	1,437	190	738	836	10,200	14,100	<u>0.01</u>	<u>7.29</u>
Jan 1	0	700	1,489	190	739	841	8,641	12,600	0.00	0.00
2	0	700	1,491	190	740	717	7,463	11,300	0.00	0.00
3	0	700	1,492	190	1,038	710	5,969	10,100	0.00	0.00
4	0	700	1,492	190	1,241	709	5,198	9,530	0.02	0.02
5	0	700	1,493	190	1,241	707	4,630	8,960	0.00	0.02

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Divisions by New Jersey through the D&R Canal December 30th – January 5th 2024 averaged 81.5 MGD.
The average diversion for the 27-day period ending (3 days of data is unavailable) January 5th 2024 is 77.5 MGD, the maximum is 88 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for January 6th – January 12th, 2024 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
Jan 6	0	452	0	962	0	123	303	0	0	426
7	0	451	0	964	0	123	22	0	0	424
8	0	452	0	965	0	122	0	0	0	422
9	0	452	0	965	0	123	0	0	0	421
10	1	452	0	968	278	123	0	0	0	419
11	194	452	1	971	276	123	0	0	0	417
12	503	452	30	972	211	123	0	0	0	415

Pepacton Reservoir (P):	Available storage January 13, 2024 (0800) Spillway crest elevation 1,280.00 ft.	140.480 billion gallons 139.320 billion gallons	100.8%	1,280.65 (elev.ft.)
Cannonsville Reservoir (C):	Available storage January 13, 2024 (0800) Spillway crest elevation 1,150.00 ft.	93.940 billion gallons 93.448 billion gallons	100.5%	1,150.32 (elev.ft.)
Neversink Reservoir (N):	Available storage January 13, 2024 (0800) Spillway crest elevation 1,440.00 ft.	34.961 billion gallons 34.682 billion gallons	100.8%	1,440.54 (elev.ft.)
Combined contents, PCN:	Available storage January 13, 2024 (0800) Combined capacity at spillway level	269.381 billion gallons 267.460 billion gallons	100.7%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Jan 6	0	699	1,493	190	1,078	703	4,017	8,180	0.63	0.65
7	0	699	1,491	190	653	701	4,426	8,160	0.19	0.84
8	0	699	1,489	190	991	698	4,213	8,280	0.00	0.84
9	0	698	1,491	190	1,411	705	4,276	8,770	1.36	2.20
10	0	699	1,492	190	2,129	1,581	23,509	29,600	1.61	3.81
11	0	700	1,493	190	2,442	1,923	25,252	32,000	0.02	3.83
12	0	699	1,498	191	2,442	1,783	15,687	22,300	0.76	4.59

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal January 6th – January 12th 2024 averaged 81.3 MGD.
The average diversion for the 27-day period ending (3 days of data is unavailable) January 12th 2024 is 79.2 MGD, the maximum is 90 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for January 13th – January 19th, 2024 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
Jan 13	1,221	449	208	973	774	123	0	0	0	413
14	1,361	92	351	972	413	123	0	0	0	411
15	1,052	77	319	972	224	123	133	0	0	410
16	538	378	257	971	72	123	300	0	150	410
17	227	451	159	971	6	123	447	0	150	411
18	50	452	68	970	0	123	449	0	225	412
19	3	452	17	969	0	123	448	0	224	413

Pepacton Reservoir (P):	Available storage January 20, 2024 (0800) Spillway crest elevation 1,280.00 ft.	139.090 billion gallons 139.320 billion gallons	99.8%	1,279.88 (elev.ft.)
Cannonsville Reservoir (C):	Available storage January 20, 2024 (0800) Spillway crest elevation 1,150.00 ft.	93.448 billion gallons 93.448 billion gallons	100.0%	1,150.00 (elev.ft.)
Neversink Reservoir (N):	Available storage January 20, 2024 (0800) Spillway crest elevation 1,440.00 ft.	34.350 billion gallons 34.682 billion gallons	99.0%	1,439.31 (elev.ft.)
Combined contents, PCN:	Available storage January 20, 2024 (0800) Combined capacity at spillway level	266.888 billion gallons 267.460 billion gallons	99.8%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Jan 13	0	699	1,503	190	1,758	1,687	21,862	27,700	0.05	4.64
14	0	699	1,504	191	1,241	2,074	27,291	33,000	0.01	4.65
15	0	696	1,505	191	1,241	1,933	18,134	23,700	0.10	4.75
16	0	142	1,503	191	948	1,723	14,193	18,700	0.16	4.91
17	0	119	1,503	190	740	1,541	11,707	15,800	0.00	4.91
18	0	586	1,503	190	739	1,416	88,867	13,300	0.03	4.94
19	0	698	1,502	190	738	1,376	6,953	11,600	0.03	4.97

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversion by New Jersey through the D&R Canal January 13th – January 19th 2024 averaged 74.7 MGD.
The average diversion for the 29-day period ending (1 day of data is unavailable) January 19th 2024 is 77.4 MGD, the maximum is 90 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for January 20th – January 26th, 2024 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
Jan 20	0	452	0	968	0	123	449	0	150	414
21	0	452	0	968	0	123	449	0	151	415
22	0	452	0	966	0	123	449	0	150	416
23	0	451	0	969	0	123	450	0	150	416
24	0	452	0	970	0	122	344	0	150	417
25	0	452	0	969	0	123	200	0	0	416
26	6	452	21	971	45	123	0	0	0	414

Pepacton Reservoir (P):	Available storage January 27, 2024 (0800) Spillway crest elevation 1,280.00 ft.	139.540 billion gallons 139.320 billion gallons	100.2%	1,280.12 (elev.ft.)
Cannonsville Reservoir (C):	Available storage January 27, 2024 (0800) Spillway crest elevation 1,150.00 ft.	94.033 billion gallons 93.448 billion gallons	100.6%	1,150.38 (elev.ft.)
Neversink Reservoir (N):	Available storage January 27, 2024 (0800) Spillway crest elevation 1,440.00 ft.	34.851 billion gallons 34.682 billion gallons	100.5%	1,440.32 (elev.ft.)
Combined contents, PCN:	Available storage January 27, 2024 (0800) Combined capacity at spillway level	268.424 billion gallons 267.460 billion gallons	100.4%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Jan 20	0	699	1,501	190	739	1349	6,122	10,600	0.00	4.97
21	0	699	1,499	190	738	1,309	5,314	9,750	0.00	4.97
22	0	699	1,498	190	738	1,277	4,117	8,520	0.00	4.97
23	0	699	1,497	190	738	1,043	4,632	8,800	0.46	5.43
24	0	699	1,495	190	738	735	4,513	8,370	0.96	6.39
25	0	698	1,499	189	739	726	8,148	12,000	0.29	6.68
26	0	699	1,501	190	737	721	17,053	20,900	0.03	6.71

- Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal January 20th – January 26th 2024 averaged 78.3 MGD.
The average diversion for the 29-day period ending (1 day of data is unavailable) January 26th 2024 is 75.5 MGD, the maximum is 90 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for January 27th – February 2nd, 2024 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
Jan 27	327	452	233	972	270	123	0	0	0	412
28	853	452	505	970	316	123	353	0	0	412
29	766	451	683	923	228	123	450	0	0	412
30	593	452	865	180	118	123	148	0	75	412
31	318	452	682	882	91	123	287	0	0	411
Feb 1	136	452	444	964	23	123	450	0	147	412
2	31	452	254	964	1	123	450	188	151	413

Pepacton Reservoir (P):	Available storage February 3, 2024 (0800) Spillway crest elevation 1,280.00 ft.	139.330 billion gallons 139.320 billion gallons	100.0%	1,280.01 (elev.ft.)
Cannonsville Reservoir (C):	Available storage February 3, 2024 (0800) Spillway crest elevation 1,150.00 ft.	94.219 billion gallons 93.448 billion gallons	100.8%	1,150.50 (elev.ft.)
Neversink Reservoir (N):	Available storage February 3, 2024 (0800) Spillway crest elevation 1,440.00 ft.	34.617 billion gallons 34.682 billion gallons	99.8%	1,439.85 (elev.ft.)
Combined contents, PCN:	Available storage February 3, 2024 (0800) Combined capacity at spillway level	268.166 billion gallons 267.460 billion gallons	100.3%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Jan 27	0	699	1,499	190	738	715	19,559	23,400	0.43	7.19
28	0	699	1,502	191	738	712	16,257	20,100	0.76	7.90
29	0	700	1,503	191	738	726	19,042	22,900	0.00	7.90
30	0	699	1,501	190	736	719	15,255	19,100	0.29	8.19
31	0	698	1,428	191	738	840	11,105	15,000	<u>0.00</u>	<u>8.19</u>
Feb 1	0	699	278	190	737	771	11,624	14,300	0.02	0.02
2	0	699	1,365	190	738	730	8,978	12,700	0.03	0.05

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal January 27th – February 2nd 2024 averaged 75.0 MGD.
The average diversion for the 29-day period ending (1 day of data is unavailable) February 2nd 2024 is 79.1 MGD, the maximum is 93 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for January 27th – February 2nd, 2024 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
Jan 27	327	452	233	972	270	123	0	0	0	412
28	853	452	505	970	316	123	353	0	0	412
29	766	451	683	923	228	123	450	0	0	412
30	593	452	865	180	118	123	148	0	75	412
31	318	452	682	882	91	123	287	0	0	411
Feb 1	136	452	444	964	23	123	450	0	147	412
2	31	452	254	964	1	123	450	188	151	413

Pepacton Reservoir (P):	Available storage February 3, 2024 (0800) Spillway crest elevation 1,280.00 ft.	139.330 billion gallons 139.320 billion gallons	100.0%	1,280.01 (elev.ft.)
Cannonsville Reservoir (C):	Available storage February 3, 2024 (0800) Spillway crest elevation 1,150.00 ft.	94.219 billion gallons 93.448 billion gallons	100.8%	1,150.50 (elev.ft.)
Neversink Reservoir (N):	Available storage February 3, 2024 (0800) Spillway crest elevation 1,440.00 ft.	34.617 billion gallons 34.682 billion gallons	99.8%	1,439.85 (elev.ft.)
Combined contents, PCN:	Available storage February 3, 2024 (0800) Combined capacity at spillway level	268.166 billion gallons 267.460 billion gallons	100.3%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Jan 27	0	699	1,499	190	738	715	19,559	23,400	0.43	7.19
28	0	699	1,502	191	738	712	16,257	20,100	0.76	7.90
29	0	700	1,503	191	738	726	19,042	22,900	0.00	7.90
30	0	699	1,501	190	736	719	15,255	19,100	0.29	8.19
31	0	698	1,428	191	738	840	11,105	15,000	<u>0.00</u>	<u>8.19</u>
Feb 1	0	699	278	190	737	771	11,624	14,300	0.02	0.02
2	0	699	1,365	190	738	730	8,978	12,700	0.03	0.05

- Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Divisions by New Jersey through the D&R Canal January 27th – February 2nd 2024 averaged 75.0 MGD.
The average diversion for the 29-day period ending (1 day of data is unavailable) February 2nd 2024 is 79.1 MGD, the maximum is 93 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for February 3rd – February 9th, 2024 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
Feb 3	0	452	96	964	0	123	450	200	0	414
4	0	452	11	963	5	123	450	200	0	415
5	0	452	0	965	3	123	449	200	149	417
6	0	452	0	965	0	123	450	200	149	418
7	0	452	0	962	0	123	450	200	149	420
8	0	452	0	964	0	123	450	199	149	421
9	0	452	0	965	0	123	449	800	149	423

Pepacton Reservoir (P):	Available storage February 10, 2024 (0800)	136.620 billion gallons	98.1%	1,278.53 (elev.ft.)
	Spillway crest elevation 1,280.00 ft.	139.320 billion gallons		
Cannonsville Reservoir (C):	Available storage February 10, 2024 (0800)	90.122 billion gallons	96.4%	1,147.80 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Available storage February 10, 2024 (0800)	34.109 billion gallons	98.1%	1,438.64 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Available storage February 10, 2024 (0800)	260.761 billion gallons	97.5%	
	Combined capacity at spillway level	267.460 billion gallons		

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Feb 3	0	699	1,491	190	738	708	7,774	11,600	0.00	0.05
4	0	699	1,492	190	736	699	6,584	10,400	0.00	0.05
5	0	698	1,492	191	737	693	5,699	9,510	0.00	0.05
6	0	699	1,490	191	737	695	5,089	8,900	0.00	0.05
7	0	699	1,493	190	736	695	4,566	8,380	0.00	0.05
8	0	699	1,492	190	738	695	4,206	8,020	0.00	0.05
9	0	699	1,488	190	737	692	3,984	7,790	0.00	0.05

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal February 3rd – February 9th 2024 averaged 83.5 MGD.
The average diversion for the 30-day period ending February 9th 2024 is 79.4
MGD, the maximum is 90 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for February 10th – February 16th, 2024 (preliminary data – subject to revision)
RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill Begin 1200	Release begin 1200	Spill begin 2400	Release end 2400	Spill begin 1500	Release begin 1500	Beginning 0800	Beginning 0800	Beginning 0800	1-June-23 to date
Feb 10	0	452	0	963	0	123	449	201	0	424
11	0	452	0	972	0	123	449	200	0	425
12	0	452	0	968	0	123	449	200	150	426
13	0	452	0	885	0	122	449	195	150	427
14	0	451	0	424	0	123	449	200	150	429
15	0	452	0	388	0	123	449	200	149	430
16	0	440	0	387	0	122	449	200	150	432

Pepacton Reservoir (P):	Available storage February 17, 2024 (0800) Spillway crest elevation 1,280.00 ft.	134.050 billion gallons 139.320 billion gallons	96.2%	1,277.11 (elev.ft.)
Cannonsville Reservoir (C):	Available storage February 17, 2024 (0800) Spillway crest elevation 1,150.00 ft.	87.265 billion gallons 93.448 billion gallons	93.4%	1,145.87 (elev.ft.)
Neversink Reservoir (N):	Available storage February 17, 2024 (0800) Spillway crest elevation 1,440.00 ft.	33.262 billion gallons 34.682 billion gallons	95.9%	1,437.09 (elev.ft.)
Combined contents, PCN:	Available storage February 17, 2024 (0800) Combined capacity at spillway level	254.577 billion gallons 267.460 billion gallons	95.2%	

**SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE AND
PRECIPITATION IN UPPER DELAWARE RIVER BASIN**
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncon- trolled ²	Discharge	(inches)	
									Daily	Cumulative
Feb 10	0	699	1,492	190	737	688	3,814	7,620	0.09	0.14
11	0	699	1,492	190	738	680	3,881	7,680	0.00	0.14
12	0	699	1,490	190	738	643	3,921	7,680	0.20	0.34
13	0	698	1,503	190	737	678	3,763	7,570	0.09	0.43
14	0	699	1,497	189	740	651	3,493	7,270	0.00	0.43
15	0	699	1,369	190	739	549	2,745	6,290	0.05	0.48
16	0	698	655	190	739	668	2,970	5,920	0.09	0.57

1. Release directed to maintain a flow at Montague of 1,750 cfs and Trenton of 3,000 cfs.
Diversions by New Jersey through the D&R Canal February 10th – February 16th 2024 averaged 81.9 MGD.
The average diversion for the 30-day period ending February 16th 2024 is 80.3
MGD, the maximum is 85 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA

Web address: <http://water.usgs.gov/osw/odrm>

Summary river data for February 17th – February 23rd, 2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500				1-June-23 to date
17-Feb	0	225	0	387	0	123	449	200	0	433
18-Feb	0	193	0	387	0	123	449	200	0	433
19-Feb	0	193	0	386	0	122	450	200	151	435
20-Feb	0	194	0	386	0	122	344	200	149	436
21-Feb	0	194	0	386	0	123	448	200	149	437
22-Feb	0	194	0	386	0	123	447	200	149	438
23-Feb	0	193	0	385	0	122	447	0	150	439

Pepacton Reservoir (P):	Usable storage February 24, 2024 (0800) Spillway crest elevation 1,280.00 ft.	131.970 billion gallons 139.320 billion gallons	94.7%	1,275.95 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage February 24, 2024 (0800) Spillway crest elevation 1,150.00 ft.	85.570 billion gallons 93.448 billion gallons	91.6%	1,144.71 (elev.ft.)
Neversink Reservoir (N):	Usable storage February 24, 2024 (0800) Spillway crest elevation 1,440.00 ft.	32.285 billion gallons 34.682 billion gallons	93.1%	1,435.06 (elev.ft.)
Combined contents, PCN:	Usable storage February 24, 2024 (0800) Combined capacity at spillway level	249.825 billion gallons 267.460 billion gallons	93.4%	

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncontrolled	Discharge	(inches)	
									Daily	Cumulative
17-Feb	0	699	599	189	739	522	3,041	5,790	0.04	0.61
18-Feb	0	680	599	190	739	522	2,651	5,380	0	0.61
19-Feb	0	348	598	190	739	521	2,674	5,070	0	0.61
20-Feb	0	299	598	189	739	519	2,605	4,950	0	0.61
21-Feb	0	299	598	189	741	520	2,393	4,740	0	0.61
22-Feb	0	300	597	190	741	521	2,361	4,710	0.17	0.78
23-Feb	0	300	597	190	654	524	2,595	4,860	0	0.78

¹Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

Diversions by New Jersey through the D&R Canal February 17th – February 23rd, 2024, averaged 83.8 MGD.

The average diversion for the 30-day period ending February 23rd, 2024, is 80.5 MGD; the maximum is 85.3 MD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA

Web address: <http://water.usgs.gov/osw/odrm>

Summary river data for February 24th – March 1st, 2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500				1-June-23 to date
24-Feb	0	193	0	385	0	123	447	0	0	439
25-Feb	0	193	0	385	0	123	447	0	0	439
26-Feb	0	193	0	386	0	123	447	0	150	440
27-Feb	0	194	0	387	0	122	447	0	150	440
28-Feb	0	194	0	388	0	123	446	0	150	441
29-Feb	0	194	0	338	0	123	447	0	0	441
1-Mar	0	194	0	388	0	123	448	0	149	441

Pepacton Reservoir (P):	Usable storage March 2, 2024 (0800) Spillway crest elevation 1,280.00 ft.	130.630 billion gallons 139.320 billion gallons	93.8%	1,275.20 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage March 2, 2024 (0800) Spillway crest elevation 1,150.00 ft.	85.686 billion gallons 93.448 billion gallons	91.7%	1,144.80 (elev.ft.)
Neversink Reservoir (N):	Usable storage March 2, 2024 (0800) Spillway crest elevation 1,440.00 ft.	32.075 billion gallons 34.682 billion gallons	92.5%	1,434.62 (elev.ft.)
Combined contents, PCN:	Usable storage March 2, 2024 (0800) Combined capacity at spillway level	248.391 billion gallons 267.460 billion gallons	92.9%	

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncontrolled	Discharge	(inches)	
									Daily	Cumulative
24-Feb	0	300	596	189	386	536	2,942	4,950	0	0.78
25-Feb	0	298	596	190	741	535	2,660	5,020	0	0.78
26-Feb	0	299	596	190	742	536	2,347	4,710	0	0.78
27-Feb	0	299	596	190	638	536	2,542	4,800	0	0.78
28-Feb	0	299	598	189	713	545	3,496	5,840	0.59	1.37
29-Feb	0	300	599	190	744	551	6,786	9,170	0	1.37
1-Mar	0	300	600	190	741	542	7,017	9,390	0.13	0.13

¹Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

Diversions by New Jersey through the D&R Canal February 24th – March 1st, 2024, averaged 85.2 MGD.

The average diversion for the 30-day period ending March 1st, 2024, is 82.6 MGD; the maximum is 86.0 MGD.

There were 3 days of missing provisional data (Feb 28 to Mar 1) for the report period.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA

Web address: <http://water.usgs.gov/osw/odrm>

Summary river data for February 24th – March 1st, 2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500				1-June-23 to date
24-Feb	0	193	0	385	0	123	447	0	0	439
25-Feb	0	193	0	385	0	123	447	0	0	439
26-Feb	0	193	0	386	0	123	447	0	150	440
27-Feb	0	194	0	387	0	122	447	0	150	440
28-Feb	0	194	0	388	0	123	446	0	150	441
29-Feb	0	194	0	338	0	123	447	0	0	441
1-Mar	0	194	0	388	0	123	448	0	149	441

Pepacton Reservoir (P):	Usable storage March 2, 2024 (0800) Spillway crest elevation 1,280.00 ft.	130.630 billion gallons 139.320 billion gallons	93.8%	1,275.20 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage March 2, 2024 (0800) Spillway crest elevation 1,150.00 ft.	85.686 billion gallons 93.448 billion gallons	91.7%	1,144.80 (elev.ft.)
Neversink Reservoir (N):	Usable storage March 2, 2024 (0800) Spillway crest elevation 1,440.00 ft.	32.075 billion gallons 34.682 billion gallons	92.5%	1,434.62 (elev.ft.)
Combined contents, PCN:	Usable storage March 2, 2024 (0800) Combined capacity at spillway level	248.391 billion gallons 267.460 billion gallons	92.9%	

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncontrolled	Discharge	(inches)	
									Daily	Cumulative
24-Feb	0	300	596	189	386	536	2,942	4,950	0	0.78
25-Feb	0	298	596	190	741	535	2,660	5,020	0	0.78
26-Feb	0	299	596	190	742	536	2,347	4,710	0	0.78
27-Feb	0	299	596	190	638	536	2,542	4,800	0	0.78
28-Feb	0	299	598	189	713	545	3,496	5,840	0.59	1.37
29-Feb	0	300	599	190	744	551	6,786	9,170	0	1.37
1-Mar	0	300	600	190	741	542	7,017	9,390	0.13	0.13

¹Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

Diversions by New Jersey through the D&R Canal February 24th – March 1st, 2024, averaged 85.2 MGD.

The average diversion for the 30-day period ending March 1st, 2024, is 82.6 MGD; the maximum is 86.0 MGD.

There were 3 days of missing provisional data (Feb 28 to Mar 1) for the report period.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA

Web address: <http://water.usgs.gov/osw/odrm>

Summary river data for March 2nd – March 8th, 2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500				1-June-23 to date
2-Mar	0	194	0	387	0	123	351	0	0	441
3-Mar	0	194	0	388	0	123	450	0	0	441
4-Mar	0	194	0	389	0	123	300	0	150	441
5-Mar	0	194	0	389	0	123	49	0	0	440
6-Mar	0	194	0	390	0	123	0	0	0	438
7-Mar	0	194	0	393	0	123	0	0	0	437
8-Mar	0	195	28	506	0	123	0	0	64	435

Pepacton Reservoir (P):	Usable storage March 9, 2024 (0800) Spillway crest elevation 1,280.00 ft.	139.980 billion gallons 139.320 billion gallons	99.8%	1,279.81 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage March 9, 2024 (0800) Spillway crest elevation 1,150.00 ft.	94.048 billion gallons 93.448 billion gallons	100.6%	1,150.39 (elev.ft.)
Neversink Reservoir (N):	Usable storage March 9, 2024 (0800) Spillway crest elevation 1,440.00 ft.	34.374 billion gallons 34.682 billion gallons	99.1%	1,439.36 (elev.ft.)
Combined contents, PCN:	Usable storage March 9, 2024 (0800) Combined capacity at spillway level	267.402 billion gallons 267.460 billion gallons	100.0%	

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncontrolled	Discharge	(inches)	
									Daily	Cumulative
2-Mar	0	300	600	190	790	540	5,690	8,110	0.58	0.71
3-Mar	0	300	600	190	746	547	10,117	12,500	0	0.71
4-Mar	0	300	599	190	745	542	9,923	12,300	0.01	0.72
5-Mar	0	301	601	190	1,164	546	8,498	11,300	0.66	1.38
6-Mar	0	301	602	190	1,424	552	13,031	16,100	0.96	2.34
7-Mar	0	300	602	191	1,426	568	18,712	21,800	0.03	2.37
8-Mar	0	301	604	190	1,424	594	18,687	21,800	0	2.37

¹Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

Diversions by New Jersey through the D&R Canal March 2nd – March 8th, 2024, averaged 61.4 MGD.

The average diversion for the 30-day period ending March 8th, 2024, is 77.7 MGD; the maximum is 86.0 MGD.

There were 3 days of missing provisional data (Feb 28 to Mar 1) for the report period.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA

Web address: <http://water.usgs.gov/osw/odrm>

Summary river data for March 9th – March 15th, 2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500				1-June-23 to date
9-Mar	303	356	303	950	81	123	0	0	0	434
10-Mar	1,463	334	1,463	919	630	118	0	0	0	432
11-Mar	1,803	23	1,803	741	318	123	0	0	0	431
12-Mar	1,456	23	1,456	894	208	123	0	0	0	429
13-Mar	1,032	162	1,032	964	169	123	0	0	0	428
14-Mar	691	400	691	964	162	123	0	0	0	426
15-Mar	473	452	473	966	151	123	0	0	0	425

Pepacton Reservoir (P):	Usable storage March 16, 2024 (0800) Spillway crest elevation 1,280.00 ft.	140.050 billion gallons 139.320 billion gallons	100.5% 1,280.40 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage March 16, 2024 (0800) Spillway crest elevation 1,150.00 ft.	94.838 billion gallons 93.448 billion gallons	101.5% 1,150.90 (elev.ft.)
Neversink Reservoir (N):	Usable storage March 16, 2024 (0800) Spillway crest elevation 1,440.00 ft.	34.816 billion gallons 34.682 billion gallons	100.4% 1,440.25 (elev.ft.)
Combined contents, PCN:	Usable storage March 16, 2024 (0800) Combined capacity at spillway level	269.704 billion gallons 267.460 billion gallons	100.8%

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncontrolled	Discharge	(inches)	
									Daily	Cumulative
9-Mar	0	301	607	191	1,475	719	13,307	16,600	1.53	3.90
10-Mar	0	301	782	190	1,531	806	31,489	35,100	0.12	4.02
3/11/2024	0	550	1,470	183	1,527	932	29,338	34,000	0	4.02
3/12/2024	0	517	1,421	190	1,533	1,056	20,983	25,700	0	4.02
3/13/2024	0	35	1,146	190	1,537	1,189	17,102	21,200	0.01	4.03
3/14/2024	0	35	1,383	190	1,537	1,130	13,625	17,900	0.01	4.04
3/15/2024	0	251	1,491	190	1,534	964	11,070	15,500	0.02	4.06

¹Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

Diversions by New Jersey through the D&R Canal March 9th – March 15th, 2024, averaged 80.7 MGD.

The average diversion for the 30-day period ending March 15th, 2024, is 77.1 MGD; the maximum is 86.0 MGD.

There were 4 days of missing provisional data (Feb 28 – Mar 1, and Mar 10) for the report period.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA

Web address: <http://water.usgs.gov/osw/odrm>

Summary river data for March 16th – March 22nd, 2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500				1-June-23 to date
16-Mar	324	452	321	966	123	123	0	0	0	423
17-Mar	282	452	209	965	108	123	0	0	0	422
18-Mar	249	452	126	965	81	123	0	0	0	420
19-Mar	154	452	51	965	10	123	293	0	150	420
20-Mar	8	451	7	970	0	123	355	0	150	421
21-Mar	0	452	0	973	0	123	355	0	150	421
22-Mar	0	452	0	972	0	123	355	0	149	421

Pepacton Reservoir (P):	Usable storage March 23, 2024 (0800) Spillway crest elevation 1,280.00 ft.	138.580 billion gallons 139.320 billion gallons	99.5%	1,279.60 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage March 23, 2024 (0800) Spillway crest elevation 1,150.00 ft.	92.653 billion gallons 93.448 billion gallons	99.1%	1,149.48 (elev.ft.)
Neversink Reservoir (N):	Usable storage March 23, 2024 (0800) Spillway crest elevation 1,440.00 ft.	34.187 billion gallons 34.682 billion gallons	98.5%	1,440.98 (elev.ft.)
Combined contents, PCN:	Usable storage March 23, 2024 (0800) Combined capacity at spillway level	265.420 billion gallons 267.460 billion gallons	99.2%	

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncontrolled	Discharge	(inches)	
									Daily	Cumulative
16-Mar	0	618	1,491	191	1,534	1,149	8,816	13,800	0.11	4.17
17-Mar	0	699	1,495	191	1,534	1,141	6,940	12,000	0.02	4.19
18-Mar	0	699	1,494	190	774	1,347	6,595	11,100	0.01	4.20
19-Mar	0	699	1,492	190	774	988	5,667	9,810	0.07	4.27
20-Mar	0	699	1,492	190	789	711	4,779	8,660	0.16	4.43
21-Mar	0	700	1,492	190	313	703	4,702	8,100	0	4.43
22-Mar	0	697	1,500	190	485	698	4,020	7,590	0.52	4.95

¹Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

Diversions by New Jersey through the D&R Canal March 16th – March 22nd, 2024, averaged 83.6 MGD.

The average diversion for the 30-day period ending March 22nd, 2024, is 77.3 MGD; the maximum is 86.0 MGD.

There were 5 days of missing provisional data (Feb 28 – Mar 1, Mar 10, and Mar 23) for the report period.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA

Web address: <http://water.usgs.gov/osw/odrm>

Summary river data for March 23rd – March 29th, 2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500				1-June-23 to date
23-Mar	107	452	0	977	25	123	61	0	0	420
24-Mar	539	452	8	974	209	123	0	0	0	419
25-Mar	602	452	33	974	173	123	0	0	0	417
26-Mar	493	452	77	974	130	123	205	0	0	417
27-Mar	481	452	107	973	129	123	205	0	0	416
28-Mar	568	452	144	972	132	123	205	0	0	415
29-Mar	515	452	134	971	74	123	205	0	0	414

Pepacton Reservoir (P):	Usable storage March 30, 2024 (0800) Spillway crest elevation 1,280.00 ft.	143.608 billion gallons 139.320 billion gallons	100.6% 1,280.45 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage March 30, 2024 (0800) Spillway crest elevation 1,150.00 ft.	94.979 billion gallons 93.448 billion gallons	100.6% 1,150.40 (elev.ft.)
Neversink Reservoir (N):	Usable storage March 30, 2024 (0800) Spillway crest elevation 1,440.00 ft.	35.212 billion gallons 34.682 billion gallons	100.1% 1,440.11 (elev.ft.)
Combined contents, PCN:	Usable storage March 30, 2024 (0800) Combined capacity at spillway level	268.929 billion gallons 267.460 billion gallons	100.5%

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncontrolled	Discharge	(inches)	
									Daily	Cumulative
23-Mar	0	699	1,506	190	607	712	6,387	10,100	1.37	6.32
24-Mar	0	699	1,504	190	746	758	19,509	23,400	0	6.32
25-Mar	0	699	1,511	190	746	722	13,133	17,000	0	6.32
26-Mar	0	699	1,506	190	263	720	10,321	13,700	0.01	6.33
27-Mar	0	699	1,506	190	0	797	9,307	12,500	0.27	6.60
28-Mar	0	699	1,507	190	0	1,320	8,983	12,700	0	6.60
29-Mar	0	699	1,505	190	0	1,348	8,258	12,000	0	6.60

¹Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

Diversions by New Jersey through the D&R Canal March 23rd – March 29th, 2024, averaged 74.1 MGD.

The average diversion for the 30-day period ending March 29th, 2024, is 74.8 MGD; the maximum is 85.3 MGD.

There were 4 days of missing provisional data for the report period.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA

Web address: <http://water.usgs.gov/osw/odrm>

Summary river data for April 6th – April 12th, 2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500				1-June-23 to date
6-Apr	214	452	220	972	97	123	205	0	0	409
7-Apr	195	452	231	972	88	123	205	0	0	408
8-Apr	192	452	215	972	86	115	205	0	0	408
9-Apr	139	451	172	971	156	0	205	0	0	407
10-Apr	201	452	145	972	192	48	51	0	0	406
11-Apr	420	452	180	972	243	123	0	0	0	405
12-Apr	1,608	148	502	973	1,748	78	0	0	0	403

Pepacton Reservoir (P):	Usable storage April 13, 2024 (0800) Spillway crest elevation 1,280.00 ft.	141.590 billion gallons 139.320 billion gallons	101.6% 1,281.23 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage April 13, 2024 (0800) Spillway crest elevation 1,150.00 ft.	95.602 billion gallons 93.448 billion gallons	102.3% 1,151.39 (elev.ft.)
Neversink Reservoir (N):	Usable storage April 13, 2024 (0800) Spillway crest elevation 1,440.00 ft.	35.226 billion gallons 34.682 billion gallons	101.5% 1,441.07 (elev.ft.)
Combined contents, PCN:	Usable storage April 13, 2024 (0800) Combined capacity at spillway level	272.418 billion gallons 267.460 billion gallons	101.9%

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncontrolled	Discharge	(inches)	
									Daily	Cumulative
6-Apr	0	700	1,502	190	839	1,307	14,362	18,900	0	2.35
7-Apr	0	700	1,503	190	839	1,367	11,700	16,300	0.01	2.36
8-Apr	0	699	1,504	190	839	1,373	9,695	14,300	0	2.36
9-Apr	0	699	1,504	190	838	1,335	8,533	13,100	0.05	2.41
10-Apr	0	699	1,504	122	838	1,090	7,646	11,900	0.26	2.67
11-Apr	0	699	1,503	0	839	987	7,771	11,800	0.75	3.42
12-Apr	0	699	1,503	130	838	823	11,507	15,500	0.47	3.89

¹Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

Diversions by New Jersey through the D&R Canal April 6th – April 12th, 2024, averaged 80.6 MGD.

The average diversion for the 30-day period ending April 12th, 2024, is 75.5 MGD; the maximum is 85.3 MGD.

There were 2 days of missing provisional data for the report period.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA

Web address: <http://water.usgs.gov/osw/odrm>

Summary river data for April 13th – April 19th, 2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500				1-June-23 to date
13-Apr	2,265	23	974	975	828	123	0	0	0	402
14-Apr	2,010	23	1,078	976	458	123	0	0	0	401
15-Apr	1,501	23	986	974	343	123	155	0	0	400
16-Apr	961	75	787	894	226	123	206	0	0	400
17-Apr	606	422	881	74	186	123	202	0	0	399
18-Apr	602	451	1,047	0	247	123	255	0	0	398
19-Apr	335	452	1,068	54	272	79	405	0	0	398

Pepacton Reservoir (P):	Usable storage April 13, 2024 (0800) Spillway crest elevation 1,280.00 ft.	139.900 billion gallons 139.320 billion gallons	100.4% 1,280.32 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage April 13, 2024 (0800) Spillway crest elevation 1,150.00 ft.	95.852 billion gallons 93.448 billion gallons	102.6% 1,151.55 (elev.ft.)
Neversink Reservoir (N):	Usable storage April 13, 2024 (0800) Spillway crest elevation 1,440.00 ft.	34.871 billion gallons 34.682 billion gallons	100.5% 1,440.36 (elev.ft.)
Combined contents, PCN:	Usable storage April 13, 2024 (0800) Combined capacity at spillway level	270.623 billion gallons 267.460 billion gallons	101.2%

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncontrolled	Discharge	(inches)	
									Daily	Cumulative
13-Apr	0	699	1,504	191	837	769	22,301	26,300	0.06	3.95
14-Apr	0	699	1,504	120	837	728	19,511	23,400	0.22	4.17
15-Apr	0	94	1,508	190	837	685	17,285	20,600	0	4.17
16-Apr	0	35	1,510	190	836	546	14,583	17,700	0	4.17
17-Apr	0	35	1,507	190	836	543	11,789	14,900	0.21	4.38
18-Apr	0	116	1,383	190	836	543	9,532	12,600	0.01	4.39
19-Apr	0	653	114	190	837	543	10,263	12,600	0.03	4.42

¹Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

Diversions by New Jersey through the D&R Canal April 13th – April 19th, 2024, averaged 82.4 MGD.

The average diversion for the 30-day period ending April 19th, 2024, is 76.3 MGD; the maximum is 86.6 MGD.

There were 2 days of missing provisional data for the report period.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA

Web address: <http://water.usgs.gov/osw/odrm>

Summary river data for April 20th – April 26th, 2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500				1-June-23 to date
20-Apr	201	452	703	841	184	84	405	0	0	399
21-Apr	102	452	385	971	138	123	405	0	0	399
22-Apr	4	452	192	969	121	123	405	0	0	399
23-Apr	0	451	67	968	100	123	447	0	0	399
24-Apr	0	452	7	935	37	123	455	0	0	399
25-Apr	0	290	0	597	27	123	454	0	0	399
26-Apr	0	194	0	582	21	123	371	0	0	399

Pepacton Reservoir (P):	Usable storage April 13, 2024 (0800) Spillway crest elevation 1,280.00 ft.	138.160 billion gallons 139.320 billion gallons	99.2%	1,279.34 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage April 13, 2024 (0800) Spillway crest elevation 1,150.00 ft.	93.203 billion gallons 93.448 billion gallons	99.7%	1,149.84 (elev.ft.)
Neversink Reservoir (N):	Usable storage April 13, 2024 (0800) Spillway crest elevation 1,440.00 ft.	34.716 billion gallons 34.682 billion gallons	100.1%	1,440.05 (elev.ft.)
Combined contents, PCN:	Usable storage April 13, 2024 (0800) Combined capacity at spillway level	266.079 billion gallons 267.460 billion gallons	99.5%	

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncontrolled	Discharge	(inches)	
									Daily	Cumulative
20-Apr	0	698	0	122	836	433	9,511	11,600	0.01	4.43
21-Apr	0	699	83	131	838	400	9,023	11,200	0	4.43
22-Apr	0	699	1,302	190	837	444	6,508	9,980	0	4.43
23-Apr	0	699	1,502	190	837	453	5,089	8,770	0	4.43
24-Apr	0	699	1,499	191	595	437	4,759	8,180	0.06	4.49
25-Apr	0	698	1,498	191	838	323	4,062	7,610	0	4.49
26-Apr	0	699	1,447	191	838	266	3,040	6,480	0	4.49

¹Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

Diversions by New Jersey through the D&R Canal April 20th – April 26th, 2024, averaged 86.1 MGD.

The average diversion for the 30-day period ending April 26th, 2024, is 79.0 MGD; the maximum is 87.3 MGD.

There was 1 day of missing provisional data for the report period.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA

Web address: <http://water.usgs.gov/osw/odrm>

Summary river data for April 27th – May 3rd, 2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500				1-June-23 to date
27-Apr	0	194	0	581	13	123	350	0	0	399
28-Apr	0	194	0	581	13	123	350	0	0	399
29-Apr	0	193	0	580	10	123	282	186	0	399
30-Apr	0	194	0	580	7	123	256	200	0	399
1-May	0	193	0	579	14	123	0	0	0	398
2-May	0	193	0	569	2	123	0	0	0	397
3-May	0	194	0	388	0	123	276	0	0	396

Pepacton Reservoir (P):	Usable storage May 4, 2024 (0800) Spillway crest elevation 1,280.00 ft.	137.870 billion gallons 139.320 billion gallons	99.0%	1,279.21 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage May 4, 2024 (0800) Spillway crest elevation 1,150.00 ft.	91.863 billion gallons 93.448 billion gallons	98.3%	1,148.96 (elev.ft.)
Neversink Reservoir (N):	Usable storage May 4, 2024 (0800) Spillway crest elevation 1,440.00 ft.	34.652 billion gallons 34.682 billion gallons	99.9%	1,439.92 (elev.ft.)
Combined contents, PCN:	Usable storage May 4, 2024 (0800) Combined capacity at spillway level	264.385 billion gallons 267.460 billion gallons	98.9%	

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncontrolled	Discharge	(inches)	
									Daily	Cumulative
27-Apr	0	449	924	191	600	160	2,876	5,200	0.08	4.57
28-Apr	0	300	900	191	0	229	3,241	4,860	0	4.57
29-Apr	0	300	899	190	0	232	3,259	4,880	0.01	4.58
30-Apr	0	300	898	191	262	326	3,103	5,080	0.47	5.05
1-May	0	299	896	191	260	394	4,059	6,100	0	0.00
2-May	0	299	898	190	633	302	3,528	5,850	0	0.00
3-May	0	299	896	190	0	269	3,226	4,880	0	0.00

¹Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

Diversions by New Jersey through the D&R Canal April 27th – May 3rd, 2024, averaged 88.4 MGD.

The average diversion for the 30-day period ending May 3rd, 2024, is 81.5 MGD; the maximum is 92.4 MGD.

There was 1 day of missing provisional data for the report period.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA

Web address: <http://water.usgs.gov/osw/odrm>

Summary river data for April 27th – May 3rd, 2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500				1-June-23 to date
27-Apr	0	194	0	581	13	123	350	0	0	399
28-Apr	0	194	0	581	13	123	350	0	0	399
29-Apr	0	193	0	580	10	123	282	186	0	399
30-Apr	0	194	0	580	7	123	256	200	0	399
1-May	0	193	0	579	14	123	0	0	0	398
2-May	0	193	0	569	2	123	0	0	0	397
3-May	0	194	0	388	0	123	276	0	0	396

Pepacton Reservoir (P):	Usable storage May 4, 2024 (0800) Spillway crest elevation 1,280.00 ft.	137.870 billion gallons 139.320 billion gallons	99.0%	1,279.21 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage May 4, 2024 (0800) Spillway crest elevation 1,150.00 ft.	91.863 billion gallons 93.448 billion gallons	98.3%	1,148.96 (elev.ft.)
Neversink Reservoir (N):	Usable storage May 4, 2024 (0800) Spillway crest elevation 1,440.00 ft.	34.652 billion gallons 34.682 billion gallons	99.9%	1,439.92 (elev.ft.)
Combined contents, PCN:	Usable storage May 4, 2024 (0800) Combined capacity at spillway level	264.385 billion gallons 267.460 billion gallons	98.9%	

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncontrolled	Discharge	(inches)	
									Daily	Cumulative
27-Apr	0	449	924	191	600	160	2,876	5,200	0.08	4.57
28-Apr	0	300	900	191	0	229	3,241	4,860	0	4.57
29-Apr	0	300	899	190	0	232	3,259	4,880	0.01	4.58
30-Apr	0	300	898	191	262	326	3,103	5,080	0.47	5.05
1-May	0	299	896	191	260	394	4,059	6,100	0	0.00
2-May	0	299	898	190	633	302	3,528	5,850	0	0.00
3-May	0	299	896	190	0	269	3,226	4,880	0	0.00

¹Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

Diversions by New Jersey through the D&R Canal April 27th – May 3rd, 2024, averaged 88.4 MGD.

The average diversion for the 30-day period ending May 3rd, 2024, is 81.5 MGD; the maximum is 92.4 MGD.

There was 1 day of missing provisional data for the report period.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA

Web address: <http://water.usgs.gov/osw/odrm>

Summary river data for May 4th – May 10th, 2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500				1-June-23 to date
4-May	0	140	0	387	0	123	341	0	0	396
5-May	0	94	0	388	9	123	351	0	0	396
6-May	0	93	0	388	33	123	352	0	0	396
7-May	0	94	0	388	25	123	352	0	0	396
8-May	0	85	0	388	1	123	450	0	149	396
9-May	0	81	0	387	0	123	372	0	150	397
10-May	0	81	0	387	0	123	350	0	147	397

Pepacton Reservoir (P):	Usable storage May 4, 2024 (0800)	137.100 billion gallons	98.4%	1,278.79 (elev.ft.)
	Spillway crest elevation 1,280.00 ft.	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage May 4, 2024 (0800)	91.606 billion gallons	98.0%	1,148.79 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage May 4, 2024 (0800)	34.325 billion gallons	98.9%	1,439.26 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage May 4, 2024 (0800)	263.031 billion gallons	98.3%	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncontrolled	Discharge	(inches)	
									Daily	Cumulative
4-May	0	299	880	191	0	245	2,695	4,310	0.36	0.36
5-May	0	299	601	191	0	233	2,926	4,250	0.60	0.96
6-May	0	216	599	191	0	300	5,735	7,040	0	0.96
7-May	0	143	600	191	407	413	5,646	7,400	0.22	1.18
8-May	0	144	600	190	739	559	4,398	6,630	0	1.18
9-May	0	145	599	190	739	620	4,157	6,450	0.47	1.65
10-May	0	131	599	190	740	620	4,159	6,440	0.25	1.90

¹Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

Diversions by New Jersey through the D&R Canal May 4th – May 10th, 2024, averaged 86.9 MGD.

The average diversion for the 30-day period ending May 10th, 2024, is 85.2 MGD; the maximum is 92.4 MGD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PA

Web address: <http://water.usgs.gov/osw/odrm>

Summary river data for May 11th – May 17th, 2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500				1-June-23 to date
11-May	0	81	0	387	0	123	350	0	148	397
12-May	0	80	0	388	0	123	349	0	149	398
13-May	0	80	0	387	0	123	300	168	149	398
14-May	0	81	0	384	0	78	300	199	149	399
15-May	0	81	0	268	0	58	300	199	148	400
16-May	0	81	0	259	0	58	203	199	149	400
17-May	0	82	0	259	0	58	300	199	143	401

Pepacton Reservoir (P):	Usable storage May 18, 2024 (0800) Spillway crest elevation 1,280.00 ft.	136.700 billion gallons 139.320 billion gallons	98.1%	1,278.57 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage May 18, 2024 (0800) Spillway crest elevation 1,150.00 ft.	90.854 billion gallons 93.448 billion gallons	97.2%	1,148.29 (elev.ft.)
Neversink Reservoir (N):	Usable storage May 18, 2024 (0800) Spillway crest elevation 1,440.00 ft.	33.857 billion gallons 34.682 billion gallons	97.6%	1,438.31 (elev.ft.)
Combined contents, PCN:	Usable storage May 18, 2024 (0800) Combined capacity at spillway level	261.411 billion gallons 267.460 billion gallons	97.7%	

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncontrolled	Discharge	(inches)	
									Daily	Cumulative
11-May	0	125	599	190	498	620	4,699	6,730	0.20	2.10
12-May	0	125	599	190	0	620	5,126	6,660	0.11	2.21
13-May	0	125	599	190	0	600	6,087	7,600	0	2.21
14-May	0	124	599	190	550	428	5,109	7,000	0.49	2.70
15-May	0	124	599	121	649	446	4,992	6,930	0.12	2.82
16-May	0	126	594	90	553	406	6,971	8,740	0.01	2.83
17-May	0	126	415	90	552	320	6,007	7,510	0	2.83

¹Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

Diversions by New Jersey through the D&R Canal May 11th – May 17th, 2024, averaged 86.6 MGD.

The average diversion for the 30-day period ending May 11th – May 17th, 2024, is 86.8 MGD; the maximum is 92.4 MGD.

OFFICE OF THE DELAWARE RIVER MASTER, MILFORD, PAWeb address: <http://water.usgs.gov/osw/odrm>Summary river data for May 18th – May 24th, 2024 (preliminary data – subject to revision)**NYC RESERVOIR OPERATION DATA**

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500				1-June-23 to date
18-May	0	80	0	259	0	58	300	199	0	401
19-May	0	80	0	259	0	58	300	199	0	401
20-May	0	81	0	258	0	58	299	199	150	402
21-May	0	86	0	290	0	62	200	199	149	402
22-May	0	90	0	290	0	65	200	199	147	403
23-May	0	90	0	288	0	65	200	199	150	403
24-May	0	90	0	290	0	65	200	199	225	404

Pepacton Reservoir (P):	Usable storage May 18, 2024 (0800) Spillway crest elevation 1,280.00 ft.	135.970 billion gallons 139.320 billion gallons	97.6%	1,278.17 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage May 18, 2024 (0800) Spillway crest elevation 1,150.00 ft.	89.288 billion gallons 93.448 billion gallons	95.5%	1,147.24 (elev.ft.)
Neversink Reservoir (N):	Usable storage May 18, 2024 (0800) Spillway crest elevation 1,440.00 ft.	33.413 billion gallons 34.682 billion gallons	96.3%	1,437.40 (elev.ft.)
Combined contents, PCN:	Usable storage May 18, 2024 (0800) Combined capacity at spillway level	258.671 billion gallons 267.460 billion gallons	96.7%	

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncontrolled	Discharge	(inches)	
									Daily	Cumulative
18-May	0	126	400	90	386	353	4,685	6,040	0.07	2.90
19-May	0	126	400	90	0	294	4,530	5,440	0	2.90
20-May	0	124	400	90	0	259	4,237	5,110	0	2.90
21-May	0	124	400	90	170	331	3,835	4,950	0	2.90
22-May	0	126	400	96	273	376	3,399	4,670	0.21	3.11
23-May	0	132	449	101	294	375	3,259	4,610	0.36	3.47
24-May	0	139	449	100	281	346	3,515	4,830	0	3.47

¹Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.Diversions by New Jersey through the D&R Canal May 18th – May 24th, 2024, averaged 89.1 MGD.The average diversion for the 30-day period ending May 24th, 2024, is 87.7 MGD; the maximum is 92.4 MGD.

OFFICE OF THE DELAWARE RIVER MASTERWeb address: <http://water.usgs.gov/osw/odrm>Summary river data for May 25th – May 31st, 2024 (preliminary data – subject to revision)**NYC RESERVOIR OPERATION DATA**

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500				1-June-23 to date
25-May	0	90	0	290	0	65	200	199	222	404
26-May	0	90	0	289	0	65	200	199	224	405
27-May	0	90	0	289	0	65	200	199	226	406
28-May	0	90	0	289	0	65	288	232	0	406
29-May	0	90	0	291	0	65	431	254	0	407
30-May	0	90	0	292	0	65	422	246	0	407
31-May	0	90	0	292	0	65	449	299	0	408

Pepacton Reservoir (P):	Usable storage May 18, 2024 (0800) Spillway crest elevation 1,280.00 ft.	134.880 billion gallons 139.320 billion gallons	96.8%	1,278.17 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage May 18, 2024 (0800) Spillway crest elevation 1,150.00 ft.	87.676 billion gallons 93.448 billion gallons	93.8%	1,147.24 (elev.ft.)
Neversink Reservoir (N):	Usable storage May 18, 2024 (0800) Spillway crest elevation 1,440.00 ft.	33.500 billion gallons 34.682 billion gallons	96.6%	1,437.40 (elev.ft.)
Combined contents, PCN:	Usable storage May 18, 2024 (0800) Combined capacity at spillway level	256.056 billion gallons 267.460 billion gallons	95.7%	

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncontrolled	Discharge	(inches)	
									Daily	Cumulative
25-May	0	139	446	101	192	326	2,957	4,160	0	3.47
26-May	0	139	449	100	0	265	2,726	3,680	0.03	3.50
27-May	0	139	448	100	114	380	2,598	3,780	0.85	4.35
28-May	0	138	448	100	345	383	5,076	6,490	0.34	4.69
29-May	0	139	447	101	469	575	5,749	7,480	0.39	5.08
30-May	0	139	448	101	598	486	4,899	6,670	0	5.08
31-May	0	139	450	101	330	461	4,359	5,840	0	5.08

¹Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.Diversions by New Jersey through the D&R Canal May 25th – May 31st, 2024, averaged 87.9 MGD.The average diversion for the 30-day period ending May 31st, 2024, is 87.8 MGD; the maximum is 92.4 MGD.

OFFICE OF THE DELAWARE RIVER MASTERWeb address: <http://water.usgs.gov/osw/odrm>Summary river data for June 1st – June 7th, 2024 (preliminary data – subject to revision)**NYC RESERVOIR OPERATION DATA**

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500				1-June-23 to date
1-Jun	0	93	0	324	0	71	300	299	0	599
2-Jun	0	97	0	323	0	74	300	298	0	599
3-Jun	0	97	0	323	0	74	300	201	0	566
4-Jun	0	96	0	323	0	74	225	199	0	531
5-Jun	0	96	0	323	0	74	200	199	0	504
6-Jun	0	97	0	322	0	74	201	199	0	487
7-Jun	0	96	0	322	0	74	305	199	147	510

Pepacton Reservoir (P):	Usable storage June 8, 2024 (0800) Spillway crest elevation 1,280.00 ft.	133.290 billion gallons 139.320 billion gallons	95.7%	1,276.69 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage June 8, 2024 (0800) Spillway crest elevation 1,150.00 ft.	84.975 billion gallons 93.448 billion gallons	90.9%	1,144.30 (elev.ft.)
Neversink Reservoir (N):	Usable storage June 8, 2024 (0800) Spillway crest elevation 1,440.00 ft.	33.476 billion gallons 34.682 billion gallons	96.5%	1,437.53 (elev.ft.)
Combined contents, PCN:	Usable storage June 8, 2024 (0800) Combined capacity at spillway level	251.741 billion gallons 267.460 billion gallons	94.1%	

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncontrolled	Discharge	(inches)	
									Daily	Cumulative
1-Jun	0	139	452	101	272	452	3,304	4,720	0	0.00
2-Jun	0	139	452	109	0	326	2,794	3,820	0.01	0.01
3-Jun	0	144	501	114	85	476	2,520	3,840	0	0.01
4-Jun	0	149	500	114	245	400	2,302	3,710	0	0.01
5-Jun	0	149	499	114	279	490	2,099	3,630	0.09	0.10
6-Jun	0	149	499	114	279	376	1,983	3,400	0.40	0.50
7-Jun	0	149	500	114	278	395	2,254	3,690	0.07	0.57

¹Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.Diversions by New Jersey through the D&R Canal June 1st – June 7th, 2024, averaged 89.2 MGD.The average diversion for the 30-day period ending June 7th 2024, is 87.9 MGD; the maximum is 91.1 MGD.

OFFICE OF THE DELAWARE RIVER MASTERWeb address: <http://water.usgs.gov/osw/odrm>Summary river data for June 8th – June 14th, 2024 (preliminary data – subject to revision)**NYC RESERVOIR OPERATION DATA**

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500				1-June-24 to date
8-Jun	0	96	0	321	0	74	305	199	149	528
9-Jun	0	97	0	321	0	74	305	199	150	542
10-Jun	0	97	0	322	0	74	305	199	150	553
11-Jun	0	96	0	323	0	74	305	199	148	562
12-Jun	0	96	0	323	0	74	305	199	146	570
13-Jun	0	96	0	324	0	74	305	199	150	576
14-Jun	0	97	0	323	0	74	305	199	150	582

Pepacton Reservoir (P):	Usable storage June 15, 2024 (0800) Spillway crest elevation 1,280.00 ft.	131.360 billion gallons 139.320 billion gallons	94.3%	1,275.61 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage June 15, 2024 (0800) Spillway crest elevation 1,150.00 ft.	82.419 billion gallons 93.448 billion gallons	88.2%	1,142.52 (elev.ft.)
Neversink Reservoir (N):	Usable storage June 15, 2024 (0800) Spillway crest elevation 1,440.00 ft.	32.447 billion gallons 34.682 billion gallons	93.5%	1,435.40 (elev.ft.)
Combined contents, PCN:	Usable storage June 15, 2024 (0800) Combined capacity at spillway level	246.226 billion gallons 267.460 billion gallons	94.1%	

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncontrolled	Discharge	(inches)	
									Daily	Cumulative
8-Jun	0	149	498	114	283	367	2,068	3,480	0.14	0.71
9-Jun	0	149	498	114	0	237	1,992	2,990	0.07	0.78
10-Jun	0	149	497	114	0	266	1,983	3,010	0	0.78
11-Jun	0	149	497	114	311	233	1,906	3,210	0	0.78
12-Jun	0	149	497	114	184	164	1,782	2,890	0	0.78
13-Jun	0	149	500	114	185	164	1,678	2,790	0.01	0.79
14-Jun	0	149	500	114	188	164	1,635	2,750	0.26	1.05

¹Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.Diversions by New Jersey through the D&R Canal June 8th – June 14th, 2024, averaged 92.1 MGD.The average diversion for the 30-day period ending June 14th 2024, is 89.3 MGD; the maximum is 95.0 MGD.

OFFICE OF THE DELAWARE RIVER MASTERWeb address: <http://water.usgs.gov/osw/odrm>Summary river data for June 15th – June 21st, 2024 (preliminary data – subject to revision)**NYC RESERVOIR OPERATION DATA**

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500				1-June-24 to date
15-Jun	0	97	0	323	0	74	457	0	205	587
16-Jun	0	97	0	323	0	74	457	0	224	593
17-Jun	0	96	0	341	0	74	457	0	224	598
18-Jun	0	97	0	395	0	74	457	193	224	613
19-Jun	0	113	0	394	0	87	454	200	224	627
20-Jun	0	115	0	387	0	86	454	200	228	640
21-Jun	0	116	0	385	0	87	454	199	225	651

Pepacton Reservoir (P):	Usable storage June 22, 2024 (0800) Spillway crest elevation 1,280.00 ft.	128.160 billion gallons 139.320 billion gallons	92.0%	1,273.81 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage June 22, 2024 (0800) Spillway crest elevation 1,150.00 ft.	79.625 billion gallons 93.448 billion gallons	85.2%	1,140.54 (elev.ft.)
Neversink Reservoir (N):	Usable storage June 22, 2024 (0800) Spillway crest elevation 1,440.00 ft.	30.701 billion gallons 34.682 billion gallons	88.5%	1,431.70 (elev.ft.)
Combined contents, PCN:	Usable storage June 22, 2024 (0800) Combined capacity at spillway level	238.486 billion gallons 267.460 billion gallons	89.2%	

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncontrolled	Discharge	(inches)	
									Daily	Cumulative
15-Jun	0	149	501	114	182	382	1,622	2,950	0	1.05
16-Jun	0	150	500	114	171	163	1,542	2,640	0	1.05
17-Jun	0	150	500	114	136	163	1,218	2,280	0	1.05
18-Jun	23	150	499	114	189	183	1,185	2,320	0.01	1.06
19-Jun	0	149	527	114	356	239	1,175	2,560	0	1.06
20-Jun	0	149	612	134	355	378	1,052	2,680	0	1.06
21-Jun	0	175	609	134	353	326	1,013	2,610	0.39	1.45

¹Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.Diversions by New Jersey through the D&R Canal June 15th – June 21st, 2024, averaged 93.1 MGD.The average diversion for the 30-day period ending June 21st 2024, is 90.4 MGD; the maximum is 95.0 MGD.

OFFICE OF THE DELAWARE RIVER MASTER

Web address: <http://water.usgs.gov/osw/odrm>

Summary river data for June 22nd – June 28th, 2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500				1-June-24 to date
22-Jun	0	99	0	406	0	74	289	13	225	646
23-Jun	0	97	0	369	0	74	217	0	75	630
24-Jun	0	97	0	321	0	74	147	0	54	612
25-Jun	0	96	0	323	0	74	0	0	0	588
26-Jun	0	96	0	322	0	74	0	0	0	565
27-Jun	0	97	0	322	0	74	0	0	0	544
28-Jun	0	97	0	322	0	74	332	234	191	552

Pepacton Reservoir (P):	Usable storage June 29, 2024 (0800) Spillway crest elevation 1,280.00 ft.	127.120 billion gallons 139.320 billion gallons	91.2% 1,273.22 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage June 29, 2024 (0800) Spillway crest elevation 1,150.00 ft.	78.038 billion gallons 93.448 billion gallons	83.5% 1,139.40 (elev.ft.)
Neversink Reservoir (N):	Usable storage June 29, 2024 (0800) Spillway crest elevation 1,440.00 ft.	30.031 billion gallons 34.682 billion gallons	86.6% 1,430.25 (elev.ft.)
Combined contents, PCN:	Usable storage June 29, 2024 (0800) Combined capacity at spillway level	235.189 billion gallons 267.460 billion gallons	87.9%

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power releases		Computed	Total	Precipitation	
	Directed release ¹	Pepacton	Cannonsville	Neversink	Wallen- paupack	Rio Reservoir	Uncontrolled	Discharge	(inches)	
									Daily	Cumulative
22-Jun	0	178	599	134	326	254	1,030	2,520	0.39	1.84
23-Jun	21	179	595	114	443	167	1,471	2,970	0.08	1.92
24-Jun	0	153	628	114	356	169	1,390	2,810	0.04	1.96
25-Jun	135	149	571	114	229	170	1,327	2,560	0	1.96
26-Jun	301	149	496	114	290	259	1,251	2,560	0.66	2.62
27-Jun	0	149	500	114	447	259	1,161	2,630	0	2.62
28-Jun	0	149	498	114	212	167	1,480	2,620	0.05	2.67

¹Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

Diversions by New Jersey through the D&R Canal June 22nd – June 28th, 2024, averaged 91.9 MGD.

The average diversion for the 30-day period ending June 28th, 2024, is 91.2 MGD; the maximum is 97.6 MGD.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for June 29th – July 5, 2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500				1-June to date
2024-06-29	0	97	0	322	0	74	450	300	150	564
2024-06-30	0	97	0	322	0	74	450	299	150	575
2024-07-01	0	97	0	321	0	74	450	299	150	585
2024-07-02	0	97	0	321	0	74	450	299	151	595
2024-07-03	0	97	0	321	0	74	450	299	149	604
2024-07-04	0	96	0	321	0	74	450	299	150	613
2024-07-05	0	97	0	322	0	74	450	299	150	621

Pepacton Reservoir (P):	Usable storage July 5, 2024 (0800) Spillway crest elevation 1,280.00 ft.	126.820 billion gallons 139.320 billion gallons	91.1%	1273.05 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage July 5, 2024 (0800) Spillway crest elevation 1,150.00 ft.	77.595 billion gallons 93.448 billion gallons	83.0%	1139.08 (elev.ft.)
Neversink Reservoir (N):	Usable storage July 5, 2024 (0800) Spillway crest elevation 1,440.00 ft.	29.921 billion gallons 30.939 billion gallons	86.3%	1430.01 (elev.ft.)
Combined contents, PCN:	Usable storage July 5, 2024 (0800) Combined capacity at spillway level	234.336 billion gallons 267.460 billion gallons	87.6%	

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE
AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ¹	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2024-06-29	0	150	498	114	244	151	1193	2350	0.53	3.2
2024-06-30	0	150	498	114	266	289	1243	2560	0.42	3.62
2024-07-01	0	150	498	114	260	151	2077	3250	0	3.62
2024-07-02	0	150	497	114	222	170	2107	3260	0	3.62
2024-07-03	0	150	497	114	230	223	1457	2670	0.01	3.63
2024-07-04	220	150	497	114	233	200	1167	2360	0.15	3.78
2024-07-05	0	149	497	114	260	168	1132	2320	0.8	4.58

¹Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

THE FOLLOWING LINES WERE REVISED DUE TO PROGRAMMING ERROR THAT PULLED WRONG DATA

Diversions by New Jersey through the D&R Canal June 29th – July 5th, 2024, averaged **91.1 MGD**.
The average diversion for the 30-day period ending June 28th, 2024, is **91.2 MGD**; the maximum is **97.6 MGD**.

OFFICE OF THE DELAWARE RIVER MASTERWeb address: <http://water.usgs.gov/osw/odrm>

Summary river data for July 6th – July 12th, 2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500				1-June to date
2024-07-06	0	97	0	321	0	74	450	298	149	629
2024-07-07	0	97	0	342	0	75	450	298	150	636
2024-07-08	0	97	0	410	0	86	450	298	148	643
2024-07-09	0	97	0	391	0	81	450	298	149	650
2024-07-10	0	97	0	322	0	74	450	297	149	656
2024-07-11	0	97	0	322	0	74	450	297	92	660
2024-07-12	0	97	0	321	0	74	450	297	0	662

Pepacton Reservoir (P):	Usable storage July 12, 2024 (0800) Spillway crest elevation 1,280.00 ft.	124.220 billion gallons 139.320 billion gallons	89.2%	1273.05 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage July 12, 2024 (0800) Spillway crest elevation 1,150.00 ft.	74.215 billion gallons 93.448 billion gallons	79.4%	1139.08 (elev.ft.)
Neversink Reservoir (N):	Usable storage July 12, 2024 (0800) Spillway crest elevation 1,440.00 ft.	28.818 billion gallons 30.939 billion gallons	83.1%	1430.01 (elev.ft.)
Combined contents, PCN:	Usable storage July 12, 2024 (0800) Combined capacity at spillway level	227.253 billion gallons 267.460 billion gallons	84.9%	

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ¹	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2024-07-06	0	150	498	114	318	207	1833	3120	0.02	0.98
2024-07-07	0	150	498	114	342	186	1970	3260	0	0.98
2024-07-08	0	151	497	116	384	186	1637	2970	0.11	1.09
2024-07-09	145	151	530	133	416	326	1355	2910	0.01	1.1
2024-07-10	59	150	635	125	479	358	1193	2940	0.3	1.4
2024-07-11	0	150	605	114	461	233	1096	2660	0	1.4
2024-07-12	0	150	498	114	401	200	1216	2580	0.03	1.43

¹Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

Diversions by New Jersey through the D&R Canal June July 6th – July 12th, 2024, averaged 97.2 MGD.

The average diversion for the 30-day period ending July 5th, 2024, is 91.8 MGD; the maximum is 97.6 MGD.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for July 13th – July 19, 2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500				1-June to date
2024-07-13	0	97	0	353	0	74	449	297	0	664
2024-07-14	0	97	0	434	0	74	450	296	151	670
2024-07-15	0	97	0	372	0	74	449	296	150	675
2024-07-16	0	97	0	371	0	74	343	296	150	677
2024-07-17	0	97	0	322	0	74	450	296	0	679
2024-07-18	0	97	0	321	0	74	450	296	0	680
2024-07-19	0	97	0	322	0	74	450	296	0	681

Pepacton Reservoir (P):	Usable storage July 19, 2024 (0800) Spillway crest elevation 1,280.00 ft.	121.110 billion gallons 139.320 billion gallons	87.0%	1269.76 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage July 19, 2024 (0800) Spillway crest elevation 1,150.00 ft.	70.19 billion gallons 93.448 billion gallons	75.1%	1133.61 (elev.ft.)
Neversink Reservoir (N):	Usable storage July 19, 2024 (0800) Spillway crest elevation 1,440.00 ft.	27.80 billion gallons 30.939 billion gallons	80.2%	1425.30 (elev.ft.)
Combined contents, PCN:	Usable storage July 19, 2024 (0800) Combined capacity at spillway level	219.1 billion gallons 267.460 billion gallons	81.9%	

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE
AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ¹	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2024-07-13	0	150	497	114	428	225	1196	2610	0.00	1.43
2024-07-14	69	150	497	114	422	146	1081	2410	0.00	1.43
2024-07-15	0	150	547	114	469	255	1096	2630	0.59	2.02
2024-07-16	0	150	672	114	484	420	1150	2990	0.02	2.04
2024-07-17	0	150	575	114	518	462	1651	3470	0.84	2.88
2024-07-18	0	150	574	114	514	332	1717	3400	0.00	2.88
2024-07-19	0	150	498	114	385	187	1886	3220	0.00	2.88

¹Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

Diversions by New Jersey through the D&R Canal 2024-07-20 through 2024-07-19 averaged 97.87.
The average diversion for the 30-day period ending 2024-07-19 is 93.41 MGD; the maximum is 98.89.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for July 20th – July 26th, 2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA
Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500				1-June to date
2024-07-20	0	97	0	324	0	74	450	296	0	683
2024-07-21	0	97	0	324	0	74	450	295	0	684
2024-07-22	0	97	0	323	0	74	450	295	149	688
2024-07-23	0	97	0	323	0	74	450	295	150	692
2024-07-24	0	97	0	323	0	74	450	295	0	693
2024-07-25	0	97	0	322	0	74	450	295	0	694
2024-07-26	0	97	0	323	0	74	450	295	0	695

Pepacton Reservoir (P):	Usable storage July 26, 2024 (0800) Spillway crest elevation 1,280.00 ft.	118.100 billion gallons 139.320 billion gallons	84.8%	1268.00 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage July 26, 2024 (0800) Spillway crest elevation 1,150.00 ft.	66.380 billion gallons 93.448 billion gallons	71.0%	1130.69 (elev.ft.)
Neversink Reservoir (N):	Usable storage July 26, 2024 (0800) Spillway crest elevation 1,440.00 ft.	27.067 billion gallons 34.682 billion gallons	78.0%	1423.61 (elev.ft.)
Combined contents, PCN:	Usable storage July 26, 2024 (0800) Combined capacity at spillway level	211.547 billion gallons 267.460 billion gallons	79.1%	

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE
AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN
Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ¹	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2024-07-20	0	150	497	114	355	148	1495	2760	0.15	3.03
2024-07-21	0	150	499	114	309	154	1313	2540	0.00	3.03
2024-07-22	157	150	501	114	334	159	1221	2480	0.62	3.65
2024-07-23	66	150	501	114	315	159	1200	2440	0.09	3.74
2024-07-24	0	150	500	114	316	164	2486	3730	0.45	4.19
2024-07-25	0	150	500	114	312	159	3175	4410	0.00	4.19
2024-07-26	0	151	499	114	334	146	5036	6280	0.00	4.19

¹Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

Diversions by New Jersey through the D&R Canal 2024-07-20 through 2024-07-26 averaged 98.61.
The average diversion for the 30-day period ending 2024-07-26 is 94.45 MGD; the maximum is 106.

OFFICE OF THE DELAWARE RIVER MASTERWeb address: <http://water.usgs.gov/osw/odrm>

Summary River data for 27Jul2024 - 03Aug2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500				1-June to date
2024-07-27	0	97	0	322	0	74	450	295	0	696
2024-07-28	0	97	0	322	0	74	450	295	0	696
2024-07-29	0	97	0	322	0	74	450	294	0	697
2024-07-30	0	97	0	321	0	74	450	294	0	698
2024-07-31	0	97	0	321	0	74	450	294	0	699
2024-08-01	0	97	0	342	0	74	450	294	149	702
2024-08-02	0	97	0	391	0	74	450	294	149	705

Pepacton Reservoir (P):	Usable storage 2024-08-02 (0800) Spillway crest elevation 1,280.00 ft	115.87 billion gallons 139.320 billion gallons	83.24 %	1266.68 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage 2024-08-02 (0800) Spillway crest elevation 1,150.00 ft.	64.926 billion gallons 93.448 billion gallons	69.48 %	1129.56 (elev.ft.)
Neversink Reservoir (N):	Usable storage 2024-08-02 (0800) Spillway crest elevation 1,440.00 ft.	26.454 billion gallons 34.682 billion gallons	76.28 %	142219 (elev.ft.)
Combined contents, PCN:	Usable storage 2024-08-02 (0800) Combined capacity at spillway level	207.25 billion gallons 267.460 billion gallons	77.49 %	

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release*	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2024-07-27	0	151	499	114	345	146	3035	4290	0.00	4.19
2024-07-28	0	150	500	114	284	323	2149	3520	0.02	4.21
2024-07-29	0	150	499	114	284	142	1740	2930	0.01	4.22
2024-07-30	0	150	499	114	298	142	1507	2710	0.31	4.53
2024-07-31	0	150	498	114	267	143	1458	2630	0.38	4.91
2024-08-01	0	150	497	114	318	213	1698	2990	0.21	5.12
2024-08-02	0	150	497	114	392	252	1846	3250	0.62	5.74

*Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date

Diversions by New Jersey through the D&R Canal 2024-08-03 through 2024-08-02 averaged 94.92 .***The average diversion for the 30-day period ending 2024-08-02 is 95.83 MGD ; the maximum is 106.***

OFFICE OF THE DELAWARE RIVER MASTERWeb address: <http://water.usgs.gov/osw/odrm>

Summary River data for 27Jul2024 - 03Aug2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Average
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500				1-June to date
2024-07-27	0	97	0	322	0	74	450	295	0	696
2024-07-28	0	97	0	322	0	74	450	295	0	696
2024-07-29	0	97	0	322	0	74	450	294	0	697
2024-07-30	0	97	0	321	0	74	450	294	0	698
2024-07-31	0	97	0	321	0	74	450	294	0	699
2024-08-01	0	97	0	342	0	74	450	294	149	702
2024-08-02	0	97	0	391	0	74	450	294	149	705

Pepacton Reservoir (P):	Usable storage 2024-08-02 (0800) Spillway crest elevation 1,280.00 ft	115.87 billion gallons 139.320 billion gallons	83.24 %	1266.68 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage 2024-08-02 (0800) Spillway crest elevation 1,150.00 ft.	64.926 billion gallons 93.448 billion gallons	69.48 %	1129.56 (elev.ft.)
Neversink Reservoir (N):	Usable storage 2024-08-02 (0800) Spillway crest elevation 1,440.00 ft.	26.454 billion gallons 34.682 billion gallons	76.28 %	142219 (elev.ft.)
Combined contents, PCN:	Usable storage 2024-08-02 (0800) Combined capacity at spillway level	207.25 billion gallons 267.460 billion gallons	77.49 %	

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN

Discharge in cubic feet per second, local time as routed to Montague

Date	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release*	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2024-07-27	0	151	499	114	345	146	3035	4290	0.00	4.19
2024-07-28	0	150	500	114	284	323	2149	3520	0.02	4.21
2024-07-29	0	150	499	114	284	142	1740	2930	0.01	4.22
2024-07-30	0	150	499	114	298	142	1507	2710	0.31	4.53
2024-07-31	0	150	498	114	267	143	1458	2630	0.38	4.91
2024-08-01	0	150	497	114	318	213	1698	2990	0.21	5.12
2024-08-02	0	150	497	114	392	252	1846	3250	0.62	5.74

*Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date

Diversions by New Jersey through the D&R Canal 2024-08-03 through 2024-08-02 averaged 94.92 .***The average diversion for the 30-day period ending 2024-08-02 is 95.83 MGD ; the maximum is 106.***

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	Ave Diversion June 1 to date
2024-08-03	0	97	0	323	0	74	450	294	0	705
2024-08-04	0	97	0	323	0	74	450	293	0	706
2024-08-05	0	97	0	323	0	74	449	293	0	707
2024-08-06	0	97	0	322	0	74	450	293	0	707
2024-08-07	0	97	0	322	0	74	167	91	0	701
2024-08-08	0	97	0	322	0	74	0	0	0	690
2024-08-09	0	98	0	250	0	74	0	0	0	681

Pepacton Reservoir (P):	Usable storage 2024-08-09 (0800)	112.91 billion gallons	81.11 %	1264.91 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2024-08-09 (0800)	61.669 billion gallons	65.99 %	1126.99 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2024-08-09 (0800)	25.908 billion gallons	74.7 %	142091 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2024-08-09 (0800)	200.487 billion gallons	74.96 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2024-08-03	0	150	530	114	407	224	2325	3750	0.37	1.20
2024-08-04	0	150	605	114	339	204	2028	3440	0.11	1.31
2024-08-05	0	150	500	114	402	270	1934	3370	0.48	1.79
2024-08-06	0	150	500	114	492	513	1670	3440	0.52	2.31
2024-08-07	0	150	499	114	395	386	2905	4450	0.21	2.52
2024-08-08	0	150	498	114	597	303	5036	6700	0.73	3.25
2024-08-09	0	150	498	114	1035	239	7133	9170	1.77	5.02

¹ Diversions by New Jersey through the D&R Canal 2024-08-10 through 2024-08-09 averaged 87.15 .

² The average diversion for the 30-day period ending 2024-08-09 is 97.14 MGD ; the maximum is 106 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	Ave Diversion June 1 to date
2024-08-10	0	61	0	281	0	74	342	0	0	676
2024-08-11	0	97	0	326	0	74	203	0	243	673
2024-08-12	0	98	0	324	0	74	0	0	450	670
2024-08-13	0	98	0	323	0	74	0	0	450	667
2024-08-14	0	97	0	323	0	74	131	0	242	663
2024-08-15	0	97	0	321	0	74	603	0	262	665
2024-08-16	0	97	0	322	0	74	452	0	450	668

Pepacton Reservoir (P):	Usable storage 2024-08-10 (0800)	124.3 billion gallons	89.3 %	1271.61 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2024-08-10 (0800)	71.327 billion gallons	76.33 %	1134.46 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2024-08-10 (0800)	27.66 billion gallons	79.75 %	1424.97 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2024-08-10 (0800)	223.287 billion gallons	83.48 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2024-08-10	0	150	498	114	838	441	39458	41500	0.00	5.02
2024-08-11	0	151	388	114	694	146	19307	20800	0.03	5.05
2024-08-12	0	95	435	114	402	143	9611	10800	0.01	5.06
2024-08-13	0	150	505	114	412	143	6107	7430	0.00	5.06
2024-08-14	0	151	501	114	516	142	4425	5850	0.12	5.18
2024-08-15	0	151	500	114	533	142	3890	5330	0.01	5.19
2024-08-16	0	150	500	114	550	143	3243	4700	0.07	5.26

¹ Diversions by New Jersey through the D&R Canal 2024-08-17 through 2024-08-16 averaged 98.15 .

² The average diversion for the 30-day period ending 2024-08-16 is 94.75 MGD ; the maximum is 106 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	Ave Diversion June 1 to date
2024-08-24	0	97	0	324	0	74	450	0	300	687
2024-08-25	0	97	0	322	0	74	450	0	300	687
2024-08-26	0	97	0	323	0	74	449	0	300	688
2024-08-27	0	97	0	323	0	74	449	0	299	689
2024-08-28	0	97	0	323	0	74	449	0	300	689
2024-08-29	0	97	0	322	0	74	450	164	300	692
2024-08-30	0	97	0	325	0	74	449	179	300	695

Pepacton Reservoir (P):	Usable storage 2024-08-24 (0800)	125.12 billion gallons	89.89 %	1272.08 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2024-08-24 (0800)	74.88 billion gallons	80.13 %	1137.1 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2024-08-24 (0800)	22.957 billion gallons	66.19 %	141372 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2024-08-24 (0800)	222.957 billion gallons	83.36 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2024-08-24	0	149	501	114	310	181	2195	3450	0.00	6.22
2024-08-25	0	150	502	114	290	181	1953	3190	0.00	6.22
2024-08-26	0	149	501	114	290	181	1765	3000	0.02	6.24
2024-08-27	0	149	498	114	306	180	1622	2870	0.01	6.25
2024-08-28	0	149	500	114	324	200	1532	2820	0.01	6.26
2024-08-29	0	149	500	114	352	217	1377	2710	0.85	7.11
2024-08-30	0	149	500	114	333	155	1828	3080	0.00	7.11

¹ Diversions by New Jersey through the D&R Canal 2024-08-31 through 2024-08-30 averaged 98.79 .

² The average diversion for the 30-day period ending 2024-08-30 is 94.96 MGD ; the maximum is 104.06 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	Ave Diversion June 1 to date
2024-08-31	0	97	0	323	0	74	450	179	0	694
2024-09-01	0	97	0	320	0	74	450	179	0	693
2024-09-02	0	97	0	320	0	74	450	179	0	692
2024-09-03	0	125	0	370	0	88	450	251	0	693
2024-09-04	0	451	0	397	0	123	450	298	0	693
2024-09-05	0	451	0	397	0	123	450	298	0	694
2024-09-06	0	451	0	396	0	123	450	298	0	694

Pepacton Reservoir (P):	Usable storage 2024-09-07 (0800)	118.19 billion gallons	84.91 %	1268.05 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2024-09-07 (0800)	69.881 billion gallons	74.78 %	1133.37 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2024-09-07 (0800)	20.66 billion gallons	59.57 %	140780 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2024-09-07 (0800)	208.731 billion gallons	78.04 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2024-08-31	102	150	498	114	259	144	2545	3710	0.11	7.22
2024-09-01	0	150	503	114	270	142	2151	3330	0.04	0.04
2024-09-02	0	150	500	114	268	141	1637	2810	0.00	0.04
2024-09-03	0	150	495	114	269	139	1353	2520	0.00	0.04
2024-09-04	0	150	495	136	317	139	1203	2440	0.00	0.04
2024-09-05	143	193	572	190	317	143	1265	2680	0.00	0.04
2024-09-06	275	698	614	190	320	142	886	2850	0.00	0.04

¹ Diversions by New Jersey through the D&R Canal 2024-09-07 through 2024-09-06 averaged 88.18 .

² The average diversion for the 30-day period ending 2024-09-06 is 96.02 MGD ; the maximum is 104.06 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	Ave Diversion June 1 to date
2024-09-07	0	452	0	397	0	122	450	298	0	695
2024-09-08	0	452	0	396	0	123	450	298	0	695
2024-09-09	0	452	0	398	0	123	450	297	0	696
2024-09-10	0	452	0	398	0	122	450	31	171	695
2024-09-11	0	452	0	397	0	123	450	0	205	695
2024-09-12	0	452	0	399	0	123	450	0	205	695
2024-09-13	0	452	0	399	0	122	450	0	219	694

Pepacton Reservoir (P):	Usable storage 2024-09-14 (0800)	112.67 billion gallons	80.94 %	1264.76 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2024-09-14 (0800)	66.923 billion gallons	71.62 %	1131.11 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2024-09-14 (0800)	19.282 billion gallons	55.6 %	1404.10 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2024-09-14 (0800)	198.875 billion gallons	74.36 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2024-09-07	301	698	615	190	125	318	954	2900	0.70	0.74
2024-09-08	299	698	613	189	257	139	1104	3000	0.00	0.74
2024-09-09	679	699	614	190	0	138	1160	2800	0.09	0.83
2024-09-10	538	699	612	190	284	138	987	2910	0.00	0.83
2024-09-11	699	699	616	189	174	137	895	2710	0.00	0.83
2024-09-12	631	699	615	190	188	137	840	2670	0.00	0.83
2024-09-13	636	700	614	190	162	137	838	2640	0.00	0.83

¹ Diversions by New Jersey through the D&R Canal 2024-09-14 through 2024-09-13 averaged 74.46 .

² The average diversion for the 30-day period ending 2024-09-13 is 96.13 MGD ; the maximum is 103.41 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 14Sep2024 - 20Sep2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	June 1 to date
2024-09-14	0	452	0	398	0	122	450	0	200	694
2024-09-15	0	452	0	399	0	123	450	0	200	694
2024-09-16	0	452	0	398	0	122	450	0	200	693
2024-09-17	0	452	0	398	0	123	450	0	200	693
2024-09-18	0	452	0	398	0	122	450	0	200	692
2024-09-19	0	452	0	398	0	123	450	0	200	692
2024-09-20	0	452	0	398	0	123	450	0	200	692

Pepacton Reservoir (P):	Usable storage 2024-09-21 (0800)	106.9 billion gallons	76.8 %	1261.24 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2024-09-21 (0800)	64.567 billion gallons	69.09 %	1129.28 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2024-09-21 (0800)	17.243 billion gallons	49.72 %	1398.34 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2024-09-21 (0800)	188.71 billion gallons	70.56 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2024-09-14	581	699	617	190	283	138	753	2680	0	0.83
2024-09-15	558	699	618	190	271	210	773	2760	0	0.83
2024-09-16	925	699	616	190	283	140	692	2620	0	0.83
2024-09-17	630	699	617	189	261	140	664	2570	0	0.83
2024-09-18	537	699	615	190	236	139	650	2530	0	0.83
2024-09-19	692	699	615	189	231	141	625	2500	0	0.83
2024-09-20	770	699	616	191	214	141	609	2470	0	0.83

¹ Diversions by New Jersey through the D&R Canal 2024-09-14 through 2024-09-20 averaged 124.5 MGD (THIS IS A 2 DAY AVERAGE AS 5 DAYS OF DATA WERE UNAVAILABLE).

² The average diversion for the 30-day period ending 2024-09-20 is 138.6 MGD (THIS IS A PARTIAL AVERAGE AS DATA WERE UNAVAILABLE AFTER 2024-09-15); the maximum is 148.7 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 21Sep2024 - 27Sep2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	
2024-09-21	0	452	0	397	0	123	450	0	200	691
2024-09-22	0	452	0	397	0	123	450	0	200	691
2024-09-23	0	452	0	398	0	122	450	0	200	690
2024-09-24	0	452	0	398	0	123	450	0	200	690
2024-09-25	0	452	0	398	0	123	450	0	200	690
2024-09-26	0	452	0	397	0	123	450	0	200	689
2024-09-27	0	452	0	397	0	123	450	0	200	689

Pepacton Reservoir (P):	Usable storage 2024-09-28 (0800)	101.11 billion gallons	72.64 %	1257.61 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2024-09-28 (0800)	62.209 billion gallons	66.57 %	1127.42 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2024-09-28 (0800)	15.273 billion gallons	44.04 %	1392.41 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2024-09-28 (0800)	178.592 billion gallons	66.77 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2024-09-21	807	699	616	190	203	141	602	2450	0.00	0.83
2024-09-22	1017	699	615	190	0	140	575	2220	0.00	0.83
2024-09-23	1071	699	614	190	0	141	557	2200	0.24	1.07
2024-09-24	903	699	614	190	174	143	610	2430	0.02	1.09
2024-09-25	867	699	616	190	177	143	615	2440	0.22	1.31
2024-09-26	824	699	616	190	167	148	691	2510	0.35	1.66
2024-09-27	0	699	615	190	162	146	918	2730	0.03	1.69

¹ Diversions by New Jersey through the D&R Canal 2024-09-21 through 2024-09-27 averaged 104.7.

² The average diversion for the 30-day period ending 2024-09-15 (last available) is 88.8 MGD; the maximum is 102.8.

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 28Sep2024 - 04Oct2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	June 1 to date
2024-09-28	0	452	0	397	0	123	450	0	0	687
2024-09-29	0	452	0	397	0	123	449	0	0	685
2024-09-30	0	452	0	397	0	123	0	0	0	680
2024-10-01	0	452	0	397	0	123	0	0	0	674
2024-10-02	0	452	0	397	0	123	0	0	0	669
2024-10-03	0	452	0	397	0	123	0	0	0	663
2024-10-04	0	452	0	397	0	123	0	0	0	658

Pepacton Reservoir (P):	Usable storage 2024-10-05 (0800) Spillway crest elevation 1,280.00 ft	97.41 billion gallons 139.320 billion gallons	69.98 % 1255.23 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage 2024-10-05 (0800) Spillway crest elevation 1,150.00 ft.	59.901 billion gallons 93.448 billion gallons	64.1 % 1125.57 (elev.ft.)
Neversink Reservoir (N):	Usable storage 2024-10-05 (0800) Spillway crest elevation 1,440.00 ft.	14.563 billion gallons 34.682 billion gallons	41.99 % 1390.17 (elev.ft.)
Combined contents, PCN:	Usable storage 2024-10-05 (0800) Combined capacity at spillway level	171.874 billion gallons 267.460 billion gallons	64.26 %

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2024-09-28	606	699	615	190	132	145	820	2600	0.07	1.76
2024-09-29	817	699	614	190	156	146	795	2600	0.02	1.78
2024-09-30	1031	699	614	190	155	145	747	2550	0.00	1.78
2024-10-01	1001	699	614	190	44	145	697	2390	0.01	0.01
2024-10-02	1010	699	614	190	0	145	623	2270	0.01	0.02
2024-10-03	875	699	614	190	0	274	562	2340	0.00	0.02
2024-10-04	976	700	615	190	0	147	548	2200	0.00	0.02

¹ Diversions by New Jersey through the D&R Canal 2024-09-28 through 2024-10-04 averaged 103.69 .

² The average diversion for the 30-day period ending 2024-10-04 is 84.11 MGD ; the maximum is 110.52 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 28Sep2024 - 04Oct2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	June 1 to date
2024-09-28	0	452	0	397	0	123	450	0	0	687
2024-09-29	0	452	0	397	0	123	449	0	0	685
2024-09-30	0	452	0	397	0	123	0	0	0	680
2024-10-01	0	452	0	397	0	123	0	0	0	674
2024-10-02	0	452	0	397	0	123	0	0	0	669
2024-10-03	0	452	0	397	0	123	0	0	0	663
2024-10-04	0	452	0	397	0	123	0	0	0	658

Pepacton Reservoir (P):	Usable storage 2024-10-05 (0800) Spillway crest elevation 1,280.00 ft	97.41 billion gallons 139.320 billion gallons	69.98 % 1255.23 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage 2024-10-05 (0800) Spillway crest elevation 1,150.00 ft.	59.901 billion gallons 93.448 billion gallons	64.1 % 1125.57 (elev.ft.)
Neversink Reservoir (N):	Usable storage 2024-10-05 (0800) Spillway crest elevation 1,440.00 ft.	14.563 billion gallons 34.682 billion gallons	41.99 % 1390.17 (elev.ft.)
Combined contents, PCN:	Usable storage 2024-10-05 (0800) Combined capacity at spillway level	171.874 billion gallons 267.460 billion gallons	64.26 %

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2024-09-28	606	699	615	190	132	145	820	2600	0.07	1.76
2024-09-29	817	699	614	190	156	146	795	2600	0.02	1.78
2024-09-30	1031	699	614	190	155	145	747	2550	0.00	1.78
2024-10-01	1001	699	614	190	44	145	697	2390	0.01	0.01
2024-10-02	1010	699	614	190	0	145	623	2270	0.01	0.02
2024-10-03	875	699	614	190	0	274	562	2340	0.00	0.02
2024-10-04	976	700	615	190	0	147	548	2200	0.00	0.02

¹ Diversions by New Jersey through the D&R Canal 2024-09-28 through 2024-10-04 averaged 103.69 .

² The average diversion for the 30-day period ending 2024-10-04 is 84.11 MGD ; the maximum is 110.52 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 05Oct2024 - 11Oct2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	June 1 to date
2024-10-05	0	452	0	396	0	123	0	0	0	653
2024-10-06	0	452	0	398	0	123	0	0	0	648
2024-10-07	0	452	0	398	0	123	0	0	0	643
2024-10-08	0	452	0	397	0	123	0	0	0	638
2024-10-09	0	452	0	397	0	123	0	0	0	633
2024-10-10	0	452	0	397	0	122	0	0	0	628
2024-10-11	0	452	0	397	0	123	0	0	0	623

Pepacton Reservoir (P):	Usable storage 2024-10-12 (0800)	94.44 billion gallons	67.84 %	1253.28 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2024-10-12 (0800)	57.372 billion gallons	61.39 %	1123.51 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2024-10-12 (0800)	13.779 billion gallons	39.73 %	1387.61 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2024-10-12 (0800)	165.591 billion gallons	61.91 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2024-10-05	867	700	615	190	0	324	482	2310	0.00	0.02
2024-10-06	1065	699	614	190	0	144	473	2120	0.01	0.03
2024-10-07	1067	698	613	190	0	144	434	2080	0.00	0.03
2024-10-08	1070	699	615	190	0	144	412	2060	0.01	0.04
2024-10-09	1171	699	616	190	0	144	381	2030	0.03	0.07
2024-10-10	1198	699	615	190	0	144	362	2010	0.00	0.07
2024-10-11	1245	698	615	190	0	140	338	1980	0.00	0.07

¹ Diversions by New Jersey through the D&R Canal 2024-10-05 through 2024-10-11 averaged 90.95 .

² The average diversion for the 30-day period ending 2024-10-11 is 89.4 MGD ; the maximum is 110.52 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 12Oct2024 - 18Oct2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	June 1 to date
2024-10-12	0	452	0	396	0	122	0	0	0	619
2024-10-13	0	452	0	396	0	122	0	0	0	614
2024-10-14	0	452	0	396	0	122	0	0	0	610
2024-10-15	0	452	0	396	0	123	0	0	0	605
2024-10-16	0	452	0	396	0	123	0	0	0	601
2024-10-17	0	452	0	396	0	123	0	0	0	596
2024-10-18	0	452	0	396	0	114	0	0	0	592

Pepacton Reservoir (P):	Usable storage 2024-10-19 (0800) Spillway crest elevation 1,280.00 ft	91.65 billion gallons 139.320 billion gallons	65.84 % 1251.41 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage 2024-10-19 (0800) Spillway crest elevation 1,150.00 ft.	55.245 billion gallons 93.448 billion gallons	59.12 % 1121.75 (elev.ft.)
Neversink Reservoir (N):	Usable storage 2024-10-19 (0800) Spillway crest elevation 1,440.00 ft.	13.14 billion gallons 34.682 billion gallons	37.89 % 1385.52 (elev.ft.)
Combined contents, PCN:	Usable storage 2024-10-19 (0800) Combined capacity at spillway level	160.035 billion gallons 267.460 billion gallons	59.84 %

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2024-10-12	1307	699	614	190	0	131	316	1950	0.10	0.17
2024-10-13	1335	699	614	190	0	131	306	1940	0.68	0.85
2024-10-14	1287	699	613	190	0	132	467	2100	0.05	0.90
2024-10-15	1053	699	612	190	0	132	808	2440	0.04	0.94
2024-10-16	1143	698	613	190	0	131	738	2370	0.00	0.94
2024-10-17	1121	699	613	190	0	132	576	2210	0.00	0.94
2024-10-18	996	699	613	190	0	131	466	2100	0.00	0.94

¹ Diversions by New Jersey through the D&R Canal 2024-10-12 through 2024-10-18 averaged 93.81 .

² The average diversion for the 30-day period ending 2024-10-18 is 98.2 MGD ; the maximum is 110.52 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 19Oct2024 - 25Oct2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	June 1 to date
2024-10-19	0	427	0	420	0	81	0	0	0	588
2024-10-20	0	402	0	450	0	52	0	0	0	584
2024-10-21	0	377	0	474	0	39	0	0	0	580
2024-10-22	0	352	0	501	0	39	0	0	0	576
2024-10-23	0	327	0	525	0	39	0	0	0	572
2024-10-24	0	302	0	473	0	39	0	0	0	568
2024-10-25	0	277	0	471	0	39	0	0	0	564

Pepacton Reservoir (P):	Usable storage 2024-10-26 (0800) Spillway crest elevation 1,280.00 ft	89.518 billion gallons 139.320 billion gallons	64.31 % 1249.96 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage 2024-10-26 (0800) Spillway crest elevation 1,150.00 ft.	52.233 billion gallons 93.448 billion gallons	55.9 % 1119.21 (elev.ft.)
Neversink Reservoir (N):	Usable storage 2024-10-26 (0800) Spillway crest elevation 1,440.00 ft.	12.93 billion gallons 34.682 billion gallons	37.28 % 1384.81 (elev.ft.)
Combined contents, PCN:	Usable storage 2024-10-26 (0800) Combined capacity at spillway level	154.681 billion gallons 267.460 billion gallons	57.83 %

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2024-10-19	1061	699	613	176	49	131	411	2080	0.00	0.94
2024-10-20	1066	699	612	125	0	152	602	2190	0.00	0.94
2024-10-21	1084	661	650	81	0	132	596	2120	0.00	0.94
2024-10-22	1166	622	696	60	0	132	571	2080	0.00	0.94
2024-10-23	1214	583	733	60	2	133	569	2080	0.03	0.97
2024-10-24	1220	545	775	60	0	133	518	2030	0.00	0.97
2024-10-25	1212	505	812	60	0	133	480	1990	0.00	0.97

¹ Diversions by New Jersey through the D&R Canal 2024-10-19 through 2024-10-25 averaged 95.65 .

² The average diversion for the 30-day period ending 2024-10-25 is 96.8 MGD ; the maximum is 107.93 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 26Oct2024 - 01Nov2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	June 1 to date
2024-10-26	0	252	0	469	0	39	0	0	0	560
2024-10-27	0	227	0	521	0	39	0	0	0	556
2024-10-28	0	202	0	549	0	39	0	0	0	553
2024-10-29	0	177	0	533	0	39	0	0	0	549
2024-10-30	0	152	0	556	0	39	0	0	0	545
2024-10-31	0	126	0	534	0	39	0	0	0	542
2024-11-01	0	102	0	542	0	39	0	0	0	538

Pepacton Reservoir (P):	Usable storage 2024-11-02 (0800)	88.543 billion gallons	63.61 %	1249.29 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2024-11-02 (0800)	48.862 billion gallons	52.29 %	1116.29 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2024-11-02 (0800)	12.713 billion gallons	36.66 %	1384.07 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2024-11-02 (0800)	150.118 billion gallons	56.13 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2024-10-26	1210	467	731	60	0	206	476	1940	0.00	0.97
2024-10-27	1119	429	729	60	0	130	483	1830	0.00	0.97
2024-10-28	1148	390	726	60	0	130	474	1780	0.00	0.97
2024-10-29	1219	352	805	60	0	130	443	1790	0.07	1.04
2024-10-30	1224	313	849	60	0	131	467	1820	0.00	1.04
2024-10-31	1153	273	825	60	0	131	490	1780	0.00	1.04
2024-11-01	1160	235	860	60	0	131	474	1760	0.00	0.00

¹ Diversions by New Jersey through the D&R Canal 2024-10-26 through 2024-11-01 averaged 94.64 .

² The average diversion for the 30-day period ending 2024-11-01 is 93.87 MGD ; the maximum is 103.41 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 26Oct2024 - 01Nov2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	June 1 to date
2024-10-26	0	252	0	469	0	39	0	0	0	560
2024-10-27	0	227	0	521	0	39	0	0	0	556
2024-10-28	0	202	0	549	0	39	0	0	0	553
2024-10-29	0	177	0	533	0	39	0	0	0	549
2024-10-30	0	152	0	556	0	39	0	0	0	545
2024-10-31	0	126	0	534	0	39	0	0	0	542
2024-11-01	0	102	0	542	0	39	0	0	0	538

Pepacton Reservoir (P):	Usable storage 2024-11-02 (0800)	88.543 billion gallons	63.61 %	1249.29 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2024-11-02 (0800)	48.862 billion gallons	52.29 %	1116.29 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2024-11-02 (0800)	12.713 billion gallons	36.66 %	1384.07 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2024-11-02 (0800)	150.118 billion gallons	56.13 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2024-10-26	1210	467	731	60	0	206	476	1940	0.00	0.97
2024-10-27	1119	429	729	60	0	130	483	1830	0.00	0.97
2024-10-28	1148	390	726	60	0	130	474	1780	0.00	0.97
2024-10-29	1219	352	805	60	0	130	443	1790	0.07	1.04
2024-10-30	1224	313	849	60	0	131	467	1820	0.00	1.04
2024-10-31	1153	273	825	60	0	131	490	1780	0.00	1.04
2024-11-01	1160	235	860	60	0	131	474	1760	0.00	0.00

¹ Diversions by New Jersey through the D&R Canal 2024-10-26 through 2024-11-01 averaged 94.64 .

² The average diversion for the 30-day period ending 2024-11-01 is 93.87 MGD ; the maximum is 103.41 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 02Nov2024 - 08Nov2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	June 1 to date
2024-11-02	0	77	0	514	0	39	0	0	0	535
2024-11-03	0	53	0	557	0	40	0	0	0	531
2024-11-04	0	52	0	615	0	39	0	0	0	528
2024-11-05	0	52	0	621	0	39	0	0	0	525
2024-11-06	0	52	0	683	0	39	0	0	0	521
2024-11-07	0	52	0	699	0	39	0	0	0	518
2024-11-08	0	52	0	823	0	39	0	0	0	515

Pepacton Reservoir (P):	Usable storage 2024-11-09 (0800)	88.283 billion gallons	63.42 %	1249.11 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2024-11-09 (0800)	44.645 billion gallons	47.78 %	1112.51 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2024-11-09 (0800)	12.501 billion gallons	36.04 %	1383.34 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2024-11-09 (0800)	145.429 billion gallons	54.37 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2024-11-02	1082	196	825	60	0	204	455	1740	0	0
2024-11-03	1063	158	838	60	0	129	464	1650	0	0
2024-11-04	973	119	796	62	0	129	534	1640	0	0
2024-11-05	977	83	862	60	0	129	496	1630	0	0
2024-11-06	1090	80	952	60	0	147	521	1760	0	0
2024-11-07	1101	80	961	60	0	217	532	1850	0	0
2024-11-08	1206	80	1056	60	0	210	503	1910	0	0

¹ Diversions by New Jersey through the D&R Canal 2024-11-02 through 2024-11-08 averaged 93.53 .

² The average diversion for the 30-day period ending 2024-11-08 is 94.45 MGD ; the maximum is 96.95 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 09Nov2024 - 15Nov2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	June 1 to date
2024-11-09	0	52	0	698	0	39	0	0	0	512
2024-11-10	0	52	0	704	0	39	0	0	0	509
2024-11-11	0	52	0	568	0	39	0	0	0	506
2024-11-12	0	52	0	686	0	39	0	0	0	502
2024-11-13	0	52	0	668	0	39	0	0	0	499
2024-11-14	0	52	0	897	0	39	0	0	0	496
2024-11-15	0	52	0	876	0	39	0	3	0	494

Pepacton Reservoir (P):	Usable storage 2024-11-16 (0800) Spillway crest elevation 1,280.00 ft	87.979 billion gallons 139.320 billion gallons	63.2 % 1248.9 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage 2024-11-16 (0800) Spillway crest elevation 1,150.00 ft.	39.84 billion gallons 93.448 billion gallons	42.63 % 1108 (elev.ft.)
Neversink Reservoir (N):	Usable storage 2024-11-16 (0800) Spillway crest elevation 1,440.00 ft.	12.288 billion gallons 34.682 billion gallons	35.43 % 1382.6 (elev.ft.)
Combined contents, PCN:	Usable storage 2024-11-16 (0800) Combined capacity at spillway level	140.107 billion gallons 267.460 billion gallons	52.38 %

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2024-11-09	1226	80	1081	60	0	126	514	1860	0.00	0.00
2024-11-10	1104	80	1273	60	0	127	420	1960	0.38	0.38
2024-11-11	925	80	1080	60	0	128	532	1880	0.03	0.41
2024-11-12	934	80	1089	60	0	128	513	1870	0.00	0.41
2024-11-13	1018	80	878	60	1	127	524	1670	0.00	0.41
2024-11-14	1207	80	1061	60	0	127	483	1810	0.00	0.41
2024-11-15	1176	80	1033	60	0	127	520	1820	0.00	0.41

¹ Diversions by New Jersey through the D&R Canal 2024-11-09 through 2024-11-15 averaged 93.25 .

² The average diversion for the 30-day period ending 2024-11-15 is 93.97 MGD ; the maximum is 96.95 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 16Nov2024 - 22Nov2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	June 1 to date
2024-11-16	0	52	0	926	0	39	0	0	0	491
2024-11-17	0	52	0	891	0	39	0	0	0	488
2024-11-18	0	62	0	966	0	39	0	0	0	485
2024-11-19	0	52	0	510	0	40	375	50	0	484
2024-11-20	0	52	0	200	0	39	451	368	0	486
2024-11-21	0	51	0	127	0	39	388	442	0	488
2024-11-22	0	33	0	47	0	22	450	443	0	491

Pepacton Reservoir (P):	Usable storage 2024-11-23 (0800) Spillway crest elevation 1,280.00 ft	86.572 billion gallons 139.320 billion gallons	62.19 % 1247.92 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage 2024-11-23 (0800) Spillway crest elevation 1,150.00 ft.	35.802 billion gallons 93.448 billion gallons	38.31 % 1104.01 (elev.ft.)
Neversink Reservoir (N):	Usable storage 2024-11-23 (0800) Spillway crest elevation 1,440.00 ft.	12.185 billion gallons 34.682 billion gallons	35.13 % 1382.24 (elev.ft.)
Combined contents, PCN:	Usable storage 2024-11-23 (0800) Combined capacity at spillway level	134.559 billion gallons 267.460 billion gallons	50.31 %

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2024-11-16	1228	80	1387	60	0	127	436	2090	0.00	0.41
2024-11-17	1198	80	1355	60	0	127	449	2070	0.00	0.41
2024-11-18	1176	80	1433	60	0	127	420	2120	0.00	0.41
2024-11-19	1121	81	1378	60	0	126	465	2110	0.01	0.42
2024-11-20	1255	96	1494	61	0	130	339	2120	0.56	0.98
2024-11-21	719	81	789	60	0	137	593	1660	1.28	2.26
2024-11-22	0	80	309	60	0	140	1470	2060	0.38	2.64

¹ Diversions by New Jersey through the D&R Canal 2024-11-16 through 2024-11-22 averaged 91.96 .

² The average diversion for the 30-day period ending 2024-11-22 is 93.37 MGD ; the maximum is 96.3 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 23Nov2024 - 29Nov2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	June 1 to date
2024-11-23	0	32	0	39	0	23	450	443	0	493
2024-11-24	0	32	0	39	0	23	450	443	0	495
2024-11-25	0	32	0	39	0	23	94	228	0	494
2024-11-26	0	32	0	39	0	23	0	201	0	493
2024-11-27	0	32	0	39	0	23	0	201	0	491
2024-11-28	0	32	0	39	0	23	0	201	0	489
2024-11-29	0	32	0	39	0	23	0	201	0	488

Pepacton Reservoir (P):	Usable storage 2024-11-30 (0800)	87.561 billion gallons	62.9 %	1248.61 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2024-11-30 (0800)	36.675 billion gallons	39.25 %	1104.89 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2024-11-30 (0800)	12.432 billion gallons	35.85 %	1383.1 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2024-11-30 (0800)	136.668 billion gallons	51.1 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2024-11-23	0	79	196	35	0	139	2251	2700	0.01	2.65
2024-11-24	0	50	73	35	0	139	2372	2670	0.00	2.65
2024-11-25	0	50	60	36	0	137	2398	2680	0.25	2.90
2024-11-26	0	50	60	35	0	136	2359	2640	0.11	3.01
2024-11-27	0	50	60	36	0	138	4077	4360	0.31	3.32
2024-11-28	0	50	60	36	2	137	4916	5200	0.46	3.78
2024-11-29	0	50	60	35	0	141	5354	5640	0.05	3.83

¹ Diversions by New Jersey through the D&R Canal 2024-11-23 through 2024-11-29 averaged 92.15 .

² The average diversion for the 30-day period ending 2024-11-29 is 92.88 MGD ; the maximum is 96.3 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 30Nov2024 - 06Dec2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	June 1 to date
2024-11-30	0	32	0	39	0	23	0	202	0	486
2024-12-01	0	32	0	39	0	23	0	202	0	485
2024-12-02	0	32	0	39	0	23	0	17	0	482
2024-12-03	0	32	0	39	0	23	0	0	0	480
2024-12-04	0	32	0	39	0	23	0	0	0	477
2024-12-05	0	32	0	39	0	23	0	0	0	475
2024-12-06	0	32	0	39	0	23	0	0	0	472

Pepacton Reservoir (P):	Usable storage 2024-12-07 (0800)	88.297 billion gallons	63.43 %	1249.12 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2024-12-07 (0800)	38.004 billion gallons	40.67 %	1106.21 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2024-12-07 (0800)	12.507 billion gallons	36.06 %	1383.36 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2024-12-07 (0800)	138.808 billion gallons	51.9 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2024-11-30	0	50	60	35	1	139	5085	5370	0.00	3.83
2024-12-01	0	50	60	35	0	137	3997	4280	0.00	0.00
2024-12-02	0	49	60	35	0	133	3253	3530	0.00	0.00
2024-12-03	0	50	60	35	0	124	2741	3010	0.01	0.01
2024-12-04	0	50	60	35	0	125	2410	2680	0.21	0.22
2024-12-05	0	50	60	36	0	134	2221	2500	0.06	0.28
2024-12-06	0	50	60	35	0	142	2073	2360	0.00	0.28

¹ Diversions by New Jersey through the D&R Canal 2024-11-30 through 2024-12-06 averaged 93.53 .

² The average diversion for the 30-day period ending 2024-12-06 is 92.68 MGD ; the maximum is 96.95 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 07Dec2024 - 13Dec2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	
2024-12-07	0	32	0	39	0	23	0	0	0	470
2024-12-08	0	32	0	39	0	23	0	0	0	467
2024-12-09	0	32	0	39	0	23	0	0	0	465
2024-12-10	0	32	0	39	0	23	0	0	0	462
2024-12-11	0	24	0	40	0	23	0	0	0	460
2024-12-12	0	28	0	40	0	23	0	0	0	457
2024-12-13	0	32	0	41	0	23	0	0	0	455

Pepacton Reservoir (P):	Usable storage 2024-12-14 (0800) Spillway crest elevation 1,280.00 ft	99.02 billion gallons 139.320 billion gallons	71.14 % 1256.27 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage 2024-12-14 (0800) Spillway crest elevation 1,150.00 ft.	51.777 billion gallons 93.448 billion gallons	55.41 % 1118.82 (elev.ft.)
Neversink Reservoir (N):	Usable storage 2024-12-14 (0800) Spillway crest elevation 1,440.00 ft.	15.952 billion gallons 34.682 billion gallons	46 % 1394.49 (elev.ft.)
Combined contents, PCN:	Usable storage 2024-12-14 (0800) Combined capacity at spillway level	166.749 billion gallons 267.460 billion gallons	62.35 %

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2024-12-07	0	50	60	35	0	140	1925	2210	0.04	0.32
2024-12-08	0	49	60	35	0	141	1844	2130	0.00	0.32
2024-12-09	0	49	60	35	0	146	1789	2080	0.34	0.66
2024-12-10	0	50	60	35	0	157	2377	2680	0.24	0.90
2024-12-11	0	50	61	35	0	146	5378	5670	1.28	2.18
2024-12-12	0	50	61	36	2	183	31569	31900	0.00	2.18
2024-12-13	0	37	61	35	0	185	19882	20200	0.00	2.18

¹ Diversions by New Jersey through the D&R Canal 2024-12-07 through 2024-12-13 averaged 94.82 .

² The average diversion for the 30-day period ending 2024-12-13 is 93.13 MGD ; the maximum is 97.59 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 14Dec2024 - 20Dec2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	June 1 to date
2024-12-14	0	32	0	39	0	23	450	0	0	455
2024-12-15	0	32	0	38	0	23	450	0	0	455
2024-12-16	0	32	0	40	0	23	450	0	0	455
2024-12-17	0	32	0	50	0	24	450	198	0	456
2024-12-18	0	39	0	60	0	29	450	200	0	457
2024-12-19	0	39	0	59	0	29	450	201	0	458
2024-12-20	0	39	0	58	0	29	450	202	0	459

Pepacton Reservoir (P):	Usable storage 2024-12-21 (0800)	101.49 billion gallons	72.91 %	1257.85 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2024-12-21 (0800)	58.019 billion gallons	62.09 %	1124.04 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2024-12-21 (0800)	17.449 billion gallons	50.31 %	1398.94 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2024-12-21 (0800)	176.958 billion gallons	66.16 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2024-12-14	0	43	62	35	0	208	11352	11700	0.00	2.18
2024-12-15	0	50	63	36	0	206	7795	8150	0.23	2.41
2024-12-16	0	50	60	35	0	207	6517	6870	0.12	2.53
2024-12-17	0	50	58	35	0	214	6022	6380	0.00	2.53
2024-12-18	0	50	61	36	0	226	7377	7750	0.32	2.85
2024-12-19	0	50	78	45	361	405	7332	8270	0.00	2.85
2024-12-20	0	61	93	45	84	487	7200	7970	0.14	2.99

¹ Diversions by New Jersey through the D&R Canal 2024-12-14 through 2024-12-20 averaged 92.7 .

² The average diversion for the 30-day period ending 2024-12-20 is 92.94 MGD ; the maximum is 97.59 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 21Dec2024 - 27Dec2024 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	June 1 to date
2024-12-21	0	39	0	58	0	29	450	202	0	460
2024-12-22	0	39	0	58	0	29	450	202	0	461
2024-12-23	0	39	0	58	0	29	450	202	0	462
2024-12-24	0	39	0	59	0	29	450	202	0	463
2024-12-25	0	39	0	59	0	29	450	202	0	464
2024-12-26	0	39	0	59	0	29	450	202	0	464
2024-12-27	0	39	0	69	0	29	450	202	0	465

Pepacton Reservoir (P):	Usable storage 2024-12-28 (0800) Spillway crest elevation 1,280.00 ft	100.91 billion gallons 139.320 billion gallons	72.49 % 1257.48 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage 2024-12-28 (0800) Spillway crest elevation 1,150.00 ft.	59.691 billion gallons 93.448 billion gallons	63.88 % 1125.4 (elev.ft.)
Neversink Reservoir (N):	Usable storage 2024-12-28 (0800) Spillway crest elevation 1,440.00 ft.	18.026 billion gallons 34.682 billion gallons	51.98 % 1400.6 (elev.ft.)
Combined contents, PCN:	Usable storage 2024-12-28 (0800) Combined capacity at spillway level	178.627 billion gallons 267.460 billion gallons	66.79 %

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2024-12-21	0	61	92	45	294	322	6037	6850	0.00	2.99
2024-12-22	0	61	90	45	476	308	5110	6090	0.00	2.99
2024-12-23	0	61	90	45	460	439	4175	5270	0.10	3.09
2024-12-24	0	61	90	45	123	288	3023	3630	0.00	3.09
2024-12-25	0	61	90	45	0	158	3856	4210	0.00	3.09
2024-12-26	0	61	91	45	0	157	4066	4420	0.00	3.09
2024-12-27	0	61	91	45	323	157	3163	3840	0.07	3.16

¹ Diversions by New Jersey through the D&R Canal 2024-12-21 through 2024-12-27 averaged 90.3 .

² The average diversion for the 30-day period ending 2024-12-27 is 92.83 MGD ; the maximum is 97.59 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 28Dec2024 - 03Jan2025 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	June 1 to date
2024-12-28	0	45	0	78	0	32	450	202	0	466
2024-12-29	0	45	0	78	0	32	450	202	0	467
2024-12-30	0	45	0	79	0	32	324	202	0	467
2024-12-31	0	45	0	79	0	32	300	203	0	468
2025-01-01	0	45	0	77	0	32	300	203	0	468
2025-01-02	0	45	0	78	0	32	300	203	0	468
2025-01-03	0	45	0	78	0	32	300	203	0	468

Pepacton Reservoir (P):	Usable storage 2025-01-04 (0800) Spillway crest elevation 1,280.00 ft	105.19 billion gallons 139.320 billion gallons	75.57 % 1260.16 (elev.ft.)
Cannonsville Reservoir (C):	Usable storage 2025-01-04 (0800) Spillway crest elevation 1,150.00 ft.	65.143 billion gallons 93.448 billion gallons	69.71 % 1129.73 (elev.ft.)
Neversink Reservoir (N):	Usable storage 2025-01-04 (0800) Spillway crest elevation 1,440.00 ft.	21.33 billion gallons 34.682 billion gallons	61.5 % 1409.56 (elev.ft.)
Combined contents, PCN:	Usable storage 2025-01-04 (0800) Combined capacity at spillway level	191.663 billion gallons 267.460 billion gallons	71.66 %

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2024-12-28	0	61	91	45	341	158	3294	3990	0.07	0.07
2024-12-29	0	61	106	50	327	161	3655	4360	0.50	0.57
2024-12-30	0	70	121	50	394	183	6213	7030	0.01	0.58
2024-12-31	0	70	121	49	641	335	10784	12000	0.52	1.10
2025-01-01	0	69	122	49	596	315	9249	10400	0.11	1.21
2025-01-02	0	70	122	49	0	432	11727	12400	0.03	1.24
2025-01-03	0	70	120	49	567	483	9312	10600	0.02	1.26

¹ Diversions by New Jersey through the D&R Canal 2024-12-28 through 2025-01-03 averaged 86.88 .

² The average diversion for the 30-day period ending 2025-01-03 is 91.52 MGD ; the maximum is 97.59 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.