

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 26Jul2025 - 01Aug2025 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	
2025-07-26	0	110	0	356	0	97	300	300	0	546
2025-07-27	0	109	0	364	0	96	300	300	0	547
2025-07-28	0	109	0	408	0	93	300	300	0	548
2025-07-29	0	96	0	424	0	74	300	300	74	550
2025-07-30	0	96	0	421	0	74	300	299	111	553
2025-07-31	0	96	0	329	0	74	300	299	0	554
2025-08-01	0	96	0	328	0	74	300	201	146	555

Pepacton Reservoir (P):	Usable storage 2025-08-02 (0800)	125.98 billion gallons	90.5 %	1272.57 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2025-08-02 (0800)	80.368 billion gallons	86 %	1141.07 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2025-08-02 (0800)	32.933 billion gallons	94.96 %	1436.41 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2025-08-02 (0800)	239.281 billion gallons	89.46 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2025-07-26	0	169	626	150	757	317	931	2950	0.19	3.66
2025-07-27	0	169	552	151	570	188	1070	2700	0.11	3.77
2025-07-28	0	170	551	149	562	213	1065	2710	0.00	3.77
2025-07-29	0	168	562	144	655	327	1274	3130	0.00	3.77
2025-07-30	0	168	630	114	698	420	930	2960	0.13	3.90
2025-07-31	105	149	657	114	698	359	1263	3240	1.33	5.23
2025-08-01	0	149	651	114	698	339	2259	4210	0.00	0.00

¹ Diversions by New Jersey through the D&R Canal 2025-07-26 through 2025-08-01 averaged 89.1 .

² The average diversion for the 30-day period ending 2025-08-01 is 91.67 MGD ; the maximum is 95.65 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 02Aug2025 - 08Aug2025 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	
2025-08-02	0	96	0	328	0	74	300	200	113	556
2025-08-03	0	96	0	331	0	74	300	200	113	557
2025-08-04	0	96	0	348	0	74	300	200	112	558
2025-08-05	0	97	0	323	0	74	300	200	119	559
2025-08-06	0	97	0	323	0	74	300	200	112	560
2025-08-07	0	97	0	322	0	74	300	200	112	561
2025-08-08	0	97	0	322	0	74	300	200	111	561

Pepacton Reservoir (P):	Usable storage 2025-08-09 (0800)	123.51 billion gallons	88.73 %	1271.15 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2025-08-09 (0800)	77.249 billion gallons	82.67 %	1138.83 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2025-08-09 (0800)	31.852 billion gallons	91.84 %	1434.15 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2025-08-09 (0800)	232.611 billion gallons	86.97 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2025-08-02	0	149	509	114	698	291	2279	4040	0.00	0.00
2025-08-03	0	149	507	114	807	191	1731	3500	0.00	0.00
2025-08-04	431	149	508	114	270	234	1085	2360	0.00	0.00
2025-08-05	0	149	512	114	0	191	1114	2080	0.00	0.00
2025-08-06	63	149	538	114	0	188	1001	1990	0.00	0.00
2025-08-07	709	149	500	114	0	195	931	1890	0.08	0.08
2025-08-08	605	149	499	114	166	281	861	2070	0.00	0.08

¹ Diversions by New Jersey through the D&R Canal 2025-08-02 through 2025-08-08 averaged 88.73 .

² The average diversion for the 30-day period ending 2025-08-08 is 90.7 MGD ; the maximum is 95.01 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 02Aug2025 - 08Aug2025 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	
2025-08-02	0	96	0	328	0	74	300	200	113	556
2025-08-03	0	96	0	331	0	74	300	200	113	557
2025-08-04	0	96	0	348	0	74	300	200	112	558
2025-08-05	0	97	0	323	0	74	300	200	119	559
2025-08-06	0	97	0	323	0	74	300	200	112	560
2025-08-07	0	97	0	322	0	74	300	200	112	561
2025-08-08	0	97	0	322	0	74	300	200	111	561

Pepacton Reservoir (P):	Usable storage 2025-08-09 (0800)	123.51 billion gallons	88.73 %	1271.15 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2025-08-09 (0800)	77.249 billion gallons	82.67 %	1138.83 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2025-08-09 (0800)	31.852 billion gallons	91.84 %	1434.15 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2025-08-09 (0800)	232.611 billion gallons	86.97 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2025-08-02	0	149	509	114	698	291	2279	4040	0.00	0.00
2025-08-03	0	149	507	114	807	191	1731	3500	0.00	0.00
2025-08-04	431	149	508	114	270	234	1085	2360	0.00	0.00
2025-08-05	0	149	512	114	0	191	1114	2080	0.00	0.00
2025-08-06	63	149	538	114	0	188	1001	1990	0.00	0.00
2025-08-07	709	149	500	114	0	195	931	1890	0.08	0.08
2025-08-08	605	149	499	114	166	281	861	2070	0.00	0.08

¹ Diversions by New Jersey through the D&R Canal 2025-08-02 through 2025-08-08 averaged 88.73 .

² The average diversion for the 30-day period ending 2025-08-08 is 90.7 MGD ; the maximum is 95.01 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 09Aug2025 - 15Aug2025 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	
2025-08-09	0	97	0	336	0	74	300	200	112	562
2025-08-10	0	97	0	398	0	74	300	199	112	563
2025-08-11	0	97	0	424	0	74	300	199	112	563
2025-08-12	0	97	0	397	0	74	300	199	148	564
2025-08-13	0	97	0	321	0	74	300	199	149	566
2025-08-14	0	97	0	318	0	74	300	200	114	566
2025-08-15	0	97	0	357	0	74	300	200	112	567

Pepacton Reservoir (P):	Usable storage 2025-08-16 (0800)	121.06 billion gallons	86.97 %	1269.73 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2025-08-16 (0800)	73.89 billion gallons	79.07 %	1136.37 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2025-08-16 (0800)	30.632 billion gallons	88.32 %	1431.55 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2025-08-16 (0800)	225.582 billion gallons	84.34 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2025-08-09	241	150	499	114	403	268	846	2280	0.00	0.08
2025-08-10	413	150	499	115	420	185	802	2170	0.00	0.08
2025-08-11	422	151	520	114	421	185	760	2150	0.00	0.08
2025-08-12	481	149	616	114	436	184	719	2220	0.00	0.08
2025-08-13	438	150	657	114	503	192	755	2370	0.46	0.54
2025-08-14	409	150	614	114	574	224	824	2500	0.01	0.55
2025-08-15	321	150	497	114	494	184	871	2310	0.01	0.56

¹ Diversions by New Jersey through the D&R Canal 2025-08-09 through 2025-08-15 averaged 88.18 .

² The average diversion for the 30-day period ending 2025-08-15 is 89.79 MGD ; the maximum is 95.01 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 16Aug2025 - 22Aug2025 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	
2025-08-16	0	97	0	414	0	74	300	200	112	567
2025-08-17	0	97	0	373	0	74	300	199	0	567
2025-08-18	0	97	0	406	0	74	300	199	112	567
2025-08-19	0	96	0	426	0	74	300	199	114	568
2025-08-20	0	96	0	392	0	74	300	199	113	568
2025-08-21	0	97	0	331	0	74	300	199	113	569
2025-08-22	0	97	0	369	0	74	449	199	112	571

Pepacton Reservoir (P):	Usable storage 2025-08-23 (0800)	118.49 billion gallons	85.12 %	1268.23 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2025-08-23 (0800)	70.649 billion gallons	75.6 %	1133.95 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2025-08-23 (0800)	29.697 billion gallons	85.63 %	1429.52 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2025-08-23 (0800)	218.836 billion gallons	81.82 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2025-08-16	468	150	492	114	422	185	817	2180	0.06	0.62
2025-08-17	828	150	552	114	0	273	691	1780	0.02	0.64
2025-08-18	896	150	641	114	0	183	632	1720	0.00	0.64
2025-08-19	848	149	578	114	0	183	606	1630	0.07	0.71
2025-08-20	888	149	628	114	0	184	584	1660	0.64	1.35
2025-08-21	923	149	658	114	0	187	791	1900	0.00	1.35
2025-08-22	868	149	607	114	0	185	886	1940	0.00	1.35

¹ Diversions by New Jersey through the D&R Canal 2025-08-16 through 2025-08-22 averaged 89.38 .

² The average diversion for the 30-day period ending 2025-08-22 is 88.87 MGD ; the maximum is 91.78 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 23Aug2025 - 29Aug2025 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	
2025-08-23	0	96	0	386	0	74	450	199	0	572
2025-08-24	0	97	0	386	0	74	449	199	0	573
2025-08-25	0	97	0	452	0	74	449	0	111	573
2025-08-26	0	96	0	444	0	74	449	0	112	573
2025-08-27	0	96	0	521	0	74	449	0	112	572
2025-08-28	0	96	0	400	0	74	449	0	112	572
2025-08-29	0	97	0	491	0	74	449	0	150	573

Pepacton Reservoir (P):	Usable storage 2025-08-30 (0800)	115 billion gallons	82.61 %	1266.16 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2025-08-30 (0800)	67.756 billion gallons	72.51 %	1131.75 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2025-08-30 (0800)	28.653 billion gallons	82.62 %	1427.21 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2025-08-30 (0800)	211.409 billion gallons	79.04 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2025-08-23	635	150	512	114	327	184	843	2130	0.00	1.35
2025-08-24	502	150	571	114	409	184	692	2120	0.16	1.51
2025-08-25	857	149	596	114	40	184	637	1720	0.01	1.52
2025-08-26	857	150	597	114	0	183	647	1690	0.03	1.55
2025-08-27	962	149	700	114	0	183	664	1810	0.03	1.58
2025-08-28	952	149	687	114	0	182	597	1730	0.02	1.60
2025-08-29	1062	149	806	114	0	182	539	1790	0.00	1.60

¹ Diversions by New Jersey through the D&R Canal 2025-08-23 through 2025-08-29 averaged 87.99 .

² The average diversion for the 30-day period ending 2025-08-29 is 88.59 MGD ; the maximum is 91.78 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.