

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 01Nov2025 - 08Nov2025 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500				
2025-11-01	0	48	0	166	0	36	468	0	0	579
2025-11-02	0	48	0	359	0	36	449	0	0	578
2025-11-03	0	48	0	437	0	36	449	0	148	579
2025-11-04	0	48	0	290	0	36	449	0	149	579
2025-11-05	0	48	0	127	0	36	450	0	149	579
2025-11-06	0	48	0	89	0	36	449	199	0	579
2025-11-07	0	48	0	176	0	36	449	202	0	580

Pepacton Reservoir (P):	Usable storage 2025-11-07 (0800)	89.212 billion gallons	64.09 %	1249.75 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2025-11-07 (0800)	40.153 billion gallons	42.97 %	1108.3 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2025-11-07 (0800)	23.444 billion gallons	67.6 %	141494 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2025-11-07 (0800)	152.809 billion gallons	57.13 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2025-11-01	0	74	323	56	0	86	3151	3690	0.00	0.00
2025-11-02	0	74	134	56	0	83	2644	2990	0.00	0.00
2025-11-03	387	74	257	55	0	81	2102	2570	0.09	0.09
2025-11-04	663	74	556	55	0	80	1665	2430	0.00	0.09
2025-11-05	801	74	676	56	0	116	1408	2330	0.18	0.27
2025-11-06	512	74	449	55	0	116	1245	1940	0.01	0.28
2025-11-07	323	74	197	56	0	117	1436	1880	0.10	0.38

¹ Diversions by New Jersey through the D&R Canal 2025-11-08 through 2025-11-07 averaged 82.27 .

² The average diversion for the 30-day period ending 2025-11-07 is 83.05 MGD ; the maximum is 85.96 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 08Nov2025 - 15Nov2025 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	
2025-11-08	0	48	0	102	0	36	449	202	0	580
2025-11-09	0	48	0	88	0	36	449	202	0	581
2025-11-10	0	48	0	88	0	36	449	202	0	581
2025-11-11	0	48	0	88	0	36	450	202	0	581
2025-11-12	0	48	0	88	0	36	449	202	0	582
2025-11-13	0	48	0	88	0	36	449	201	0	582
2025-11-14	0	48	0	88	0	36	449	0	0	582

Pepacton Reservoir (P):	Usable storage 2025-11-14 (0800)	87.561 billion gallons	62.9 %	1248.61 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2025-11-14 (0800)	41.274 billion gallons	44.17 %	1109.37 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2025-11-14 (0800)	23.307 billion gallons	67.2 %	141460 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2025-11-14 (0800)	152.142 billion gallons	56.88 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2025-11-08	264	74	138	56	0	118	1494	1880	0.11	0.49
2025-11-09	400	74	272	56	0	118	1360	1880	0.74	1.23
2025-11-10	287	74	158	56	1	121	1930	2340	0.01	1.24
2025-11-11	74	74	136	56	0	147	3157	3570	0.03	1.27
2025-11-12	111	74	136	56	3	152	2899	3320	0.04	1.31
2025-11-13	201	74	136	56	0	140	2344	2750	0.08	1.39
2025-11-14	150	74	136	56	0	129	2105	2500	0.00	1.39

¹ Diversions by New Jersey through the D&R Canal 2025-11-15 through 2025-11-14 averaged 83.84 .

² The average diversion for the 30-day period ending 2025-11-14 is 82.64 MGD ; the maximum is 85.96 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 15Nov2025 - 22Nov2025 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500				
2025-11-15	0	48	0	88	0	36	449	0	0	581
2025-11-16	0	48	0	89	0	36	431	0	0	580
2025-11-17	0	48	0	89	0	36	0	236	0	578
2025-11-18	0	48	0	89	0	36	0	287	150	577
2025-11-19	0	49	0	94	0	37	0	287	150	576
2025-11-20	0	52	0	96	0	39	0	287	150	575
2025-11-21	0	52	0	96	0	39	327	4	0	574

Pepacton Reservoir (P):	Usable storage 2025-11-21 (0800)	87.705 billion gallons	63.01 %	1248.71 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2025-11-21 (0800)	43.213 billion gallons	46.24 %	1111.18 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2025-11-21 (0800)	24.045 billion gallons	69.33 %	141643 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2025-11-21 (0800)	154.963 billion gallons	57.94 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2025-11-15	0	74	137	56	0	128	2005	2400	0.39	1.78
2025-11-16	0	74	137	56	0	129	1985	2380	0.09	1.87
2025-11-17	0	74	137	56	0	127	2646	3040	0.00	1.87
2025-11-18	0	74	137	56	0	126	3197	3590	0.01	1.88
2025-11-19	0	74	138	56	0	134	2688	3090	0.00	1.88
2025-11-20	0	74	138	57	0	135	2406	2810	0.00	1.88
2025-11-21	0	75	145	60	0	134	2206	2620	0.22	2.10

¹ Diversions by New Jersey through the D&R Canal 2025-11-22 through 2025-11-21 averaged 87.99 .

² The average diversion for the 30-day period ending 2025-11-21 is 82.81 MGD ; the maximum is 85.31 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.