

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 27Sep2025 - 04Oct2025 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	
2025-09-27	0	74	0	232	0	55	450	200	0	581
2025-09-28	0	73	0	421	0	55	450	200	0	582
2025-09-29	0	74	0	504	0	55	450	200	0	583
2025-09-30	0	74	0	568	0	55	450	0	0	582
2025-10-01	0	61	0	856	0	43	448	0	114	581
2025-10-02	0	48	0	749	0	36	373	0	112	581
2025-10-03	0	48	0	792	0	36	450	200	0	581

Pepacton Reservoir (P):	Usable storage 2025-10-03 (0800)	102.26 billion gallons	73.46 %	1258.34 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2025-10-03 (0800)	54.825 billion gallons	58.67 %	1121.4 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2025-10-03 (0800)	25.292 billion gallons	72.93 %	141945 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2025-10-03 (0800)	182.377 billion gallons	68.19 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2025-09-27	263	113	353	85	334	158	2087	3130	0.01	3.14
2025-09-28	0	113	357	85	0	156	1338	2050	0.00	3.14
2025-09-29	0	114	359	85	0	155	858	1570	0.00	3.14
2025-09-30	847	114	651	85	0	154	617	1620	0.00	3.14
2025-10-01	982	114	780	85	0	152	508	1640	0.00	3.14
2025-10-02	1062	114	878	66	0	152	489	1700	0.00	3.14
2025-10-03	1273	94	1324	55	0	150	326	1950	0.00	3.14

¹ Diversions by New Jersey through the D&R Canal 2025-10-04 through 2025-10-03 averaged 86.05 .

² The average diversion for the 30-day period ending 2025-10-03 is 86.91 MGD ; the maximum is 89.84 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 04Oct2025 - 11Oct2025 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500				
2025-10-04	0	48	0	867	0	36	450	199	0	582
2025-10-05	0	48	0	944	0	36	450	199	0	582
2025-10-06	0	48	0	647	0	36	450	201	0	583
2025-10-07	0	48	0	503	0	36	450	201	0	583
2025-10-08	0	48	0	329	0	36	450	201	0	584
2025-10-09	0	48	0	626	0	36	450	201	0	584
2025-10-10	0	48	0	718	0	36	450	0	0	583

Pepacton Reservoir (P):	Usable storage 2025-10-10 (0800)	99.16 billion gallons	71.24 %	1256.36 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2025-10-10 (0800)	49.708 billion gallons	53.19 %	1117.03 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2025-10-10 (0800)	24.742 billion gallons	71.34 %	141813 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2025-10-10 (0800)	173.61 billion gallons	64.91 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2025-10-04	1076	74	1159	55	0	148	574	2010	0.00	0.00
2025-10-05	1157	74	1226	55	0	148	588	2090	0.00	0.00
2025-10-06	1123	74	1341	55	0	136	584	2190	0.00	0.00
2025-10-07	1298	74	1461	55	0	109	431	2130	1.04	1.04
2025-10-08	933	74	1001	55	0	91	560	1780	0.01	1.05
2025-10-09	907	74	778	55	0	84	899	1890	0.00	1.05
2025-10-10	531	73	508	55	0	83	1340	2060	0.00	1.05

¹ Diversions by New Jersey through the D&R Canal 2025-10-11 through 2025-10-10 averaged 82.45 .

² The average diversion for the 30-day period ending 2025-10-10 is 86.39 MGD ; the maximum is 89.84 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 11Oct2025 - 18Oct2025 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500				
2025-10-11	0	48	0	407	0	35	450	0	112	583
2025-10-12	0	47	0	432	0	36	450	0	111	583
2025-10-13	0	48	0	450	0	36	450	0	113	583
2025-10-14	0	48	0	466	0	36	450	0	112	583
2025-10-15	0	48	0	699	0	36	450	0	112	583
2025-10-16	0	48	0	605	0	35	450	0	111	582
2025-10-17	0	48	0	576	0	35	450	0	111	582

Pepacton Reservoir (P):	Usable storage 2025-10-17 (0800)	96.42 billion gallons	69.27 %	1254.58 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2025-10-17 (0800)	46.264 billion gallons	49.51 %	1113.98 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2025-10-17 (0800)	24.532 billion gallons	70.73 %	141762 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2025-10-17 (0800)	167.216 billion gallons	62.52 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2025-10-11	1095	73	968	55	66	83	975	2220	0.04	1.09
2025-10-12	1240	73	1110	55	0	84	698	2020	0.30	1.39
2025-10-13	765	73	629	55	0	83	739	1580	0.34	1.73
2025-10-14	785	73	668	55	0	82	871	1750	0.00	1.73
2025-10-15	828	74	697	55	0	84	871	1780	0.00	1.73
2025-10-16	852	74	721	55	0	89	931	1870	0.00	1.73
2025-10-17	1009	74	1081	55	0	79	751	2040	0.00	1.73

¹ Diversions by New Jersey through the D&R Canal 2025-10-18 through 2025-10-17 averaged 84.48 .

² The average diversion for the 30-day period ending 2025-10-17 is 85.06 MGD ; the maximum is 88.55 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 18Oct2025 - 25Oct2025 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink		Pepacton	Cannonsville	Neversink	Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500				
2025-10-18	0	48	0	412	0	35	450	0	112	582
2025-10-19	0	48	0	360	0	36	450	0	111	582
2025-10-20	0	47	0	426	0	36	450	0	114	582
2025-10-21	0	48	0	513	0	36	450	0	149	582
2025-10-22	0	48	0	818	0	36	450	0	149	582
2025-10-23	0	48	0	862	0	36	454	0	145	582
2025-10-24	0	48	0	818	0	36	453	0	134	582

Pepacton Reservoir (P):	Usable storage 2025-10-24 (0800)	93.66 billion gallons	67.28 %	1252.76 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2025-10-24 (0800)	43.721 billion gallons	46.79 %	1111.66 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2025-10-24 (0800)	24.228 billion gallons	69.86 %	141688 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2025-10-24 (0800)	161.609 billion gallons	60.42 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2025-10-18	863	74	936	55	0	79	686	1830	0.00	1.73
2025-10-19	823	74	890	55	0	81	640	1740	0.32	2.05
2025-10-20	212	74	637	55	0	81	683	1530	0.14	2.19
2025-10-21	390	74	557	55	0	81	663	1430	0.12	2.31
2025-10-22	760	73	659	55	0	81	921	1790	0.01	2.32
2025-10-23	930	74	793	55	0	81	1086	2090	0.00	2.32
2025-10-24	1095	74	1266	55	0	81	854	2330	0.01	2.33

¹ Diversions by New Jersey through the D&R Canal 2025-10-25 through 2025-10-24 averaged 83.01 .

² The average diversion for the 30-day period ending 2025-10-24 is 84.99 MGD ; the maximum is 88.55 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 25Oct2025 - 01Nov2025 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	
2025-10-25	0	48	0	642	0	36	453	0	149	582
2025-10-26	0	48	0	789	0	36	450	0	150	582
2025-10-27	0	48	0	730	0	36	449	0	151	583
2025-10-28	0	48	0	806	0	36	449	0	149	583
2025-10-29	0	48	0	384	0	36	449	0	0	582
2025-10-30	0	48	0	209	0	36	449	0	0	581
2025-10-31	0	48	0	87	0	36	449	0	0	580

Pepacton Reservoir (P):	Usable storage 2025-10-31 (0800)	91.32 billion gallons	65.6 %	1251.19 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2025-10-31 (0800)	40.769 billion gallons	43.63 %	1108.89 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2025-10-31 (0800)	23.472 billion gallons	67.68 %	141501 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2025-10-31 (0800)	155.561 billion gallons	58.16 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2025-10-25	1113	74	1334	55	0	81	706	2250	0.01	2.34
2025-10-26	1049	74	1266	55	0	81	594	2070	0.00	2.34
2025-10-27	827	74	993	55	0	81	688	1890	0.00	2.34
2025-10-28	1047	74	1221	55	0	81	569	2000	0.00	2.34
2025-10-29	1058	74	1130	55	0	81	600	1940	0.35	2.69
2025-10-30	1179	74	1248	55	0	83	640	2100	1.20	3.89
2025-10-31	0	74	594	55	0	91	1756	2570	0.03	3.92

¹ Diversions by New Jersey through the D&R Canal 2025-11-01 through 2025-10-31 averaged 81.53 .

² The average diversion for the 30-day period ending 2025-10-31 is 84.17 MGD ; the maximum is 88.55 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.