

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 06Sep2025 - 12Sep2025 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	
2025-09-06	0	90	0	292	0	65	449	0	152	574
2025-09-07	0	90	0	295	0	65	449	0	151	574
2025-09-08	0	90	0	338	0	65	449	193	151	577
2025-09-09	0	90	0	295	0	65	449	200	149	579
2025-09-10	0	90	0	334	0	65	314	199	149	580
2025-09-11	0	90	0	382	0	65	450	0	130	580
2025-09-12	0	90	0	393	0	65	450	0	112	579

Pepacton Reservoir (P):	Usable storage 2025-09-13 (0800)	108.11 billion gallons	77.67 %	1261.99 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2025-09-13 (0800)	62.209 billion gallons	66.57 %	1127.42 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2025-09-13 (0800)	25.933 billion gallons	74.77 %	1420.97 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2025-09-13 (0800)	196.252 billion gallons	73.38 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2025-09-06	740	140	503	100	0	178	649	1570	0.46	1.03
2025-09-07	303	140	451	100	92	259	788	1830	0.00	1.03
2025-09-08	657	139	452	100	429	176	563	1860	0.00	1.03
2025-09-09	693	139	456	100	272	177	525	1670	0.00	1.03
2025-09-10	760	139	523	100	276	177	485	1700	0.00	1.03
2025-09-11	671	139	456	100	285	177	512	1670	0.00	1.03
2025-09-12	751	139	517	100	286	177	460	1680	0.00	1.03

¹ Diversions by New Jersey through the D&R Canal 2025-09-06 through 2025-09-12 averaged 87.16 .

² The average diversion for the 30-day period ending 2025-09-12 is 88.22 MGD ; the maximum is 91.78 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 13Sep2025 - 19Sep2025 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	
2025-09-13	0	90	0	470	0	65	450	0	112	579
2025-09-14	0	90	0	533	0	65	450	0	112	579
2025-09-15	0	90	0	523	0	65	450	0	112	579
2025-09-16	0	86	0	494	0	60	449	0	111	579
2025-09-17	0	81	0	514	0	58	353	161	0	578
2025-09-18	0	81	0	555	0	58	449	200	0	579
2025-09-19	0	81	0	752	0	58	449	200	0	579

Pepacton Reservoir (P):	Usable storage 2025-09-20 (0800)	104.65 billion gallons	75.18 %	1259.84 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2025-09-20 (0800)	57.909 billion gallons	61.97 %	1123.95 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2025-09-20 (0800)	25.091 billion gallons	72.35 %	1418.97 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2025-09-20 (0800)	187.65 billion gallons	70.16 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2025-09-13	834	139	592	100	292	176	461	1760	0.00	1.03
2025-09-14	846	139	608	100	379	176	478	1880	0.00	1.03
2025-09-15	872	139	727	100	301	176	467	1910	0.00	1.03
2025-09-16	871	139	825	100	305	175	435	1980	0.00	1.03
2025-09-17	840	139	809	94	295	174	419	1930	0.01	1.04
2025-09-18	785	132	764	90	297	166	441	1890	0.00	1.04
2025-09-19	809	125	796	90	319	165	346	1840	0.00	1.04

¹ Diversions by New Jersey through the D&R Canal 2025-09-13 through 2025-09-19 averaged 84.94 .

² The average diversion for the 30-day period ending 2025-09-19 is 87.23 MGD ; the maximum is 89.84 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.

OFFICE OF THE DELAWARE RIVER MASTER
Web address: <http://water.usgs.gov/osw/odrm>
Summary river data for 20Sep2025 - 26Sep2025 (preliminary data – subject to revision)

NYC RESERVOIR OPERATION DATA

Millions of gallons – 24 hour period, local time

Date	Discharge to river						Diversions to New York City water supply			
	Pepacton		Cannonsville		Neversink					Ave Diversion June 1 to date
	Spill	Release begin 1200	Spill	Release end 2400	Spill	Release begin 1500	Pepacton	Cannonsville	Neversink	
2025-09-20	0	73	0	790	0	58	449	200	0	580
2025-09-21	0	75	0	710	0	57	449	200	0	581
2025-09-22	0	74	0	674	0	55	449	199	0	581
2025-09-23	0	73	0	472	0	55	449	201	0	582
2025-09-24	0	74	0	234	0	55	449	201	0	582
2025-09-25	0	73	0	228	0	55	210	120	0	580
2025-09-26	0	73	0	231	0	55	450	200	0	581

Pepacton Reservoir (P):	Usable storage 2025-09-27 (0800)	102.66 billion gallons	73.75 %	1258.59 (elev.ft.)
	Spillway crest elevation 1,280.00 ft	139.320 billion gallons		
Cannonsville Reservoir (C):	Usable storage 2025-09-27 (0800)	55.017 billion gallons	58.87 %	1121.56 (elev.ft.)
	Spillway crest elevation 1,150.00 ft.	93.448 billion gallons		
Neversink Reservoir (N):	Usable storage 2025-09-27 (0800)	25.3 billion gallons	72.95 %	1419.47 (elev.ft.)
	Spillway crest elevation 1,440.00 ft.	34.682 billion gallons		
Combined contents, PCN:	Usable storage 2025-09-27 (0800)	182.977 billion gallons	68.41 %	
	Combined capacity at spillway level	267.460 billion gallons		

SEGREGATION OF FLOW, DELAWARE RIVER AT MONTAGUE

AND PRECIPITATION IN UPPER DELAWARE RIVER BASIN - Discharge in cubic feet per second, local time as routed to Montague

Date ^{1,2}	Releases from NYC Reservoirs				Power Releases		Computed	Total	Precipitation (inches)	
	Directed Release ³	Pepacton	Cannonsville	Neversink	Wallenpaupack	Rio Reservoir	Uncontrolled	Discharge	Daily	Cumulative
2025-09-20	874	125	858	89	319	164	345	1900	0.00	0.00
2025-09-21	1179	125	1163	90	0	239	283	1900	0.00	0.00
2025-09-22	1226	114	1222	88	0	161	246	1830	0.01	0.01
2025-09-23	997	115	1098	85	320	160	231	2010	0.24	0.25
2025-09-24	952	114	1042	85	365	158	285	2050	0.50	0.75
2025-09-25	926	114	730	85	178	164	540	1810	1.34	2.09
2025-09-26	560	114	361	85	580	161	1529	2830	0.00	2.09

¹ Diversions by New Jersey through the D&R Canal 2025-09-20 through 2025-09-26 averaged 86.7 .

² The average diversion for the 30-day period ending 2025-09-26 is 86.91 MGD ; the maximum is 89.84 .

³ Release directed 3 days prior to maintain a flow at Montague of 1,750 cfs on given date.